

PREPARED BY:

Name: City of Chicago
Department of Aviation



Address: 5702 South Cicero Ave.
Chicago, Illinois 60638

RETURN TO:

Name: City of Chicago
Department of Aviation

Address: O'Hare Intl. Airport, Terminal 2, Concourse E/F
PO Box 66142, Rm. 408
Chicago, Illinois 60666

(THE ABOVE SPACE FOR RECORDER'S OFFICE)

LEAKING UNDERGROUND STORAGE TANK ENVIRONMENTAL NOTICE

THE OWNER AND/OR OPERATOR OF THE LEAKING UNDERGROUND STORAGE TANK SYSTEM(S) ASSOCIATED WITH THE RELEASE REFERENCED BELOW, WITHIN 45 DAYS OF RECEIVING THE NO FURTHER REMEDIATION LETTER CONTAINING THIS NOTICE, MUST SUBMIT THIS NOTICE AND THE REMAINDER OF THE NO FURTHER REMEDIATION LETTER TO THE OFFICE OF THE RECORDER OR REGISTRAR OF TITLES OF COOK COUNTY IN WHICH THE SITE DESCRIBED BELOW IS LOCATED.

Illinois EPA Number: 0316565136
LUST Incident No.: 992156

City of Chicago, Department of Aviation, the owner and/or operator of the leaking underground storage tank system(s) associated with the above-referenced incident, whose address is O'Hare Intl. Airport, Terminal 2, Concourse E/F, P.O. Box 66142, Rm. 408, has performed investigative and/or remedial activities for the site identified as follows :

1. Legal Description or Reference to a Plat Showing the Boundaries: 16-38-13 PT: HF:W QTRS: W N
2. Common Address: 5702 South Cicero Chicago Illinois
3. Real Estate Tax Index/Parcel Index Number: 19-16-100-002-8001
4. Site Owner: City of Chicago, Department of Aviation
5. Land Use Limitation: The land use shall be industrial/commercial. The groundwater under the site shall not be used as a potable water supply.
6. See the attached No Further Remediation Letter for other terms.


EHD

UNOFFICIAL COPY

Page 7

If you have any questions or need further assistance, please contact the Illinois EPA project manager, Eric Dolan, at 217/524-6712.

Sincerely,



Thomas A. Henninger
Unit Manager
Leaking Underground Storage Tank Section
Division of Remediation Management
Bureau of Land

TAH:EHD:\

Attachments: Leaking Underground Storage Tank Environmental Notice

c: Carnow, Conibear & Assoc., LTD. Andrew Schleppe
Division File

0030077289

Property of Cook County Clerk's Office



UNOFFICIAL COPY 8030077289
ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276
JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601

GEORGE H. RYAN, GOVERNOR RENEE CIPRIANO, DIRECTOR

217/782-6762

CERTIFIED MAIL

7002 2030 0001 1875 1513

DEC 30 2002

City of Chicago, Department of Aviation
O'Hare Intl. Airport, Terminal 2, Concourse E/F
P.O. Box 66142, Rm. 408
Chicago, Illinois 60666

Re: LPC #0316565136 -- Cook County
Chicago-Midway Airport-Former Short Term Parking Lot
5702 South Cicero Ave
LUST Incident No. 992150
LUST Technical File

Dear Mr. Glowa:

The Illinois Environmental Protection Agency (Illinois EPA) has reviewed the Corrective Action Completion Report submitted for the above-referenced incident. This information is dated September 06, 2002 and was received by the Illinois EPA on September 10, 2002. Citations in this letter are from the Environmental Protection Act (Act) and 35 Illinois Administrative Code (35 Ill. Adm. Code).

The Corrective Action Completion Report and the Professional Engineer Certification submitted pursuant to 35 Ill. Adm. Code 732.300(b) and 732.409(b) indicate the remediation objectives set forth in 35 Ill. Adm. Code 732.408 have been met.

Based upon the certification by Ala Sassila, a Licensed Professional Engineer, and pursuant to Section 57.10 of the Act (415 ILCS 5/57.10), your request for a no further remediation determination is granted under the conditions and terms specified in this letter.

Issuance of this No Further Remediation Letter (Letter), based on the certification of the Licensed Professional Engineer, signifies that: (1) all statutory and regulatory corrective action requirements applicable to the occurrence have been complied with; (2) all corrective action concerning the remediation of the occurrence has been completed; and (3) no further corrective action concerning the occurrence is necessary for the protection of human health, safety, and the environment. Pursuant to Section 57.10(d) of the Act, this Letter shall apply in favor of the following parties:

ROCKFORD - 4302 North Main Street, Rockford, IL 61103 - (815) 987-7404 • DES PLAINES - 9511 W. Harrison St., Des Plaines, IL 60016 - (847) 294-4073
ELGIN - 595 South State, Elgin 60123 - (847) 608-3131 • PEORIA - 5414 N. University St., Peoria, IL 61614 - (309) 693-5462
CHAMPAIGN - 2125 South First Street, Champaign, IL 61820 - (217) 333-6907 • SPRINGFIELD - 4500 S. Sixth Street Rd., Springfield, IL 62706 - (217) 786-6892
COLLINSVILLE - 2009 Mall Street, Collinsville, IL 62234 - (618) 346-5120 • MARION - 2309 W. Main St., Suite 116, Marion, IL 62959 - (618) 993-7200

UNOFFICIAL COPY

Page 2

1. City of Chicago Department of Aviation, the owner or operator of the underground storage tank system(s).
2. Any parent corporation or subsidiary of such owner or operator.
3. Any co-owner or co-operator, either by joint tenancy, right-of-survivorship, or any other party sharing a legal relationship with the owner or operator to whom the Letter is issued.
4. Any holder of a beneficial interest of a land trust or inter vivos trust whether revocable or irrevocable.
5. Any mortgagee or trustee of a deed of trust of such owner or operator.
6. Any successor-in-interest of such owner or operator.
7. Any transferee of such owner or operator whether the transfer was by sale, bankruptcy proceeding, partition, dissolution of marriage, settlement or adjudication of any civil action, charitable gift, or bequest.
8. Any heir or devisee of such owner or operator.

This Letter and all attachments, including but not limited to the Leaking Underground Storage Tank Environmental Notice, must be filed within 45 days of receipt as a single instrument with the Office of the Recorder or Registrar of Titles in the county in which the above-referenced site is located. In addition, the Groundwater Ordinance must be filed as an attachment of this Letter with the Office of the Recorder or Registrar of Titles of the applicable county. This Letter shall not be effective until officially recorded by the Office of the Recorder or Registrar of Titles of the applicable county in accordance with Illinois law so it forms a permanent part of the chain of title for the above-referenced property. Within 30 days of this Letter being recorded, a copy of this Letter, as recorded, shall be obtained and submitted to the Illinois EPA by certified mail. For recording purposes, it is recommended that the Leaking Underground Storage Tank Environmental Notice of this Letter be the first page of the instrument filed.

0030077289

CONDITIONS AND TERMS OF APPROVAL

LEVEL OF REMEDIATION AND LAND USE LIMITATIONS

1. The remediation objectives have been established in accordance with an industrial/commercial land use limitation. The remediation objectives for the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, were established in accordance with the requirements of the Tiered Approach to Corrective Action Objectives (35 Ill. Adm. Code 742) rules.
2. As a result of the release from the underground storage tank system(s) associated with the above-referenced incident, the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter, shall not be used in a manner inconsistent with the following land use limitation: The land use shall be industrial/commercial. The groundwater under the site shall not be used as a potable water supply.
3. The land use limitation specified in this Letter may be revised if:
 - a) Further investigation or remedial action has been conducted that documents the attainment of objectives appropriate for the new land use; and
 - b) A new No Further Remediation Letter is obtained and recorded in accordance with Title XVII of the Act and regulations adopted thereunder.

PREVENTIVE, ENGINEERING, AND INSTITUTIONAL CONTROLS

4. Preventive: None.

Engineering: None.

Institutional: This Letter shall be recorded as a permanent part of the chain of title for the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter.

Groundwater Use Ordinance

Section 11-8-390 of the Municipal Code of Chicago effectively prohibits the installation of potable water supply wells (and the use of such wells) and is an acceptable institutional control under the following conditions:

Each affected or potentially affected (as shown through contaminant modeling) property owner and the City Of Chicago must receive written

UNOFFICIAL COPY

Page 4

notification from the owner or operator desiring to use the ordinance as an institutional control that groundwater remediation objectives have been approved by the Illinois EPA. Written proof of this notification shall be submitted to the Illinois EPA in accordance with 35 Ill. Adm. Code 742.1015(b) and (c) within 45 days from the date this Letter is recorded. The notification shall include:

- a) The name and address of the local unit of government;
- b) The citation of the ordinance used as an institutional control in this Letter;
- c) A description of the property being sent notice by adequate legal description or by reference to a plat showing the boundaries;
- d) A statement that the ordinance restricting the groundwater use has been used by the Illinois EPA in reviewing a request for groundwater remediation objectives;
- e) A statement as to the nature of the release and response action with the name, address, and Illinois EPA inventory identification number; and
- f) A statement as to where more information may be obtained regarding the ordinance.

The following activities shall be grounds for voidance of the ordinance as an institutional control and this Letter:

- a) Modification of the referenced ordinance to allow potable uses of groundwater.
- b) Approval of a site-specific request, such as a variance, to allow use of groundwater at the site.
- c) Violation of the terms of a recorded institutional control.

As a part of its corrective action, the leaking underground storage tank site has relied upon Section 11-8-390 of the Municipal Code of Chicago that prohibits potable uses of groundwater as defined therein.

0030077289

Property of Cook County Clerk's Office

UNOFFICIAL COPY

Page 5

0030077289

5. Failure to establish, operate, and maintain controls in full compliance with the Act, applicable regulations, and the approved Corrective Action Plan, if applicable, may result in voidance of this Letter.

OTHER TERMS

6. Any contaminated soil or groundwater removed or excavated from, or disturbed at, the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, must be handled in accordance with all applicable laws and regulations under 35 Ill. Adm. Code Subtitle G.
7. Further information regarding the above-referenced site can be obtained through a written request under the Freedom of Information Act (5 ILCS 140) to:

Illinois Environmental Protection Agency
Attention: Freedom of Information Act Officer
Bureau of Land - #24
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276

8. Pursuant to Section 57.10(e) of the Act (415 ILCS 5/57.10(e)) and 35 Ill. Adm. Code 732.704, should the Illinois EPA seek to void this Letter, the Illinois EPA shall provide notice to the owner or operator of the leaking underground storage tank system(s) associated with the above-referenced incident and the current title holder of the real estate on which the tanks were located, at their last known addresses. The notice shall specify the cause for the voidance, explain the provisions for appeal, and describe the facts in support of the voidance. Specific acts or omissions that may result in the voidance of this Letter include, but shall not be limited to:
 - a) Any violation of institutional controls or industrial/commercial land use restrictions;
 - b) The failure to operate and maintain preventive or engineering controls or to comply with any applicable groundwater monitoring plan;
 - c) The disturbance or removal of contamination that has been left in-place in accordance with the Corrective Action Plan or Completion Report;
 - d) The failure to comply with the recording requirements for the Letter;
 - e) Obtaining the Letter by fraud or misrepresentation; or

UNOFFICIAL COPY

Page 6

0030077289

- f) Subsequent discovery of contaminants, not identified as part of the investigative or remedial activities upon which the issuance of the Letter was based, that pose a threat to human health or the environment.

An underground storage tank owner or operator may appeal this final decision to the Illinois Pollution Control Board pursuant to Sections 40 and 57.7(c)(4)(D) of the Act by filing a petition for a hearing within 35 days after the date of issuance of the final decision. However, the 35-day period may be extended for a period of time not to exceed 90 days by written notice from the owner or operator and the Illinois EPA within the initial 35-day appeal period. If the owner or operator wishes to receive a 90-day extension, a written request that includes a statement of the date the final decision was received, along with a copy of this decision, must be sent to the Illinois EPA as soon as possible.

For information regarding the filing of an appeal, please contact:

Dorothy Gunn, Clerk
Illinois Pollution Control Board
State of Illinois Center
100 West Randolph, Suite 11-500
Chicago, IL 60601
312/814-3620

For information regarding the filing of an extension, please contact:

Illinois Environmental Protection Agency
Division of Legal Counsel
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276
217/782-5544

Submit the copy of this Letter, as recorded by certified mail, to:

Illinois Environmental Protection Agency
Bureau of Land - #24
Leaking Underground Storage Tank Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276