SATISFACTION OR RELEASE

OF MECHANIC'S LIENUNOFFICIAL

STATE OF ILLINOIS

Cock County Recorder

19.00

COUNTY OF Cook

0030409904

Pursuant to and in compliance with the Illinois Statute relating to mechanics liens, and for valuable consideration, receipt whereof is hereby acknowledged, the undersigned, does hereby acknowledge satisfaction or release of the claim against AMEC CONSTRUCTION MANAGEMENT, INC. F/K/A MORSE DIESEL INTERNATION (L., INC. Lease Plan North America, Inc. Crate & Barrel Holdings, Inc. CB Northbrook Headquarters, LLC Cole Taylor Bank, Trust #99-8161 Euromarket Designs, Inc. d/b/a Crate & Barrel LaSalle National Leasing Compration Society of Divine Word (Owner) for Thirty-Two Thousand Six Hundred Ninety-Four and Two Tenths (\$32694.20) Dollars, on the following described property, to wit:

Street Address:

Crate & Bayrel Corporate Headquarters 1250 Techny Road Northbrook, IL 60062:

A/K/A:

SEE ATTACHED LEGAL DESCRIPTION

A/K/A:

TAX # 04-14-100-032; 04-15-200-020; 04-15-200-021; 04-14-100-033

which claim for lien was filed in the office of the recorder of deeds of Cook County, Illinois, as mechanic's lien document number(s) 20684233;

IN WITNESS WHEREOF, the undersigned has signed this instrument this November 21, 2002.

CORDECK SALES, INC.

BY:

President

Prepared By: CORDECK SALES, INC. 12700 Wilmot Road Kenosha, WI 53142

FOR THE PROTECTION OF THE OWNER, THIS RELEASE SHOULD BE FILED WITH THE RECORDER OF DEEDS OR THE REGISTRAR OF TITLES IN WHOSE OFFICE THE CLAIM FOR LIEN WAS FILED.

relfull.wpd lc/sp

Return to 30x 407

020504818

- P. Reed

Of County Clert's Office

STATE OF ILLINOIS

COUNTY OF Cook)

The affiant, Susan Moore, being first duly sworn, on oath deposes and says that he/she is President of the claimant; that he/she has read the foregoing satisfaction and release of claim and knows the contents thereof; and that all the statements therein contained are true.

)

President

Subscribed and sworn to before me this November 21, 2002

Notary Public's Signature

My Commission Expires 4-3-2005.

SHERRI LONGSHORE
NOTARY PUBLIC
STATE OF WISCONSTN

relfull.wpd lc/sp

020504818

0030409904 Page 3 of

LEGAL DESCRIPTION

(AFFECTS PARCEL 1) 04-14-100-032 (AFFECTS PARCEL 1) 01-15-200-020 (AFFECTS PARCEL 2) • 04-15-203-021 (AFFECTS PARCEL 2) 04-14-100-923

LEGAL DESCRIPTION:

PARCEL 1: (NC-1A)

THAT PART OF LOT 1 IN TECHNY PARCEL NC-1 SUBDIVISION. ACCORDING TO THE FINAL PLAT OF SUBDIVISION OF TECHNY PARCEL NC-1 RECORDED ON NOVEMBER 12, 1999, AS DOLL ENT NO. 09067611, IN COOK COUNTY, ILLINOIS, BEING DESCRIBED AS FOLLOWS:

THAT PORTION OF THE WEST HALP OF SECTION 14, AND PART OF THE EAST HALF OF SECTION 15, IN TOWNSHIP 42 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN DESCRIPTY AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF THE MOPTHEAST QUARTER OF SAID SECTION 15; THENCE SOUTH 89 DEGREES 02 KITUTES 23 SECONDS EAST ALONG THE SOUTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 15 A DISTANCE OF 1710.55 FEET, THENCE NORTH 00 DEGREES 57 MINUTES 37 SECONDS EAST 306.23 FEET; THENCE NORTH 54 DEGREES 02 MINUTES 09 SECONDS WEST 564.01 FEET; THENCE NOP. 6 35 DEGREES 57 MINUTES 51 SECONDS EAST ALONG THE EASTERLY LINE OF THE CHICAGO AND NORTHWESTERN RAILROAD RIGHT-OF-WAY, A DISTANCE OF FEET; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONLS CAST 592.66 FEET, THENCE SOUTHEASTERLY ALONG THE ARC OF A CURVE CONCAVE TO NORTHEAST HAVING A RADIUS OF 1524 58 FEET, HAVING A CHORD BEARING OF SOUTH 39 DEGREES 58 MINUTES 01 SECONDS EAST, 6.15 PEET TO THE POINT OF TANGENCY; THENCE SOUTH 40 DEGPLES 04 MINUTES 57 SECONDS EAST ALONG THE WESTERLY RIGHT-OF-WAY LINE OF WAUKEGAN ROAD PER DOCUMENT 93174460, A DISTANCE OF 14.45 FEEL: THENCE NORTH 49 DEGREES 55 MINUTES 03 SECONDS EAST 19.69 FEET THENCE SOUTH 40 DEGREES 09 MINUTES 19 SECONDS EAST ALONG A LINE THAT IS 33.00 FEBT SOUTHWESTERLY OF THE CENTERLINE OF WAUKEGAN ROAD (SAID LINE BEING THE WESTERLY RIGHT-OF-WAY LINE OF WAUKEGAN ROAD PER SURVEY PREPARED FOR THE COOK COUNTY HIGHWAY DEPARTMENT IN 1927), A DISTANCE OF 309.27 FEET FOR A PLACE OF BEGINNING; THENCE CONTINUING SOUTH 40 DEGREES 09 MINUTES 19 SECONDS EAST ALONG SAID LINE BEING THE WESTERLY RIGHT-OF-WAY LINE WAUKEGAN ROAD 675.06 FEET; THENCE SOUTH 43 DEGREES 42 MINUTES

UNOFFICIAL COPY 684233

0030409904 Page 4 of

23 SECONDS WEST 1002.92 FEET; THENCE NORTH 43 DEGREES MINUTES 43 SECONDS WEST 197.40 FEBT TO A POINT OF CURVATURE; THENCE NORTHWESTERLY ALONG THE ARC OF A CURVE CONCAVE TO THE SOUTH, HAVING A RADIUS OF 480.00 PEBT, HAVING A CHORD BEARING OF NORTH 54 DEGREES 59 MINUTES 43 SECONDS WEST, 198.82 FEET; THENCE NORTH 00 DEGREES 57 MINUTES 37 SECONDS EAST 410.97 FEET; THENCE NORTH 43 DEGREES 42 MINUTES 23 SECONDS EAST 792.27 FEET TO THE PLACE OF BEGINNING, IN COOK COUNTY, ILLINOIS.

PARCEI, 2: (NC-1B)

Language of the same

THAT PART OF LOT 1 IN TECHNY PARCEL NC-1 SUBDIVISION, ACCORDING TO THE TURL PLAT OF SUBDIVISION OF TECHNY PARCEL NC-1 RECORDED ON NOVEMBER 12, 1999, AS DOCUMENT NO. 09067611, IN COOR COUNTY, ILLINOIS, ESING DESCRIBED AS FOLLOWS:

THAT PORTION OF THE WEST HALF OF SECTION 14, AND PART OF THE EAST HALF OF SECTION 15, IN TOWNSHIP 42 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORN IR OF THE NORTHEAST QUARTER OF SAID SECTION 15; THENCE FOURTH 89 DEGREES 02 MINUTES 23 SECONDS EAST ALONG THE SOUTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 15 A DISTANCE OF 1710.35 FEET, THENCE NORTH 00 DEGREES 57 HINUTES 37 SECONDS EAST 305, 23 FEET; THENCE NORTH 54 DEGREES 02 MINUTES 09 SECONDS WEST 564.02 FEET; THENCE NORTH 35 DEGREES 57 MINUTES 51 SECONDS EAST ALONG THE EASTERLY LINE OF THE CHICAGO AND NORTHWESTERN RAILROAD RICHT-OF-WAY, A DISTANCE OF 724.19: FEET; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS EAST 592.66 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF A CURVE CONCAVE TO THE NORTHEAST HAVING A RADIUS OF 1524.53 FEET. HAVING A CHORD BEARING OF SOUTH 39 DEGREES 58 MI JUIES 01 SECONDS EAST, 6.15 FEET TO THE POINT OF TANGENCY; THENLE SOUTH 40 DEGREES 04 MINUTES 57 SECONDS EAST ALONG THE WESTERLY NIGHT-OF-WAY LINE OF WAUKEGAN ROAD PER DOCUMENT 93174460, A DISTANCE OF 14.45 FEET; THENCE NORTH 49 DEGREES 55 MINUTES 03 SECONDS BAST 19.69 FEET; THENCE SOUTH 40 DEGREES 09 MINUTES 19 SECONDS FAST ALONG A LINE THAT IS 33.00 FEET SOUTHWESTERLY OF THE CENTERILINE OF WAUKEGAN ROAD (SAID LINE BEING THE WESTERLY RIGHT-OF-WAY LINE OF WAUKEGAN ROAD PER SURVEY PREPARED FOR THE COOK COUNTY HIGHWAY DEPARTMENT IN 1927), A DISTANCE OF 984.33 FEET FOR A PLACE OF BEGINNING; THENCE CONTINUING SOUTH 40 DEGREES 09 MINUTES 19 SECUROS EAST SAID LINE BEING THE WESTERLY RIGHT-OF-WAY LINE OF WAUKEGAN ROAD 395.58 FEET; THENCE SOUTH 46 DEGREES 28 MINUTES 03 SECONDS WEST 303.59 FEET TO A POINT OF CURVATURE; THENCE SOUTHERLY ALONG THE ARC OF A CURVE CONCAVE TO THE SOUTHERLY, HAVING A PARTIE OF THE SOUTHERLY. HAVING A RADIUS OF 780.00 FEET, HAVING A CHORD BEARING OF SOUTH

UNOFFICIAL COPY

²⁰E84233 DD3D4D99O4 _{Page 5 of 5}

28 DEGREES 25 MINUTES 49 SECONDS WEST, 491.10 FEET, THENCE SOUTH 50 DEGREES 43 MINUTES 28 SECONDS WEST 73.93 FEET, THENCE NORTH 86 DEGREES 15 MINUTES 54 SECONDS WEST 54.39 FEET TO A POINT OF CURVATURE; THENCE WESTERLY ALONG THE ARC OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 400 FEET, HAVING A CRORD BEARING OF NORTH 64 DEGREES 41 MINUTES 48 SECONDS WEST, 301.15 FEET TO A POINT OF TANGENCY; THENCE NORTH 43 DEGREES 07 MINUTES 43 SECONDS WEST 176.46 FEET; THENCE NORTH 43 DEGREES 42 MINUTES 23 SECONDS EAST 1002.92 FEET TO THE PLACE OF BEGINNING, IN COCK COUNTY, ILLINOIS.

(EXCEPT FROM SAID PARCELS 1 AND 2 THE FOLLOWING DESCRIBED PROPERTY:

THAT PART OF LOT 1 IN THE FINAL PLAT OF SUBDIVISION OF TECHNY PARCEL NC-1, BEING A 'SUBDIVISION OF PART OF THE WEST HALF OF SECTION 14, AND PART OF THE EAST HALF OF SECTION 15, IN TOWNSHIP 42 NC ATH, RANGE 12, EAST OF THE THIRD PRINCIPAL MERIDIAN, ACCORDING TO THE PLAT THERLOF RECORDED NOVEMBER 12, 1999 AS DOCUMENT NUMBER 19967611 DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF LOT 3 IN SAID 19NAT 19 SUBDIVISION OF TECHNIT PARCEL NC-1; THENCE SOUTHEASTERLY ALONG THE WESTERLY LINE OF WALKEGAN ROAD ("L.' NOIS STATE ROUTE 43) PER PLAT OF HIGHWAYS RECORDED MARCH 9, 1993 AS DOCUMENT NUMBER 93174460 BEING ALSO THE EASTERLY LINE OF SAID LOT 1 THE FOLLOWING THREE COURSES AND DISTANCES; 1) THENCE ALONG AN ARC OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 1524.68 FEET, HAVING A CHOPD, BEARING OF SOUTH 39 DECRREES 68 MINUTES 01 SECONDS EAST, 8.15 FEET TO A POINT OF TANGENCY; 2) THENCE SOUTH 40 DEGREES 04 MINUTES 03 SECONDS EAST, 8.15 FEET TO A POINT OF TANGENCY; 2) THENCE SOUTH 40 DEGREES 09 MINUTES 03 SECONDS EAST, 10.69 FEET WIDE; BEING ALSO SAID EASTERLY LINE OF WALKEGAN ROAD AS MONUMENTED AND OCCUPIED (66 FEET WIDE;) BEING ALSO SAID EASTERLY LINE OF WALKEGAN ROAD 1070;63 FEET TO THE MOST EASTERLY CON IER OF SAID LOT 1; THENCE CONTINUING SOUTH 40 DEGREES 09 MINUTES 19 SECONDS EAST ALONG SAID WESTERLY LINE OF WALKEGAN ROAD 1070;63 FEET TO THE MOST EASTERLY CON IER OF SAID LOT 1; THENCE SOUTH 46 DEGREES 09 MINUTES 10 SECONDS EAST S.98 FEET; THENCE OF 134.14 FEET; THENCE NORTH 31 DEGREES 48 MINUTES 10 SECONDS EAST S.98 FEET; THENCE OF 134.14 FEET; THENCE NORTH 31 DEGREES 48 MINUTES 10 SECONDS EAST S.98 FEET; THENCE OF 134.14 FEET; THENCE NORTH 31 DEGREES 48 MINUTES 10 SECONDS EAST S.98 FEET; THENCE OF 134.14 FEET; THENCE NORTH 31 DEGREES 50 MINUTES 10 SECONDS EAST S.98 FEET; THENCE OF 134.14 FEET; THENCE NORTH 31 DEGREES 50 MINUTES 10 SECONDS EAST S.98 FEET; THENCE OF 134.14 FEET; THENCE NORTH 31 DEGREES 50 MINUTES 10 SECONDS EAST S.00 FEET; THENCE NORTH 40 DEGREES 50 MINUTES 10 SECONDS WEST ALONG A

MONUMENTED AND OCCUPIED (66 FEET WIDE) 705.10 FEET; THENCE NORTH 43 DECREES 42 MINUTES 23 SECONDS EAST 34.20 FEET TO THE PLACE OF BEGINNING, ALL IN COOK CURNTY, ILLINOIS.