

UNOFFICIAL COPY

PREPARED BY:

Name: BP Products North America Inc.
Attn. Harold Primack

Address: 5035 West Lawrence Avenue
Chicago, Illinois 60630

RETURN TO:

Name: **AFTER RECORDING MAIL TO:**
CHICAGO TITLE INSURANCE CO.
171 N. CLARK ST. MLC: 04SP
Address: **CHICAGO, IL 60601**
ATTN: LILIA RODRIGUEZ



Doc#: 0605333181 Fee: \$46.00
Eugene "Gene" Moore RHSP Fee: \$10.00
Cook County Recorder of Deeds
Date: 02/22/2006 11:31 AM Pg: 1 of 12

(THE ABOVE SPACE FOR RECORDER'S OFFICE)

LEAKING UNDERGROUND STORAGE TANK ENVIRONMENTAL NOTICE

Slugg Site 38

THE OWNER AND/OR OPERATOR OF THE LEAKING UNDERGROUND STORAGE TANK SYSTEM(S) ASSOCIATED WITH THE RELEASE REFERENCED BELOW, WITHIN 45 DAYS OF RECEIVING THE NO FURTHER REMEDIATION LETTER CONTAINING THIS NOTICE, MUST SUBMIT THIS NOTICE AND THE REMAINDER OF THE NO FURTHER REMEDIATION LETTER TO THE OFFICE OF THE RECORDER OR REGISTRAR OF TITLES OF COOK COUNTY IN WHICH THE SITE DESCRIBED BELOW IS LOCATED.

Illinois EPA Number: 0316110015

LUST Incident No.: 970894

BP Products North America Inc., the owner and/or operator of the leaking underground storage tank system(s) associated with the above-referenced incident, whose address is, 28100 Torch Parkway, 2S, Warrenville, Illinois 60555 has performed investigative and/or remedial activities for the site identified as follows

1. Legal Description or Reference to a Plat Showing the Boundaries: See attached
2. Common Address: 5035 West Lawrence Avenue, Chicago, Illinois 60630
3. Real Estate Tax Index/Parcel Index Number: 13-16-201-038
4. Site Owner: Citizens Bank Trust No. 908
5. Land Use Limitation: There are no land use limitations.
6. See the attached No Further Remediation Letter for other terms.

Leaking Underground Storage Tank Environmental Notice

9/1/06

BOX 334 CTRTM



UNOFFICIAL COPY

CHICAGO TITLE INSURANCE COMPANY

Order No.: 1401 S9522945 SP

Additional Tax Numbers:

Legal Description:

PARCEL 1:

LOTS 2 AND 3 (EXCEPT THE EAST 15 FEET OF LOT 2) AND LOT 4 IN THE RESUBDIVISION OF LOTS 1 TO 6 INCLUSIVE AND OF LOTS 19 TO 24 INCLUSIVE IN BLOCK 10 IN SILVERMAN'S ADDITION TO IRVING PARK MONTROSE AND JEFFERSON IN THE NORTHEAST 1/4 OF SECTION 16, TOWNSHIP 40 NORTH, RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN ACCORDING TO THE PLAT THEREOF RECORDED MAY 1, 1912 IN BOOK 117 OF PLATS PAGE 10 AS DOCUMENT 4957523 IN COOK COUNTY, ILLINOIS.

PARCEL 2:

LOT 5 (EXCEPT THAT PART OF LOT 5 AFORESAID LYING SOUTH OF THE FOLLOWING DESCRIBED LINE: BEGINNING AT A POINT ON THE WEST LINE OF LOT 5 WHICH SAID POINT IS 101.8 FEET SOUTH OF THE NORTHWEST CORNER OF SAID LOT THENCE ALONG A STRAIGHT LINE TO THE SOUTHEAST CORNER OF SAID LOT IN THE RESUBDIVISION OF LOTS 1 TO 6 INCLUSIVE AND LOTS 19 TO 24 INCLUSIVE IN BLOCK 10 IN SILVERMAN'S ADDITION TO IRVING PARK MONTROSE AND JEFFERSON A SUBDIVISION IN THE WEST 1/2 OF THE EAST 1/2 OF THE NORTHEAST 1/4 AND THAT PART OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 WHICH LIES NORTH OF THE NORTHWESTERN RAILWAY TRACK OF SECTION 16, TOWNSHIP 40 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS

PARCEL 3:

LOT 6 EXCEPT THAT PART OF LOT 6 LYING SOUTH OF A LINE DESCRIBED AS FOLLOWS: BEGINNING AT A POINT ON WEST LINE OF LOT 6 WHICH POINT IS 83 FEET SOUTH OF NORTHWEST CORNER OF NORTHEAST CORNER OF SAID LOT THENCE ALONG A STRAIGHT LINE TO A POINT ON EAST LINE OF SAID LOT WHICH POINT IS 101.8 FEET SOUTH OF THE NORTHEAST CORNER OF SAID LOT IN THE RESUBDIVISION OF LOTS 1 TO 6 INCLUSIVE AND LOTS 19 TO 24 INCLUSIVE IN BLOCK 10 IN SILVERMAN'S ADDITION TO IRVING PARK MONTROSE AND JEFFERSON A SUBDIVISION IN THE WEST 1/2 OF THE EAST 1/2 OF THE NORTHEAST 1/4 AND THAT PART OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 WHICH LIES NORTH OF THE NORTHWESTERN RAILWAY TRACK OF SECTION 16, TOWNSHIP 40 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS

PARCEL 4:

LOT 7 (EXCEPT THAT PART LYING SOUTH OF A LINE BEGINNING AT A POINT ON THE WEST LINE OF LOT 7 WHICH POINT IS 76 FEET SOUTH OF THE NORTHWEST CORNER OF SAID LOT THENCE ALONG A STRAIGHT LINE TO A POINT ON THE EAST LINE OF SAID LOT WHICH SAID POINT IS 100 FEET SOUTH OF THE NORTHEAST CORNER) IN RESUBDIVISION OF LOTS 1 TO 6 INCLUSIVE AND LOTS 19 TO 24 INCLUSIVE IN BLOCK 10 IN SILVERMAN'S ADDITION TO IRVING PARK MONTROSE AND JEFFERSON A SUBDIVISION IN THE WEST 1/2 OF THE EAST 1/2 OF THE NORTHEAST 1/4 AND THAT PART OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 WHICH LIES NORTH OF THE NORTHWESTERN RAILWAY TRACK OF SECTION 16, TOWNSHIP 40 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS

UNOFFICIAL COPY




FIGURE 3
INSTITUTIONAL CONTROLS MAP
BP SERVICE STATION, NO. 15548
5035 WEST LAWRENCE AVENUE
CHICAGO, ILLINOIS

PROJECT NO. AM 00463	PREPARED BY LG	DRAWN BY SPA
DATE 4/27/05	REVIEWED BY [Signature]	FILE NAME 15548

Delta
 Environmental
 Consultants, Inc.

North

LEGEND:

- PROPERTY BOUNDARY MONITORING WELL
- ▨ DUAL JURISDICTION: CHICAGO AND IDOT HIGHWAY AUTHORITY AGREEMENT
- ▤ AREA OF GROUNDWATER ORDINANCE NOTIFICATION



UNOFFICIAL COPY

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 – (217) 782-3397
 JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601 – (312) 814-6026

ROD R. BLAGOJEVICH, GOVERNOR

DOUGLAS P. SCOTT, DIRECTOR

217/782-6762

CERTIFIED MAIL

7004 2510 0001 8654 0605

JAN 3 1 2006

BP Products North America Inc.
 Attn. Harold Primack
 28100 Torch Parkway, 2S
 Warrenville, Illinois 60555

Re: LPC#0316110015--Cook County
 Chicago /Amoco Station #15548
 5035 West Lawrence Avenue
 LUST Incident No. 970894
 LUST Technical File

Dear Mr. Primack:

The Illinois Environmental Protection Agency (Illinois EPA) has reviewed the Corrective Action Completion Report (CACR) submitted for the above-referenced incident. This information is dated November 18, 2005 and was received by the Illinois EPA on November 21, 2005. Citations in this letter are from the Environmental Protection Act (Act) and 35 Illinois Administrative Code (35 Ill. Adm. Code).

The High Priority Corrective Action Completion Report and associated Professional Engineer Certification indicate corrective action for the above-referenced site was conducted in accordance with the Corrective Action Plan approved by the Illinois EPA. The Corrective Action Completion Report demonstrates that the requirements of Section 57.7(c)(1)(E) of the Act and 35 Ill. Adm. Code 732.409(a)(2) have been satisfied.

Based upon the certification by Debra L. Hagerty, a Licensed Professional Engineer and pursuant to Section 57.10 of the Act (415 ILCS 5/57.10), your request for a no further remediation determination is granted under the conditions and terms specified in this letter.

Issuance of this No Further Remediation Letter (Letter), based on the certification of the Licensed Professional Engineer, signifies that: (1) all statutory and regulatory corrective action requirements applicable to the occurrence have been complied with; (2) all corrective action concerning the remediation of the occurrence has been completed; and (3) no further corrective action concerning the occurrence is necessary for the protection of human health, safety, and the environment. Pursuant to Section 57.10(d) of the Act, this Letter shall apply in favor of the following parties:

ROCKFORD – 4302 North Main Street, Rockford, IL 61103 – (815) 987-7760 • DES PLAINES – 9511 W. Harrison St., Des Plaines, IL 60016 – (847) 294-4000
 ELGIN – 595 South State, Elgin, IL 60123 – (847) 608-3131 • PEORIA – 5415 N. University St., Peoria, IL 61614 – (309) 693-5463
 BUREAU OF LAND - PEORIA – 7620 N. University St., Peoria, IL 61614 – (309) 693-5462 • CHAMPAIGN – 2125 South First Street, Champaign, IL 61820 – (217) 278-5300
 SPRINGFIELD – 4500 S. Sixth Street Rd., Springfield, IL 62706 – (217) 786-6892 • COLLINSVILLE – 2009 Mall Street, Collinsville, IL 62234 – (618) 346-5120
 MARION – 2309 W. Main St., Suite 116, Marion, IL 62959 – (618) 993-7200

PRINTED ON RECYCLED PAPER

UNOFFICIAL COPY

1. BP Products North America Inc., the owner or operator of the underground storage tank system(s).
2. Any parent corporation or subsidiary of such owner or operator.
3. Any co-owner or co-operator, either by joint tenancy, right-of-survivorship, or any other party sharing a legal relationship with the owner or operator to whom the Letter is issued.
4. Any holder of a beneficial interest of a land trust or inter vivos trust whether revocable or irrevocable.
5. Any mortgagee or trustee of a deed of trust of such owner or operator.
6. Any successor in-interest of such owner or operator.
7. Any transferee of such owner or operator whether the transfer was by sale, bankruptcy proceeding, partition, dissolution of marriage, settlement or adjudication of any civil action, charitable gift, or bequest.
8. Any heir or devisee of such owner or operator.

This Letter and all attachments, including but not limited to the Leaking Underground Storage Tank Environmental Notice, must be filed with in 45 days of receipt as a single instrument with the Office of the Recorder or Registrar of Titles in the county in which the above-referenced site is located. In addition, the Groundwater Ordinance (photocopy attached) must be filed as an attachment of this Letter with the Office of the Recorder or Registrar of Titles of the applicable county. This Letter shall not be effective until officially recorded by the Office of the Recorder or Registrar of Titles of the applicable county in accordance with Illinois law so it forms a permanent part of the chain of title for the above-referenced property. Within 30 days of this Letter being recorded, an accurate and official copy of this Letter, as recorded, shall be obtained and submitted to the Illinois EPA. For recording purposes, it is recommended that the Leaking Underground Storage Tank Environmental Notice of this Letter be the first page of the instrument filed.

CONDITIONS AND TERMS OF APPROVAL

LEVEL OF REMEDIATION AND LAND USE LIMITATIONS

1. This site was classified as High Priority in accordance with Section 57.7(b)(3) of the Act and 35 Ill. Adm. Code 732.304. In accordance with 35 Ill. Adm. Code 732.404(a), the owner or operator has remediated or eliminated each of the criteria that caused the site to be classified as High Priority. The remediation objectives for the above-referenced site described in the Leaking Underground Storage Tank Environmental Notice of this Letter were established in accordance with the requirements of the Tiered Approach to Corrective Action Objectives (35 Ill. Adm. Code 742) rules.

UNOFFICIAL COPY

2. As a result of the release from the underground storage tank system(s) associated with the above-referenced incident, the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter, shall not be used in a manner inconsistent with the following land use limitation: There are no land use limitations. It has been demonstrated that the groundwater under the site meets Class II (General Resource) groundwater criteria rather than Class I (Potable Resource) groundwater. Groundwater classifications are defined at 35 Ill. Adm. Code 620.Subpart B.
3. The land use limitation specified in this Letter may be revised if:
 - a. Further investigation or remedial action has been conducted that documents the attainment of objectives appropriate for the new land use; and
 - b. A new No Further Remediation Letter is obtained and recorded in accordance with Title XVII of the Act and regulations adopted thereunder.

PREVENTIVE, ENGINEERING, AND INSTITUTIONAL CONTROLS

4. Preventive: None.

Engineering: None.

Institutional: This Letter shall be recorded as a permanent part of the chain of title for the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter.

Groundwater Use Ordinance

Section 11-8-390 of the Municipal Code of the City of Chicago effectively prohibits the installation of potable water supply wells (and the use of such wells) and is an acceptable institutional control under the following conditions:

Each affected or potentially affected (as shown through contaminant modeling) property owner and the City of Chicago must receive written notification from the owner or operator desiring to use the ordinance as an institutional control that groundwater remediation objectives have been approved by the Illinois EPA. Written proof of this notification shall be submitted to the Illinois EPA in accordance with 35 Ill. Adm. Code 742.1015(b) and (c) within 45 days from the date this Letter is recorded. The notification shall include:

- a. The name and address of the unit of local government;
- b. The citation of the ordinance used as an institutional control in this Letter;

UNOFFICIAL COPY

- c. A description of the property being sent notice by adequate legal description or by reference to a plat showing the boundaries;
- d. A statement that the ordinance restricting the groundwater use was used by the Illinois EPA in reviewing a request for groundwater remediation objectives;
- e. A statement as to the nature of the release and response action with the name, address, and Illinois EPA inventory identification number; and
- f. A statement as to where more information may be obtained regarding the ordinance.

The following activities shall be grounds for voidance of the ordinance as an institutional control and this Letter:

- a. Modification of the referenced ordinance to allow potable uses of groundwater.
- b. Approval of a site-specific request, such as a variance, to allow use of groundwater at the site.
- c. Violation of the terms of a recorded institutional control.

As a part of its corrective action, the leaking underground storage tank site has relied upon Section 11-8-390 of the Municipal Code of the City of Chicago prohibits potable uses of groundwater as defined therein.

Highway Authority Agreement

The Illinois Department of Transportation (IDOT) and the City of Chicago agrees, through the use of a Highway Authority Agreement(s), to allow contaminated groundwater and/or soil to remain beneath its highway right-of-way adjacent to the site located at 5035 West Lawrence Avenue, Chicago, Illinois. Specifically, as shown on the attached map, contamination will remain in the right-of-way for Lawrence Avenue, as indicated in the Highway Authority Agreement(s). The Highway Authority agrees to limit access to soil contamination under the highway right-of-way that is contaminated above residential Tier 1 soil remediation objectives. A copy of the Highway Authority Agreement can be obtained through a written request under the Freedom of Information Act (5 ILCS 140) to the Bureau of Land, FOIA Unit as detailed elsewhere in this Letter. Questions regarding the Highway Authority Agreement(s) should be directed to one of the following:

UNOFFICIAL COPY

IDOT District One Engineer
John P. Kos
201 West Center Court
Schaumburg, Illinois
(847) 705-4110

Department of Environment
Commissioner
30 N. LaSalle Street, Suite 2500
Chicago, Illinois 60602

5. Failure to establish, operate, and maintain controls in full compliance with the Act, applicable regulations, and the approved Corrective Action Plan, if applicable, may result in avoidance of this Letter.

OTHER TERMS

6. Any contaminated soil or groundwater removed or excavated from, or disturbed at, the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, must be handled in accordance with all applicable laws and regulations under 35 Ill. Adm. Code Subtitle G.
7. Further information regarding the above-referenced site can be obtained through a written request under the Freedom of Information Act (5 ILCS 140) to:

Illinois Environmental Protection Agency
Attention: Freedom of Information Act Officer
Bureau of Land - #24
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276

8. Pursuant to 35 Ill. Adm. Code 732.704, should the Illinois EPA seek to void this Letter, the Illinois EPA shall provide notice to the owner or operator of the leaking underground storage tank system(s) associated with the above-referenced incident and the current title holder of the real estate on which the tanks were located, at their last known addresses. The notice shall specify the cause for the avoidance, explain the provisions for appeal, and describe the facts in support of the avoidance. Specific acts or omissions that may result in the avoidance of this Letter include, but shall not be limited to:
- a. Any violation of institutional controls or industrial/commercial land use restrictions;
 - b. The failure to operate and maintain preventive or engineering controls or to comply with any applicable groundwater monitoring plan;

UNOFFICIAL COPY

- c. The disturbance or removal of contamination that has been left in-place in accordance with the Corrective Action Plan or Completion Report;
- d. The failure to comply with the recording requirements for the Letter;
- e. Obtaining the Letter by fraud or misrepresentation; or
- f. Subsequent discovery of contaminants, not identified as part of the investigative or remedial activities upon which the issuance of the Letter was based, that pose a threat to human health or the environment.

Submit an accurate and official copy of this Letter, as recorded, to:

Illinois Environmental Protection Agency
Bureau of Land - #24
Leaking Underground Storage Tank Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276

Sincerely,



Michael T. Lowder
Unit Manager
Leaking Underground Storage Tank Section
Division of Remediation Management
Bureau of Land

MTL:MU\970894doc.

Attachment: Leaking Underground Storage Tank Environmental Notice
Legal Description
City of Chicago Groundwater Ordinance

cc: Lori Kays, Delta Environmental Consultants
Division File

Be It Ordained by the City Council of the City of Chicago:

SECTION 1. Chapter 11-8 of the Municipal Code of Chicago is hereby amended by adding a new Section 11-8-385 and by amending Section 11-8-390 by inserting the language in italics, as follows:

11-8-385 Potable Water Defined:

Potable water is any water used for human consumption, including, but not limited to water used for drinking, bathing, washing dishes, preparing foods and watering gardens in which produce intended for human consumption is grown.

11-8-390 Prohibited Use Of Secondary Water; Prohibited Installation Of New Potable Water Supply Wells.

No secondary water shall overflow into or be discharged into any surge tank, storage tank, or reservoir, or shall in any way be piped or conveyed into the water supply system of any building, structure, or premises to become a part of or be mixed with the fresh water supply from the mains of the Chicago Waterworks System either inside of the premises or in the water service pipe. Secondary water shall not be piped to or used in any plumbing fixture, or for cooling crushers, rollers, or mixers where foods, candies, liquids or materials are manufactured for human or animal consumption. No connection, tap, or opening shall be made in a water distribution system other than an approved water distribution system which will permit such water being used for drinking.

Wherever the fire-protective equipment in any building, structure or premises has service from the Chicago Waterworks System, no pipe or other conduit which conveys secondary water shall be cross-connected to the fire-protective equipment. All fire-protective equipment connected to the Chicago Waterworks System shall be constructed in such manner that

3K9

EXHIBIT

A

UNOFFICIAL COPY

all tanks, pipes, pumps, surge tanks, and fire hydrants can be thoroughly drained, flushed and cleaned by the owners of such equipment and premises and there shall be no direct connections from the tanks, pipes and other equipment to any drainage pipes or sewers. *No groundwater well, cistern or other groundwater collection device installed after the effective date of this amendatory ordinance may be used to supply any potable water supply system, except at points of withdrawal by the City of Chicago or by units of local government pursuant to intergovernmental agreement with the City of Chicago.*

SECTION 2. Section 2-30-030 of the Municipal Code of Chicago is hereby amended by deleting the language in brackets and inserting the language in italics, as follows:

2-30-030 Commissioner -- Powers And Duties Designated.

The commissioner of the environment shall have the following powers and duties:

* * * * *

(21) To enter into grant agreements, cooperation agreements and other agreements or contracts with governmental entities, private business and civic and community groups necessary to implement the Green Streets Program and other urban forestry, beautification and environmental enhancement programs; *and agreements to implement the State of Illinois Site Remediation Program.*

SECTION 3. This ordinance shall be in full force and effect from and after its passage and approval.

UNOFFICIAL COPY

STATE OF ILLINOIS, ss.
County of Cook.

I, JAMES J. LASKI, City Clerk of the City of Chicago in the County of Cook and State of Illinois, DO HEREBY CERTIFY that the annexed and foregoing is a true and correct copy of that certain ordinance now on file in my office, an ordinance amending Title 11,

Chapter 8 and Title 2, Chapter 30 of the Municipal Code of Chicago by
establishment of definition of potable water, regulation of potable
water supply system and empowerment of commissioner of environment
for implementation of State of Illinois Site Remediation Program.

I DO FURTHER CERTIFY that the said ordinance was passed by the City Council of the said City of Chicago on the fourteenth (14th) day of May, A. D. 1997 and deposited in my office on the fourteenth (14th) day of May, A. D. 1997.

I DO FURTHER CERTIFY that the vote on the question of the passage of the said ordinance by the said City Council was taken by yeas and nays and recorded in the Journal of the Proceedings of the said City Council and that the result of said vote so taken was as follows, to wit:

Yeas 47, Nays None.

I DO FURTHER CERTIFY that the said ordinance was delivered to the Mayor of the said City of Chicago after the passage thereof by the said City Council, without delay, by the City Clerk of the said City of Chicago, and that the said Mayor failed to return the said ordinance to the said City Council with his written objections thereto at the next regular meeting of the said City Council occurring not less than five days after the passage of the said ordinance.

I DO FURTHER CERTIFY that the original, of which the foregoing is a true copy, is entrusted to my care for safe keeping, and that I am the lawful keeper of the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the corporate seal of the City of Chicago aforesaid, at the said City, in the County and State aforesaid, this twenty-seventh (27th) day of June, A. D. 1997.

[L. S.]

James J. Laski

JAMES J. LASKI, City Clerk.