UCC FINANCING FOLLOW INSTRUCTIONS A. NAME & PHONE OF CO	(front and back) NTACT AT FILE	CAREFULLY R [optional]			Fudene Ge	33831092 Fee ne" Moore RHSP y Recorder of Dee 2006 03:57 PM F	de
CTC A Wolt 208 So	ORPOR ersKluwer (Company e Suite 814					
	(O ₄)		- -{	THE ABOV	E SPACE IS FO	R FILING OFFICE USE	ONLY
1 DERTOR'S EXACT FU	LL LEGal North	insert only one debtor name (1a	or 1b) - do not abbrevia				
1a. ORGANIZATION'S NA	ME PINSTRIF	26, INC.					
OR 16. INDIVIDUAL'S LAST N	AME	9	FIRST NAME		MIDDLE	NAME	SUFFIX
1c. MAILING ADDRESS			CITY		STATE	POSTAL CODE	COUNTRY
1150 WILLOW ROA	.D	′ ()	NORTHBRO	OK	iL_	60062	US
1d. TAX ID #: SSN OR EIN	ADD'L INFO RE ORGANIZATION DEBTOR	18. TYPE OF ORGANIZATION CORPORATION	1f. JURISDICTION O	PORGANIZATION	1g. ORGA	NIZATIONAL ID #, if eny 4120718	NONE
2. ADDITIONAL DEBTOR 2a. ORGANIZATION'S NA		LEGAL NAME - Insert only one	de tor lar le (2a or 2b) -	do not abbreviate or co	mbine names		
OR 25. INDIVIDUAL'S LAST N	IAME		FIRST NAL'E),	MIDDLE	VAME	SUFFIX
2c. MAILING ADDRESS			CITY	40.	STATE	POSTAL CODE	COUNTRY
2d. TAX ID #: SSN OR EIN	ADD'L INFO RE ORGANIZATION DEBTOR	2e. TYPE OF ORGANIZATION	21, JURISDICTION	OF ORGANI (AT/ JN	2g. ORG/	ANIZATIONAL, ID #, if any	NON
		of TOTAL ASSIGNEE of ASSIGNO	R S/P) - insert only <u>one</u> :	secured party name (3.	or 3 <u>b)</u>		
3a. ORGANIZATION'S NA	ME ALLEGIAI	NCE LEASING COMPA	NY, LLC		(O)	,	
OR 36. INDIVIDUAL'S LAST N	AME		FIRST NAME	3.911	MIDP 6	NAME	SUFFIX
3c. MAILING ADDRESS			CITY		STATE	STAL CODE	COUNTRY
225 WEST WACKE	R DRIVE, SU	ITE 2600	CHICAGO		1L	60()06	US
4. This FINANCING STATEME SEE EXHIBIT A ATT	NT covers the follow	ving collateral:	OHIOAGO		<u> </u>		

5. ALTERNATIVE DESIGNATION [if applicable] LESSEE/LESSOR CONSIGNEE/CONSIGN	OR BAILEE/BAILOR	SELLER/BUYER	AG. LIEN	NON-UC	CFILING
6. This FINANCING STATEMENT is to be filed (for record) (or recorded) in the REAL 7. Check to	o REQUEST SEARCH REPORT	(S) on Debtor(s)	All Deblors	Debtor 1	Debtor 2
8. OPTIONAL FILER REFERENCE DATA	01/4.20	COLLEO	7		
FILE IN WITH COOK COUNTY ILLINOIS REAL ESTATE RECORDS	(11/0/142)	1X40 () '	-0		

FILING OFFICE COPY — NATIONAL UCC FINANCING STATEMENT (FORM UCC1) (REV. 07/29/98)


RECORDING DESI BOX 170

0633831092 Page: 2 of 38

UNOFFICIAL COPY

CC FINANCING STATI	EMENT ADDENDUM			
NAME OF FIRST DEBTOR (1a or	46) ON RELATED FINANCING ST	ATEMENT		
9a. ORGANIZATION'S NAME PINS	TRIPES, INC			
9b. INDIVIOUAL'S LAST NAME	FIRST NAME	MIDDLE NAME, SUFFIX	•	
), MISCELLANEOUS:				
Ó	O/X		THE ABOVE SPACE IS FOR FILING	OFFICE USE ONLY
1. ADDITIONAL DEBTOR'S EXAC	TELLIFE ANAME insert only of	ne name (11a or 11b) - do not abbrevia	ite or combine names	
11. ORGANIZATION'S NAME	Ox			
OR 11b, INDIVIDUAL'S LAST NAME		FIRST NAME	MIDDLE NAME	SUFFIX
11c. MAILING ADDRESS		CITY	STATE POSTAL CODE	COUNTRY
i ORGANI	IFO RE 11e. TYPE OF ORGANIZATION	1 JURISDICTION OF ORGAN	IZATION 11g. ORGANIZATIONAL	ID #. if anv
DEBTOR		P'S NAME - one name ((12s or 12b)	
12a. ORGANIZATION'S NAME		6		Tourse
OR 125. INDIVIDUAL'S LAST NAME		FIRST NAME	MIDDLE NAME	SUFFIX
12c. MAILING ADDRESS		спу	STATE POSTAL COD	CODITIAL
13. This FINANCING STATEMENT cover collateral, or is flied as a fixture 14. Description of real estate:		16. Additional collateral description	ption:	
	ructure located on the grour xhibit B hereto.	nd	00	
PIN: 04-23-10	7-002-0000.			
1				C
15. Name and address of a RECORD (if Debtor does not have a record in	OWNER of above-described real estate sterest):			
liability company (owner or ground real estate under	OOK, LLC, a Colorado limite of structure and lessee of the that certain Agreement of	Debtor is a Trust or	and check only one box. Trustee acting with respect to properly held in and check $g_{n} _{x}$ one box.	n trust or Decedent's Es
Sublease dated August 3 1150 Willow Road	, 2006)	Debtor is a TRANSMITTI		

FILING OFFICE COPY — NATIONAL UCC FINANCING STATEMENT ADDENDUM (FORM UCC1Ad) (REV. 07/29/98)



0633831092 Page: 3 of 38

UNOFFICIAL COPY

EXHIBIT A

ALL EQUIPMENT LEASED BY PINSTRIPES, INC. FROM ALLEGIANCE LEASING COMPANY, LLC UNDER THE TERMS OF THAT CERTAIN MASTER EQUIPMENT LEASE AGREEMENT BETWEEN SUCH PARTIES, INCLUDING, BUT NOT LIMITED TO, THAT EQUIPMENT IDENTIFIED ON SCHEDULE I HERETO.






0633831092 Page: 4 of 38

UNOFFICIAL COPY

SCHEDULE I TO EXHIBIT A <u>SPECIFIC EQUIPMENT</u>





Restaurant Equipment & Design, Inc®

10/10/2006

PINSTRP5

QUOTE

To: Dale Schwartz 1801 To re: Dr. - Unit 315 Glenview, :2 60026

From: Best Rest Equipment & Design Inc Jim V Hanson CFSP 4020 Business Park Dr. Columbus, OH 43204

Project: PINSTRIPES 5 order copy

Item	Qty		Description	Sell Each	Sell Total
Company of	er is the second		MAIN FLOOR KITCHEN EQUIPMENT	er alle de la	A COLUMN TO SERVICE SAN AND THE SERVICE SAN AN
0			Ox		
1	1	ea	GRIDDLE, COUNTER UNIT. CAS	1,223.00	1,223.00
			Garland/US Range Model No. CXM3		
		ı	Griddle, Counter Unit, Gas, 30" ₩ 1" thick smooth steel griddle plate, 36" x 2	2" grill	
			area, manual hi-lo controls, staint so steel front, landing edge and sides, 4" s/ w/adjustable feet, 72,000 BTU	s iegs	
	1		Wadjustable leet, 72,000 b to		
Medal	(UCM diseas,				
	. 1	ęa	Natural gas, specify elevation if over 2,000 ft		
1,1	1		GAS HOSE	181.00	181.00
			BestDormont Model No. BEST Packed: 1 - ea		
			1675KIT2S-48 Gas Connection Kit consisting of:		
	1	ea	11006 1675BPQ-48 Gas Connector Hose, 3/4" connect or, for castered		
			equipment, 48" long, stainless steel braid with plastic cog. exterior, brass		
			"push to connect" quick disconnect coupling, antimicrobial corung, lifetime		
			warranty		
	2	ea	11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented \$50° rotation, provides increased mobility & performance of the gas equipment.		
			with decreased stress on the gas connector for a safer installation		
	1	93	10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port)i		
	1		11012 RDC-48, Restraining Cable, for 48" connector	2.	
1.2	1	_	EQUIPMENT STAND, FOR COUNTERTOP COOKING	508 00	508.00
t adm	•	00	Best Custom Model No. ES-2436-S		•
			Countertop Cooking Equipment Stand, 36" x 24", 24" high, open base with		
			bottom shelf, stainless steel top, legs & undershelf	, C	
	1	ea	TAC-1-4 Casters, 5" Diameter Swivels, 2 Brakes with each set, set of 4		0
1.2	1		S/S OVERSTRUCTURE FOR GRIDDLE STAND	585.00	<optional></optional>
	•		Best Model No. CUSTOM		
			Custom s/s overstructure to support cheesemelter unit above griddle.		
			Unit to be on casters.		
2	1	ea	CHARBROILER, GAS, COUNTER MODEL	4,599.00	4,599.00
			Magikitch'n Model No. CM-RMB-660		
			Radiant Charbroller, counter model, gas, 60" wide, 17-1/2" high, free floating	round	
			rod top grate w/EZ tift to front grease trough, s/s radiants, 95% s/s unit, 6" set shelf w/utility bar, water tubs, w/o legs for equipment stand, cleaning brush	VICE	
			Shell wrutility bar, water tubs, wo legs for equipment startu, dearing brush		

ea Natural gas, specify elevation if over 2000 feet 1

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 1 of 32

BOX 170

10/10/2006

PINSTRP5

Dale Schwartz

	Qty		Description	Sell Each	Sell Total
and an extend	1	ea	Standard steel grid, fish spacing 3/16", upgrade w/new unit, LEFT side	ranitation (<u>190</u> 0), est t <u>ele</u> ut ut ut un mentra	
	1	ea	Side & back extensions, s/s		
	1	ea	Stand, s/s with legs		
	3	ea	Smoke box upgrade (requires water tubs & service shelf), maximum quantity (3), each	142.00	<optional:< td=""></optional:<>
2.1	1	/ja	GAS HOSE	181.00	181.00
	•	<u> </u>	BestDormont Model No. BEST Packed: 1 - ea		
			1075KIT2S-48 Gas Connection Kit consisting of:		
	1	ea	11053 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty		
	2	ea	11016 SM75, Supr-Swivel" fitting, 3/4", SwiveIMAXa with patented 360°		
	•		rotation, provides increased mobility & performance of the gas equipment		
			with decreased slies in the gas connector for a safer installation		
•	1		10987 075FV, Straight values - 3/4" F.I.P. x 3/4" F.I.P.(full port)		
	1	ea	11012 RDC-48, Restrair ing Cable, for 48" connector		
3	1	ea	RANGE, 36" RESTAURANT, GAS	2,889.00	2,889.00
			Southbend Model No. 336A Range, 36" Restaurant, Gas, (6, 25, 100 BTU open burners, convection oven stainless front, backsplash & single leck backshelf NOTE: Range burners are patented NO 1-Ct OG burners.	base,	
	1	ea	Natural Gas		
	1		115v/60/1-ph, 6.2 amps, 6'cord & plug, per oven		
	1		Standard one year limited warranty (range)		
	1		Casters in lieu of legs (2) locking		
	1				
31		ea	Standard one year limited warranty	181.00	181.00
3.1	1	ea		181.00	181.00
3.1		ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea	181.00	181.00
3.1	1	ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty	181,00	181.00
3.1	1	ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment	181.00	181.00
3.1	1	ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation	181.00	181.00
3.1	1	ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment	181.00	181.00
3.1	1 2	ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation	181.00	181.00
	1 2 1	ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360" rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port)	181.00)
	1 2 1 1	ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P.(full port) 11012 RDC-48, Restraining Cable, for 48" connector	181.00)
	1 2 1 1	ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P.(full port) 11012 RDC-48, Restraining Cable, for 48" connector PASTA COOKER DOUBLE TANK Rosito Bisani Model No. CPG-2	181.00)
	1 2 1 1	ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P.(full port) 11012 RDC-48, Restraining Cable, for 48" connector PASTA COOKER DOUBLE TANK Rosito Bisani Model No. CPG-2 Gas Pasta cooker, double tank design.	181.00	By Owner
	1 2 1 1 1	ea ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port) 11012 RDC-48, Restraining Cable, for 48" connector PASTA COOKER DOUBLE TANK Rosito Bisani Model No. CPG-2 Gas Pasta cooker, double tank design. Note: Rosito Bisani unit is a double tank and may not fit.	181,00	By Owner
	1 2 1 1	ea ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360" rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port) 11012 RDC-48, Restraining Cable, for 48" connector PASTA COOKER DOUBLE TANK Rosito Bisani Model No. CPG-2 Gas Pasta cooker, double tank design. Note: Rosito Bisani unit is a double tank and may not fit. ZZPITCOMX5011 6" Casters (set of 4) (verify quantity of casters needed	181,00	By Owner
4	1 2 1 1	ea ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360" rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P.(full port) 11012 RDC-48, Restraining Cable, for 48" connector PASTA COOKER DOUBLE TANK Rosito Bisani Model No. CPG-2 Gas Pasta cooker, double tank design. Note: Rosito Bisani unit is a double tank and may not fit. ZZPITCOMX5011 6" Casters (set of 4) (verify quantity of casters needed for batteried units)		By Owner
4.1	1 2 1 1 1	ea ea ea ea ea	Standard one year limited warranty GAS HOSE BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of: 11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty 11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360" rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation 10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port) 11012 RDC-48, Restraining Cable, for 48" connector PASTA COOKER DOUBLE TANK Rosito Bisani Model No. CPG-2 Gas Pasta cooker, double tank design. Note: Rosito Bisani unit is a double tank and may not fit. ZZPITCOMX5011 6" Casters (set of 4) (verify quantity of casters needed	181,00	By Owner

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 2 of 32

RECORDING DEST

10/10	0/2006		Dale Schwartz		PINSTRP5
Hana	O +.		Description	Sell Each	Sell Total
item	Qty	Secretal S			Haraning of Earling spread
	1	ea	11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty	99.00	<optional></optional>
	2		11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment vith decreased stress on the gas connector for a safer installation	33.00	<optional></optional>
	1		10957 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port)	7.00	<optional></optional>
	1	ea	11012 FDC-48, Restraining Cable, for 48" connector	9.00	<optional></optional>
4.2	1	ea	SWIRL NOSE WATER SUPPLY LINES & FITTINGS Dormon Waterfacturing Model No. 72-2125-48 Swirt Hose Assambly, 3/8" inside dia., 48" long, 3/8" male elbow x 3/8" brass QD	67.00 2-way	<optional></optional>
5	1	ea	Best Model No. UDS -1 Custom S/S Utility Distribution S) stein - Chaseway, consisting of: Custom s/s chase unit with removable s/ constructed top cap Stainless steel construction, stainless tutiliar legs, with brackets for gas lines and water lines under chase box. Welded in electrical junction boxes per shop drawings	4,680.00	<optional></optional>
6	1		Note: this item must be wired by electrician in fie d. RANGE, 36" RESTAURANT, GAS	4,978.00	4,978.00
		Ca	Southbend Model No. 336A Range, 35" Restaurant, Gas, (6) 26,000 BTU open burners, convection over stainless front, backsplash & single deck backshelf Natural Gas 115v/60/1-ph, 6.2 amps, 6'cord & plug, per oven Standard one year limited warranty (range)	base,	·
	1	ea	Natural Gas		
	1		115v/60/1-ph, 6.2 amps, 6'cord & plug, per oven		
	1		Standard one year limited warranty (range)	25	
	1		Casters in lieu of legs (2) locking		
	1		S36 Broiler, Salamander, Gas, Restaurant Range Match with Backriser, radiant type burners, 36" wide, stainless steel front & sides, painted back		Ç.
	_1	ea	Standard one year limited warranty (broiler/cheesemelter)		104.00
6.1	1 1	ea		181.00	181.00
			BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of:		Cv
	1	ea	11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty		
	2		11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation		
	1	ea	10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port)		
			11012 RDC-48, Restraining Cable, for 48" connector		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 3 of 32

10/10/2006

PINSTRP5

Dale Schwartz

Item	Qty		Description	Sell Each	Sell Total
7	1	ea	FRYER, GAS, MULTIPLE	7,362.00	7,362.00
	•		Pitco Frialator Model No. 2-SG14SSTC-S/FD Packed: 1 - ea		
1.0			Solstice Fryers, gas. (2) 50 lb oil cap, full tanks, solid state thermostats, boil of	ut,	
14.74			drain valve interlock, melt cycle, matchless ignition, under-fryer drawer filtration	on, s/s	
	2000		tank, front & sides, total 220,000 BTU (-FF)		
1	11		3		
	1	ea	Matural gas		
	1		11 5v/ 0/1, 0.5 amps, for controls per fryer		
	1	ea	Castr, s for fryer battery (BNB unit not included)		
	2	ea	B210150 Tunk cover, 18 gauge light duty, for model SG14/14BNC/PCG14/SG14R, SF14, SF14R		
7.1	1		SAFETY SYS. E'A MOVEABLE GAS CONNECTOR	329.00	329.00
• • •	•		Best Model No. 15100KIT2S48PS		
			Safety System Moveable Gas Connector Kit, 1" inside dia., 48" long,		
			covered with stainless steel haid, coated with blue antimicrobial PVC, 1		
			SnanFast* OD, 2 SwiveIM/ X*, 1 full port valve, 1 set Posi-Set* with		
			hardware and coiled restraining coble with hardware, fimited lifetime		
			warranty	1,823.00	1,823.00
8	1	ea	SALAMANDER BROILER, GAS	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
_			Southbend Model No. S36 Broiler, Salamander, Gas, Restaurant Ran 3e Match with Backriser, radiant to	/pe	
			burners, 36" wide, stainless steel front & s. les, painted back	•	
		•	NOTE: Range burners are patented NON-CLCG oumers.		
.53					
			4/).		
	1		Natural Gas		
	1		Standard one year limited warranty (broiler/cheesemelter)		
	1		Wall mounting brackets in tieu of uprights for broiler	056.00	956.00
9	1	ea	HOTPLATE, COUNTER UNIT, GAS	956.00	330.00
			Southbend Model No. HDO-24 Packed: 1 - ea	ueł	
	1	į	Hotplate, Gas, Counter Model, 24" wide, (4) 26,000 BTU open burners and controls, heavy duty cast-iron grates, full-width crumb tray, s/s front & sides,	-47 s/s	
7		•	legs, 104,000 BTU	0	
7			NOTE: Hotplate burners are patented NON-CLOG burners.	0'	
	7				
	1	ea	Natural Gas		
	1		Standard one year limited warranty		
9.1	1		GAS HOSE	181.60	181.00
	•		BestDormont Model No. BEST Packed: 1 - ea		(2)
			1675KIT2S-48 Gas Connection Kit consisting of:		
**	1	62	11006 1675RPO-48 Gas Connector Hose, 3/4" connection, for castered		
	ı	Ça	equipment 48" long stainless steel braid with plastic coat exterior, brass		
			"push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty		
	2	pp	11016 SM75 "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360°		
	~	Ju	mtation, provides increased mobility & performance of the gas equipment		
	-		with decreased stress on the gas connector for a safer installation		
	-1	ea	10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P.(full port)		
	1	ea	11012 RDC-48, Restraining Cable, for 48" connector		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 4 of 32



10/10/2006

Dale Schwartz

PINSTRP5

ltem	Qty	1	Description	Sell Each	Sell Total
			EQUIPMENT STAND, FOR COUNTERTOP COOKING	480.00	480.00
9.2	1	!	Universal Stainless Model No. ES-24-S Countertop Cooking Equipment Stand, 24" x 24", 24" high, open base with bo shelf, stainless steel top, legs & undershelf	ttom	
P		/	O Sulle O Design with each set of 4		
	1	ea	TAC-1-4 Casters, 5" Diameter Swivels, 2 Brakes with each set, set of 4	2,082.00	2,082.00
10	1	ea	RI FF IGERATED COUNTER, SANDWICH TOP	•	-,
		1	True for d Service Equipment, Inc Model No. TSSU-60-24M-B-ST Packed: 1 Mega Tr p. Sand/Salad Unit, 15.5 cu.ft., (24) 1/6 size (4"D) poly pans, (2) s/s i covers, 8-7/F. D cut'g board, s/s top/front/sides, alum. back, (2) doors, (4) she white alum. in (1" v/300 ss floor, 5" castors, 1/3Hp, 115/60/1, NSF-7, 34"H/cou	isui. Ives,	
	1	ea	Warranty - 5 year commessor (self-contained only)		
	1	ea	Warranty - 1 year parts and lab yr		
	•		NOTE: neither the True nur the Turbo Air units offer a s/s back, and this is an open kitchen design so it will become quite messy.		
12	2	ea	CONVECTION OVEN, GAS	00.080,2	10,160.00
			Blodgett Oven Model No. DOUBLE G./S. Packed: 1 - ea Convection Oven, gas, double-deck, standard lepth, Solid State controls, Tv speed fans, (5) racks & (11) positions, dependent doors (one solid and one g s/s front, sides & top, 6" s/s legs, flue connector, 55,000 BTU each	vo lass),	
•	ŗ		Material rac		
	2		Natural gas ZZBLOD01M013B Draft diverter		
	2 2	ea ea	6" casters(set) for double ovens in lieu of legs. INCLUDED IN COST OF OVEN.		
	2	ea	Gas manifold for double ovens		
	2		Extra racks (each)		202.00
12.1			GAS HOSE	181.00	362.00
14.	-		BestDormont Model No. BEST Packed: 1 - ea 1675KIT2S-48 Gas Connection Kit consisting of:	S	
	2	ea	11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime warranty	Offic	
	4		11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provides increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation		0
	2	ea	10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P. (full port)		
	. 2	ea	11012 RDC-48, Restraining Cable, for 48" connector	1,652.00	1,652.00
13	1	ea	RANGE, 36" RESTAURANT, GAS	1,002.00	.,002.00
			Southbend Model No. 336D Range, 36" Restaurant, Gas, (6) 26,000 BTU open burners, standard oven stainless front, backsplash & single deck backshelf	base,	

PINSTRIPES 5 order copy (PINSTRP5)

ea Natural Gas

Best Rest Equipment & Design Inc

Page 5 of 32

10/10/2006

PINSTRP5

Dale Schwartz

Item	Qty		Description ·	Sell Each	Sell Total
G-110.00	1	ea	Standard one year limited warranty (range)		
	1	ea	10" flue riser in lieu of std back shelf		
	1	ea	Casters in lieu of legs (2) locking		
13.1	1	ea	GAS HOSE	181.00	181.00
			BestDormont Model No. BEST Packed: 1 - ea	•	
			167 5KIT2S-48 Gas Connection Kit consisting of:		•
	1	ea	1103 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push or connect" quick disconnect coupling, antimicrobial coating, lifetime warrant;		
	2	ea	11016 SM.'5, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360° rotation, provider increased mobility & performance of the gas equipment with decreased stress on the gas connector for a safer installation		
	1	ea	10987 075FV, Straight catves - 3/4" F.I.P. x 3/4" F.I.P. (full port)		
	1	ea	11012 RDC-48, Restraining Cable, for 48" connector		
14	2	ea	TILTING SKILLET/BRAISING PAN, GAS	9,222.00	18,444.00
			Braising Pan, Gas, 40-gallon car acily, manual controls w/power switch, ther range 160° - 445°F, electronic igniur a, :/s pan & console & open frame, masspring assist hinged s/s cover w/handle +20,000BTU		
	2	ea	1 Year parts & labor warranties, standard		
	2	ea	Natural gas		
	2	ea	Natural gas 115v, 60 hz, 1 ph, std.		
	2	ea	12" Single pantry faucet		
15	2	ea	MICROWAVE OVEN	1,058.00	2,116.00
	Ī		Panasonic Model No. NE-1757 Pro I Microwave Oven, 1700 watts, compact, 10 programmable nemory pace power levels, see-thru side hinged door, s/s cabinet and cavity, digital displastackable, cavity dimensions; 13"Wx12"Dx6-7/8"H, 208/240V/60/1, U.L.NSF		
	2	ea	NEMA #6-15R Plug	9, -	
	2	ea	Limited warranty		
16	2	ea	CABINET, MOBILE PROOFER	1,31950	2,698.00
	Superior and		Metro Model No. C175-P4N Packed: 1 - ea Proofing Cabinet, Mobile Proofer, full height, non-insulated with removable h assembly, with wire rack w/3" slide spacing, capacity 17 - 18" x 26" pans, all aluminum w/clear polycarbonate door		Co

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 6 of 32



ISTA SHEETER MODEL #C-230 -VOLUME PRODUCTION CAPA usito Bisani Model No. C-230 usta Sheeter Model #C-230 olume production capacity pasta sheeter in stainless steel live pasta die cuts: usagna apardelle nitriccine ac', c'ini protection output IXER STAND divance Tabco Mcdel No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not nobine.	384.00	Sell Total By Owner
ASTA SHEETER MODEL #C-230 -VOLUME PRODUCTION CAPA Isito Bisani Model No. C-230 Ista Sheeter Model #C-230 Ista Sheeter Mod	384.00	
sito Bisani Model No. C-230 sista Sheeter Model #C-230 clume production capacity pasta sheeter in stainless steel live pasta die cuts: asagna apardelle citriccine activiti djusta ele roller for thickness 0 lbs/hr production output IXER STAND dvance Tabco Mcdel No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not r obire.		384.00
olume production capacity pasta sheeter in stainless steel inverses die cuts: asagna apardelle citriccine activiticine activiti djustable roller for thickness 0 lbs/hr production output IXER STAND divance Tabco Mcdel No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not robbie.		384.00
olume production capacity pasta sheeter in stainless steel live pasta die cuts: asagna apardelle citticcine ac',c'ini production for thickness 0 lbs/hi production output IXER STANS divance Tabco Mc del No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not riobire.		384.00
ive pasta die cuts: asagna apardelle citricine ac', c'ini pr., the ti djusta o'e roller for thickness 0 lbs/hi pr. o'e roller output IXER STANS fivance Tabco Mc del No. MT-SS-300 quipment Stand, open base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not r. obi e.		384.00
apardelle officiene ag',c'ini protectine gothetti djustz ole roller for thickness 0 lbs/hi procuetion output IXER STANS fivance Tabco Mcdel No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not robbie.		384.00
citrocine ag',c'ini ps_the ti djustz ole roller for thickness 0 lbs/hr procretion output IXER STANS divance Tabco Mcdel No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not robbie.		384.00
ag',c'ini prothe ti djusta ole roller for thickness 0 lbs/hi proceedion output IXER STAND dvance Tabco Mcdel No. MT-SS-300 quipment Stand, oper base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not robbie.		384.00
djustz ole roller for thickness 0 lbs/hi production output IXER STAND dvance Taboo Mcdel No MT-SS-300 quipment Stand, oper. base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not r obii?.		384.00
(Distrip production output IXER STAND IXER STAND Ivance Taboo Mcdel No MT-SS-300 Ivance Taboo Mc		384.00
IXER STAND Ivance Taboo Mcdel No MT-SS-300 quipment Stand, oper, base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not r obus.		384.00
fvance Tabco Mc del No MT-SS-300 quipment Stand, oper. base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not r obi ?.		384.00
quipment Stand, oper, base with bottom shelf, 30" x 30", 24" high, stainless top gs, and undershelf, not r obi ?.	,	
gs, and undershelf, not nobij?.	•	
OOD PROCESSOR, ELECTRIC		
DOD PROCESSOR, ELECTRIC		
OOD PROCESSOR, ELECTRIC	2,808.00	2,808.00
	2,500.00	2,000.00
obot Coupe Model No. R4N ommercial Food Processor, bowl attacl men., continuous feed attachment & 2		
Inter 4 of connective 3nh 208/240V 2 6 author 500 2.0 attipo 17.0pu, 00 14	1	
P motor, 2 spd, 850 RPM & 1725 RPM, 26 12 1 16" x 17", "D" series machine	es	
hipped after 1/1/00		
A CON PILAL A COMPANY Sto P.4 SOCIOS		
A422 "S" Blade Assembly, fits R4 series OOD MIXER	7,353.00	7,353.00
Naha Madal No. CD60D. Dacked: 1 - P3		
turber by the state of the floor model 3-cheed #12 hills incl. 5's safety quality	l,	
and 46 min timer dough book while beater, bowl upon, yes or an in many w	alety	
nterlocked bowl guard & bowl lift, thermal overload protection, NSF, Fit. 3 HP		
0,0		
year parts (excludes wear/expendable parts), 1 year labor warranty -		
CONTACT FACTORY FOR DETAILS		
008/60/3 9 amn	///:	
(VSA Vegetable Slicer Assembly, 9", #12 hub size, includes an adjustable	10	
dicer plate		
(SP332 Shredder Plate, 3/32" (2.3 mm)	723.00	723.0
NORK TABLE, 60" LONG Advance Tabco Model No. TKMS-305 Packed: 1 - ea		
About Table 20" wide ton with splash at rear only, 60" long, with systems, side	& rear	
s/s crossrails, 16 gauge, stainless steel top, 5" backsplash, s/s bullet feet		
TA_25 Casters 5" swivel with rubber wheels (set of 4; 2 with brakes)	832.00	832.0
TARI F		
TABLE Advance Tabco Model No. MOBILE WORKTABLE Packed: 1 - ea		
TABLE Advance Tabco Model No. MOBILE WORKTABLE Packed: 1 - ea Stainless Steel Mobile Work Table with 5" backsplash, Undershelf		
	Advance Tabco Model No. MOBILE WORKTABLE Packed: 1 - ea Stainless Steel Mobile Work Table with 5" backsplash, Undershelf	TABLE Advance Tabco Model No. MOBILE WORKTABLE Packed: 1 - ea

annox bived BECOLDING of 220 BOX 170

9974-942-807

10/10/20	06				PINSTRP5
			Dale Schwartz		
Item	Qty	!	Description	Sell Each	Sell Total
22	2	ea	SHELF, WALL-MOUNTED	177.00	354.00
	-		Advance Tabco Model No. WS-12-60 Packed: 1 - ea Shelf, wall-mounted, stainless steel, 12" wide, 5 feet long		
7					
23	1	e:	SINK 2-COMPARTMENT	1,230.00	1,230.00
	•		Advance Tabco Model No. 9-22-40-18RL Packed: 1 - ea		
			Rigal ne Sink, two compartment, w/left & right-hand drainboards, 20" front-to-	back x	
100			20" w' to npartment, 12" deep, with 8" high splash, s/s open frame base, side		
	N		crossralls 13" drainboards, 18/304 stainless steel		•
Ί	•				
23.1	1	ea	MIXING FAUCET	88.00	88.00
20.1	•		Best Model No. B-u231 Packed: 1 - ea		
			Stock TSB B0231 Sink mixir g faucet wall mounted, 8" centers on sink		
			faucet with 1/2" IPS eccurring flanged female inlets, lever handles		
	1		064X \$wing Nozzle, 16"		
23.2	2	ea	STOCK	31.00	62.00
			Best Model No. 12943 Packed: 1 - >a	•	
			Lever Waste unit for 2" drain B-3952		
24	1	ea	SHELF, WALL-MOUNTED	198.00	198.00
			Advance Tabco Model No. WS-12-84 Packau: 1 - ea		
			Shelf, wall-mounted, stainless steel, 12" wide, 7 feet long		
4		•			
•	-				
				50.00	200.00
25	4	ea	SNAP RACKS	••••	-
			Best Model No. 12599 Packed: 1 - ea		
			Snap racks, 48" long with removable rods	273.33	820.00
26	3	ea	SINK, HAND Advance Tabco Model No. 7-PS-60		
	Λ		Hand Sink wall model 14" wide x 10" front-to-back x 5" deep bowl, 20 gaug	е	
f	2.45		stainless steel construction, with splash mounted faucet, basket drain, wall be	z ckeł	
				E CKet	
	3	ea	K-400 Hands-Free wand	0)
	3	ea	7-PS-27 7-3/4" Bolted Side Splash, in-field installation (holes & hardware		
	•		not included)		
	3	ea	7-PS-35 Paper Towel Dispenser-Wall Mounted	71.00	<optional></optional>
	3	ea	7-PS-12 Soap Dispenser, wall mounted	38.00	<optional></optional>
•	1	ea	T & S Brass B-0345 Faucet, splash mounted, 3-3/8" O.C, rigid gooseneck, 11" H from center of faucet to top, 6" to tip of nozzie - 5-1/2" spread, 1/2" NPT eccentric flanged female inlets, lever handles		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 8 of 32

10/10/2006

Dale Schwartz

PINSTRP5

			Dale Schwartz		
item	Qty		Description	Sell Each	Sell Total
27	1	ea	WORK TABLE, 72" LONG Advance Tabco Model No. TKMS-306 Packed: 1 - ea Work Table, 30" wide top, with splash at rear only, 72" long, with s/s legs, side s/s crossrails, 16 gauge, type 304 stainless steel top, 5" backsplash, s/s bullet	594.00 & rear feet	594.00
L.	' µ	/			40.000.00
28	1	ea	GELATO MAKER	13,293.00	13,293.00
			Circlem Model No. 2 HSC-A		
			E'AFP / THOMPSON MACHINERY Gelato maker.		
			12 Qt. batch freezer with self contained. Air Cooled Condensing unit: 2 HP		
			208-3phace See manufacturer specs.		
29	1		FOOD SLICER	2,224.00	2,224.00
43	•	Va	Globe Model No. 12" B' ADE SLICER Packed: 1 - ea		
			Series Heavy Duty Compact Manual Slicer, 12" diameter knife, top mounted		
2			sharpener, stainless ster I foo I contact areas, and anodized aluminum base,		
7			gear-driven, cutting capacity 8 3/4"H x 10"W or 7-1/2" dia., 1/3 Hp, ETL, NSF,		
₹			115/60/1, 4.8 amps		
•					
	1	ea	1 year parts (excludes wear/expendance pie parts), 1 year labor warranty -		
			CONTACT FACTORY FOR DETAILS		
***************************************			SHARPENER sharpener for slicer	1,882.00	1,882.00
30	1	ea	FOOD MIXER	1,002	
			Globe Model No. SP20 Packed: 1 - ea Vertical Mixer, 20 qt., bench model, 3-speed, #12 hub incl; s/s safety guard,	owl.	
			spiral dough hook, whip & beater, grey enamel finish, sainty interlocked bowl	guard	
			& bowl lift, thermal overload protection, 15 min. timer, N'3F, ETL, 1/2 HP		
	1 .	ea	2 year parts (excludes wear/expendable parts), 1 year labor war.a (元) - CONTACT FACTORY FOR DETAILS		
	1		115/60/1, 10 amp	1 000 00	4 200 00
32	1	ea	WORK TABLE, 96" LONG	1,290.00	1,290.00
			Advance Tabco Model No. MS-308 Packed: 1 - ea	n for	
1		•	Work Table, 30" wide top, without splash, 96" long, w/adjustable undershelf,	5/8	
	1 1		frame & shelf, 16 gauge, type 304 stainless steel top, s/s bullet feet	///	
•				Co	1
	1		DS-10-84 Shelf, table mounted, double deck, 10" wide, 7 feet long, 18	(C)	1
		Ed	gauge 430 stainless steel, adj. working height up to 30"		
33	1	02	EDLUND#1 CAN OPENER	77.00	77.00
55	•	-	Best Model No. Can opener Packed: 1 - ea		
			Edlund #1 Can Opener		
34	1	A2	RACK, CAN STORAGE	452.00	452.00
J4	ه د مسکر	ÇE	Kelmay Fortinment Model No. CSR-162M, Packed: 1 - ea		
	HH		Can Storage Back, mobile design, self feeding gravity fed shelves, floids doi	n#10 &	
			#5 cans, all welded extruded aluminum construction, 162 can capacity, 5 pt	ate	
			casters (2 swivel w/brake, 2 rigid), NSF		
	1883		•		•
	A. 4			<u></u>	

PINSTRIPES 5 order copy (PINSTRP5)

708-246-4769

Best Rest Equipment & Design Inc

Page 9 of 32

B.q

10/10/2006			Dale Schwartz		PINSTRP5
			Date 2CHWartz		
Item	Qty		Description	Self Each	Sell Total
35	1		REFRIGERATOR, GLASS AND PLATE CHILLER	1,470.00	1,470.00
			True Food Service Equipment, Inc Model No. T-36-GC Glass/Plate Chiller, 0° F & below, cap: (180) 8" mugs or (172) 10" steins, (3) 300 series s/s counter top & lid, deep well design, galv. interior, black vinyl exauto defrost, 1/3 HP, 115/60/1	shelves, xterior,	
		e 2.	Warranty - 5 year compressor (self-contained only)		
	1		V/arranty - 1 year parts and labor		
	1		Frame-railed castors, 3" diameter, set of 4		4 400 00
36	1		Siny, 2-COMPARTMENT	1,199.00	1,199.00
			Advance, Febco Model No. 9-22-40-24R Packed: 1 - ea Regaline Sink, two compartment, w/right-hand drainboard, 20" front-to-back compartment, 12" deep, with 8" high splash, s/s open frame base, side cross 24" drainboard, 76/304 stainless steel	x 20° W srails,	
ı				00.00	03.00
36.1	1	ea	MIXING FAUCET	93.00	93.00
			Best Model No. B-0231 Facked: 1 - ea		
			Stock TSB B0231 Sink mixir g four at wall mounted, 8" centers on sink faucet with 1/2" IPS eccentric national female inlets, lever handles		
	11		064X Swing Nozzle, 16"	25.00	<optional></optional>
36.2	2	ea	STOCK Best Model No. 12943 Packed: 1 - ea	20.00	ориони
			Lever Waste unit for 2" drain B-3952	190.00	190.00
37	1	ea	SHELF, WALL-MOUNTED Advance Tabco Model No. WS-12-72 Packed: 1 - a Shelf, wall-mounted, stainless steel, 12" wide, 6 feet 'ong	130.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
7					_
38	1	62	SPARE NUMBER		
39	_		SINK 4-COMPARTMENT	1,955.00	1,955.0
			Advance Tabco Model No. 9-64-72-24RL Packed: 1 - ea Regaline Sink, four compartment, w/left & right-hand drainboards, 24" front-18" W compartment, 12" deep, with 8" high splash, s/s open frame base, sic crossrails, 24" drainboards, 18/304 stainless steel	-fy-back x de	
39.1	2	ea	MIXING FAUCET	93.00	186.0
	-		Best Model No. B-0231 Packed: 1 - ea		
			Stock TSB B0231 Sink mixing faucet wall mounted, 8" centers on sink faucet with 1/2" IPS eccentric flanged female inlets, lever handles		
	2	ea	064X Swing Nozzle, 16"	a = a c	الم مردان المراس
39.2	4		STOCK Best Model No. 12943 Packed: 1 - ea	25.00	<optional< td=""></optional<>

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 10 of 32

Lever Waste unit for 2" drain B-3952

10/10/2006

PINSTRP5

Dale Schwartz

ttem	Qty	ε	Description	Sell Each	Sell Total
39.3	1	ea I	PRE-RINSE UNIT	219.00	219.00
00.0		i I	T & S Brass Model No. B-0133 EasyInstall Pre-Rinse Unit, wall mnt. base faucet w/spring check cartridges & handles, 2" dia. flanges w/1/2" NPT female eccentric flanged inlets, 35-1/2"Hoverhang, 8-1/4" clearance, 18" riser, B-0107 spray valve, B-0044-H flex s/s	, 15	
	ىلد		And to the latest the select Of the 2004 ping		
	1		3-0109-02 Wall Bracket, 9", fits 3/8" pipe	262.00	262.00
40			PCT P.CK, WALL-MOUNTED Advance Tebco Model No. GW-108 Pot Raci S. a"-mounted, double bar design, 108" long, with plated double ho constructed of 1.16" x 2" powder coated galvanized steel	ooks,	
			0:		
41	10		BUN PAN RACK	161.00	1,610.00
	Americanisma Ameri		Kelmax Equipment Model No. APRE2018-3/KD Pan Rack, mobile, medium Luty, round top, holds (20) 18"x26" bun or sheet slides on 3" centers, all aluminum construction, end loading, 70" high, 5" staduty casters, KD, NSF	India	4.000.00
42	1		SHELVING, PLASTIC	4,092.00	4,092.00
			Metro Model No. Q2436G2 Packed: 1 - It Shelving for Walk-in's -Metromax Q®, consisting of:		
	12		Q2436G2 Metromax Q® Shelf, 24" W, 36" L, polymer mats have Microban® antimicrobial protection built in, epoxy coat steel frame, wedge connectors		
	28		Q2448G2 Metromax Q® Shelf, 24" W, 48" L, polymer mats have Microban® antimicrobial protection built in, epoxy coat steel frame, weog: connectors	Ś	
	4		Q2460G2 Metromax Q® Shelf, 24" W, 60" L, polymer mats have Microban® antimicrobial protection built in, epoxy coat steel frame, wedge connectors	Opposite	
	12		Q2148G2 Metromax Q® Shelf, 21" W, 48" L, polymer mats have Microban® antimicrobial protection built in, epoxy coat steel frame, wedge connectors	Office	0
	56	ea	Q86PE Metromax Q® Post, 86" H, for use without stem casters, epoxy coated		0.400.00
4	2.1 1	ea	SHELVING Metro Model No. SHELVING Packed: 1 - ea	3,409.00	3,409.00
	10	ea	Shelving for Freezer, and Dry Storage to include: 2436NK3 Super Erecta® Shelf, wire, 24" W, 36" L, Metroseal 3 (corrosion-resistant) finish, plastic split sleeves are included in each carton, w/Microban® antimicrobial protection		
	10	ea	1830NK3 Super Erecta® Shelf, wire, 18" W, 30" L, Metroseat 3 (corrosion-resistant) finish, plastic split sleeves are included in each carton, w/Microban® antimicrobial protection		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 11 of 32

Sauoy bive(

10/10/2006

Dale Schwartz

PINSTRP5

10/10/200		Dale Schwartz		
item	Qty	Description	Sell Each	Seli Total
	13	ea 2442NK3 Super Erecta® Shelf, wire, 24" W, 42" L, Metroseal 3 (corrosion-resistant) finish, plastic split sleeves are included in each carton, w/Microban® antimicrobial protection		
	24	ea 2448NK3 Super Erecta® Shelf, wire, 24" W, 48" L, Metroseai 3		
	4	ea 2460NK3 Super Erecta® Shelf, wire, 24° W, 60° E, Melloscal of Corrosion-resistant) finish, plastic split sleeves are included in each		
	4	ea 1347 NK3 Super Erecta® Shelf, wire, 18" W, 42" L, Metrosear 3 (comusic n-resistant) finish, plastic split sleeves are included in each		
	60	ea 74PK3 Supple Erecta® SiteSelect" Post, 74-5/8" H, adjustable leveling bolt, posts are grouved at 1" increments and numbered at 2" increments, double groover every 8", Metroseal 3 (corrosion-resistant) finish, w/Microban® antimicrobial protection	108.00	648.00
	6	ea DUNNAGE RACK, TUPULAR	108.00	040.00
43		New Age Model No. 2008 Dunnage Rack, square b.tr, 1-tier, 24"W x 36"L x 12"H, weight capacity 2500 welded aluminum construction, 1 SF) lbs., all	
Ą	1:		339.00	339.00
43.1		ea BEER KEG RACK New Age Model No. 1288 Packed: 1 - e2 Beer Keg Rack, 8 keg capacity, 18" x 80" x 16" high, "T"-Bar shelves, all we aluminum construction, 3 shelves	4,659.00	4,659.00
44	1	ea DISHTABLE, SOILED Craft Mfg. Model No. SOILED DISHTABLE Packed: 1 - ea	•	
		U-shaped Soiled Dishtable , 78" x 105" x 48" with 2 S/S baskets (vid) slides to be constructed of 14 ga. 304 S/S with hat channels for support as needed. Includes glass racks and 16 ga. undershelf. Faucets and pre-rinse to be provided by Best Restaurant Opening provided for a 66" double tank dish machine.	Ś	228.00
		ea FAUCET, PRE-RINSE ASSEMBLY	≥?8.00	220.00
44.1	Q ¹	T & S Brass Model No. Packed: 1 - ea Pre-Rinse Unit consisting of:	Office of the second	Ģ
	1	ea B-0133 EasyInstall Pre-Rinse Unit, wall mnt. base faucet w/spring check cartridges & lever handles, 2" dia. flanges w/1/2" NPT female eccentric flanged inlets, 35-1/2"H, 15" overhang, 8-1/4" clearance, 18" riser, B-0107 spray valve, B-0044-H flex s/s hose		
	1	ea R-0109-01 Wall Bracket, 6"	490.00	490.00
44.2		ea CUSTON DUMP SINK ASSEMBLY		
, ,	-	Craft Mfg. Model No. DUMP SINK	e	
		Craft Mrg. Model Not Bothle Strain or basket. Unit to be Custom s/s dump sink assembly with removable strainer basket. Unit to be on legs with special s/s splash guard back splash, to include ice melt spraarm.	ày	
		SAVETE CONTROL OF THE		Dama 42 of 32

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 12 of 32

10/10/2006

PINSTRP5

Dale Schwartz

ltem	Qty		Description	Sell Each	Sell Total
45	1	ea	SPARE NUMBER		
47	1	ea	CLEAN DISHTABLE	1,594.00	1,594.00
			Best Custom Model No. CLEAN DISHTABLE Packed: 1 - ea		
			Clean Dishtable "L" shaped, 78" x 48" Long X 30" wide . Top to have		
			turning bar, and undershelf to be constructed of 14ga.304 S/S. 8" back		
			plash on rear. Booster heater slides to be mounted on underside of table.		
48	1	ea	UISPOSER	1,854.00	1,854.00
			I.1-S nk-Erator Model No. SS-200-7-CC202	~ 0	
			Cor ple te Disposer Package, sink mount system, 6 5/8" diameter inlet, with #	/ conar	
Đ			adaptor in sink installation, 2 HP motor, s/s constr'n, includes syphon breake solenoid ve'vo flow control valve, removable splash baffle, stainless steel sin	k	
	E		stopper, CC J2 control panel, auto reversing	•	
	1		Standard height dir poser body		
	1		-29, 208v, 3 ph		
	1		LEG KIT Adjustable supprint le is, set of 2 for 1/2 HP thru 2 HP disposers	4.47.00	4 447 00
49	1	ea	CONDENSATE HOOD	1,447.00	1,447.00
			Custom Items Model No. BEST Packed: 1 - ea		
			Stainless Steel 7ft long Condensate Hood with filters and field wrapper		
50.1			SPARE NO.		
51	1	ea	SHELF, WALL-MOUNTED	178.00	178.00
			Advance Tabco Model No. WS-12-60 Packe 27 - ea Shelf, wall-mounted, stainless steel, 12" wide, 5 feet long		
4		-	γ_{0x}		
	-				
52	1	ea	SLANTED OVERSHELF	361.00	361.00
			Craft Mfg. Model No. SR042WM Packed: 1 - ea		
			Custom s\s slant rack overshelf 22"x42" with wall brackets		
54	6	ea	DROP-IN SINK	185.00	1,110.00
•	_		Advance Tabco Model No. DI-1-5		
	4		Drop-In Sink, one compartment, 10" wide x 14" front-to-back x 5" deep bow	7.0	
			gauge stainless steel, with deck mounted gooseneck faucet, basket drain		
₹.					
	4				
	•		IC 200 t triatist has the fee deals required forcests		
	6		K-320-LU Wrist Handles, for deck mounted faucets		\circ
	6		K-400 Hands-Free wand		
55		ea		8,276.00	8,276.00
56	1	ea	CHEF'S COUNTER	0,210.00	0,2.0.0
			Best Custom Model No. CUSTOM Packed: 1 - ea		-
			Chef's Counter- per specifications and plans, to consist of the following:		
	1		CUSTOM COUNTER 36" LONG Custom Counter 36" long x 30" deep, with built in hand sink, with, enclosed body on 6" legs		
	2	ea	CUSTOM COUNTER 18" LONG Custom Counter 18" long x 30" deep,		
			with built in hot well, with front control panel skirt, undershelf, enclosed body on 6" legs		•
	1	ea	CUSTOM COUNTER 60" LONG Custom Counter 60" long x 30" deep,		•
			angled to wall, with built in hand sink, trash chute, with built in hot well, with front control panel skirt, undershelf, enclosed body on 6" legs		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 13 of 32



10/10/2006

Dale Schwartz

PINSTRP5

			Date dominar		
Item	Qty	τ	Description	Sell Each	Sell Total
			CUSTOM COUNTER 66" LONG Custom Counter 66" long x 30" deep,		
	1				
		4	the same with front vantari name skill, ullucialitin, citylogod both		
	1		CUSTOM COUNTER 18" LONG Custom Counter 18" long x 30" Geopt	_	
	·	4	with built in hand sink, with, enclosed body on o legs	4,144.00	16,576.00
57	4	e2	PIZZA PREP TABLE REFRIGERATED	•	
			Traulsen Model No. VPS66S Refrigerated Preparation Table W/Standard Size Pan Rail, s/s lift-up cover,		
-			Refrigerated Preparation Table Wistardard Size 1 and Self-contained Ventity of section, widoors, sis top, front & sides, side-mounted self-contained Ventity of the self-contained Ventity	iri	
			Flaran refrig system, casters		
. Inc.			Little Manual and Control of the Con	,	
13350	il many		(NA		
	4	ea	115v/60/1ph with cord & plug		
	4	43	1 vc service/lalin: & 5 vr compressor warranty (sto.)		
	4	ea	Bi-Fold pan covers at lieu of standard litt-up rail covers		
	4	ea	Interior mounted light, fature (1)		
	4	A2	1/2" x 18" Composition crains board		
	4	ea	Casters, 6-1/4" high in lieu of standard 8" high casters	364.00	<optional></optional>
58	1	ea	CUSTOM 18" X 30" LONG SHELF	0000	•
50	,		Confliction Model No. CUSTOM SHELF		
			Custom 18" x 36" long wall mount in avy duty work shelf at waiter side of		
			service bar.	163,00	<optional:< td=""></optional:<>
59	1	ea	SHELF, WALL-MOUNTED	• • • • • • • • • • • • • • • • • • • •	
•••	-		Advance Tabco Model No. WS-12-36		
			Shelf, wall-mounted, stainless steel, 12" wide, 5 feet long		
	20 to 10 to 10 to	4	///		
	7				
62			SPARE NO.	149.00	1,192.0
63	8	ea	HEAT LAMP, BULB TYPE		
			Hatco Model No. DL-400-CL		
			Heat Lamp, (1) bulb type, 8-1/2" H x 6-1/8" Dia. shade, cord mount (c		
			length from 17" to any length) to cartopy, lotter street	, ,	
			included (specify finish)		
	8	e	a 120v, 1 phase, std. a WHITE-CTD-120 250 Watt clear bulb, coated (pricing applies only at time	Ux.	
	8	e	a WHITE-CTD-120 250 Watt clear both, coated grissis		
			of equipment purchase)		
	8		a Black cord, std.		9
	8	e	GREEN Hunter Green, designer color and DL-LENGTH Overall unit length up to 42" (specify to the nearest inch)(CL,		
	8		CH CT SL SU&SI mounts only)		
	1	е	NOTE: Custom orders are not returnable	225.00	900
71	4	•	FOOD WARMER, DROP-IN, ELECTRIC		
• •			Wells Model No. SS-206TD Packed: 1 - ea	ng	
		A	Wells Model No. SS-206TD Packed: 1 - ea SS-206TD, Food Warmer, top-mount, built-in, electric, 12" x 20" pan openi SS-206TD, Food Warmer, top-mount, built-in, electric, 12" x 20" pan openi w/drain, wet/dry operation, thermostatic control, stainless steel interior, We	tislok,	
),	w/drain, wet/dry operation, memostatic control, stemand		
		K	208/240v, 1ph, 900/1200w		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 14 of 32



10/10/2006

Dale Schwartz

PINSTRP5

			Dale Schwartz		
item	Qty	!	Description	Sell Each	Sell Total
71.1		•	FOOD WARMER, DROP-IN, ELECTRIC Wells Model No. MOD-200TDM Food Warmer, top-mount, built-in, electric, (2) 12" x 20" openings w/manifolded drains w/valve, wet/dry operation; thermostatic controls; s/s int*r, insulated alusteel housing, 208/240v, 1ph, 1240/1650w per well, UL listed	786.00 ed im.	786.00
Ì		\Diamond		1,465.00	1,465.00
73	1 Ambien parts Ambien parts Amb		Rendell Model No. 9550A Rendell Model No. 9550A Drop In Freezen/Plate Chiller, 6 gallon, top opening w/2 insulated hinged coverned top, corrosion resistant steel exterior, self-cont. refrig. system, bottomour.th.3 HP, NEMA 5-15P	ers, s/s	·
	4	63	(CW5) 5 yr. compressor warranty (NET)		
	1		115v/60/1, std.		
74	1	ea	CONDIMENT PAN RACY.	330.00	<optional></optional>
• •			Craft Mfg. Model No. P. N RAIL Packed: 1 - ea		
			custom pan rack to hold 3 1/2 size pans or 6 - 1/6 size pans		
75			SPARE NO.	81.00	81.00
76		ea	Krowne Metal Model No. 16-150 Drop-In Dipperwell, fits 5-1/2" or 6" dia hole, overflow insert, stainless steel, NPS inlet 16-151 Faucet, Dipperwell, deck-mounted, 1/2" NP3 inlet, with knob-type		
			valve, chrome-plated brass tinish	1,657.00	1,657.00
77	1		REFRIGERATED COUNTER, SANDWICH TOP True Food Service Equipment, Inc Model No. TSSU-48-12 Packed: 1 - ea Sandwich/Salad Unit, 12 cu.ft., (12) 1/6 size (4"D) poly pans, s/s mistl. cove 11-3/4"D cutting board, s/s top/front/sides, alum. back, (2) doors, (1) s'.elve alum. int'r w/300 ss floor, 5" castors, 1/3Hp, 115/60/1, NSF-7	· :r,	
	1	ea	Warranty - 5 year compressor (self-contained only)	UX.	
	1	ea	Warranty - 1 year parts and labor	1,397,00	2,794.00
78	2	ea	a WARMING DRAWER, FREE STANDING Alto-Shaam Inc. Model No. 500-2D Packed: 1 - ea Warming Drawer, free standing, two drawer, large s/s pan, (50) rolls or (34) potatoes cap. per drawer, dual wattage (500w bread 1050w heavy product can adapted to hold optional oversize pan, ON/OFF adj. thermostat, s/s ex) baked s), drawer	
	2	e:	a 120v/60/1, 500w/1050w, 4.0/8.5amps, NEMA 5-15P		
	2	e	a 44226 Built-In Trim Kit, for 500-2D two drawer warmer		
79			SPARE NO.	E 220 00	5,230.00
80	1	e	a EXHAUST HOOD	5,230.00	5,250.00
	•	•	Captive-Aire Model No. BEST Packed: 1 - ea Main Exhaust Hood system to include: (2) 12 ft hood & (1) 9' 0" hood with filters and field wrapper		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 15 of 32

0ce sa ae os:338

10/10/2006

Dale Schwartz

PINSTRP5

Item	Qty	1	Description	Sell Each	Seli Total
		P. 10 C. 10		2.512.00	2,512.00
31	1		EXHAUST HOOD	•	
		;	Captive-Aire Model No. BEST Packed: 1 - ea		
			Stainless Steel Exhaust for End in Main Kitchen, 9ft long with		
			filters and wrapper	5,474.00	5,474.00
82	1	ea	EXHAUST HOOD		
		\bigcirc	Captive-Aire Model No. BEST Packed: 1 - ea		
	_		Prep area on Main floor Exhaust Hood: (2) 12' hood	3,207.00	3,207.00
82.1	1	ŧа	TIRE SUPPRESSION	3,207.00	0,20114
			Corson Items Model No. BEST Packed: 1 - ea		
			Pre Pine 1 for an Ansul System - Main hood		542.00
83	1		AIR DOUG	542.00	542.00
SURIE	·		Control Mc do No IRD-TO-2-48-1 Packed: 1 - ea		
	. بخری		Air Door, for a immercial front door, 48" With to 108" H, with one 3/4 hp m	Otor,	
302	13. m. s		anodized aluminum housing, aluminum washable intake litter and automate	ic biguides	
9-70			style door switch(mie, microswitch)		
	\$¥ ⊒i `				
7	ر المحري			875.00	875.00
85	1	ea	PIZZA CHEF'S COUNTER		
			Craft Mfg. Model No. CUSTON Picked: 1 - ea		
			Pizza Chef Counter- per specifications and plans, to consist of the		
			following:		
	1	ea	CUSTOM COUNTER 18" LONG Cust: m Counter 18" long x 30" deep,		_
			with built in hand sink, with, enclosed body on 6" legs	5,288.00	5,288.00
86	1	ea	PIZZA PREP TABLE REFRIGERATED		
			Traulsen Model No. VPS90S Refrigerated Preparation Table W/Standard Size Pin Mail, s/s lift-up cove	r.	
			three-section, widoors, sis top, front & sides, side-mounted self-contained	Venturi	
A SERVE	- Tare 1		Plenum refrig system, casters		
		ı	Lietiniti temä alatemi aastata		
•	• 6				
	1	ea	Plenum refrig system, casters 115v/60/1ph, with cord & plug 1 yr service/labor & 5 yr compressor warranty (std.) Bi-Fold pan covers in lieu of standard lift-up rail covers Interior mounted light fixtures (2)		
	4	6 2	1 yr service/labor & 5 yr compressor warranty (std.)		
	1	62	Bi-Fold pan covers in lieu of standard lift-up rail covers	<u></u>	
	1	60	Interior mounted light fixtures (2)	7,	
		-	1/2" x 18" Composition cutting board		
	1	58	Casters, 6-1/4" high in lieu of standard 8" high casters	<u> </u>	
	1			7,879.00	1,899.0
87	1	ea	FLOOR TROUGH Advance Tabco Model No. FFTG-2496 Packed: 1 - ea	10	
			Floor Trough, 24"W, 96"L, 4"D, wfiberglass grating, 4" O.D. waste pipe 3	3"L, pitched)
			towards waste (NOTE:This unit supplied with 2 drain openings)	C	7
			Mistring magic (1101 Filling aug - abbung and a abbung magic		

88

ea ICE MAKER, CUBE-STYLE

Lease



Scotsman Model No. CME2006RS-32C CM3® Ice Maker, Cube Style, air-cooled, no condenser (remote), approximately 1930-lb production/24 hrs, stainless steel finish, contour cube style

ea 208-230/60/1 standard

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 16 of 32

91.9

708-246-4769

Sanot bived BECOLDING

BOX 170

10/10/2006

PINSTRP5

Dale Schwartz

Item	Qty		Description	Sell Each	Sell Total
er employed and	1	ea	3 year parts & labor warranties		
	1		5 year parts & labor warranties on Evaporator		
	1		Limited lifetime rust free Parts warranty on food zone		
	1	ea	ERC611-32A Condenser Unit, Remote Refrigeration, designed for outdoor installation, temperature range -20°F to 120°F, galvanized finish, 2° 1/2"x37-25/32"x38-15/32", 208-230/60/1, use with CME2006R		
	1	ea	LNT 40 Precharged R-404A Tubing, 40 ft., for CME2006R		
	1		BH1:600BB Upright Ice Storage Bin, w/top-hinged frt-opening dr, approx. 1375 o/6 24kg ice cap., for top-mnted ice makers, s/s w/galvanized back & bottom, // legs, (Special bintop required for CME686, CME810, MAR1400, MAR2000, 2:30 cubers side-by-side, & 48" cubers stacked) (Contact your Scotsman rep. tr order the correct bintop for these configurations)		
	1		KLP2E Adjustably, Leveling Legs, 6" high, black enamel (included with bins)		
	1		KHOLDER Ice Scoop Folder, fits all modular ice storage bins, stainless steel		
	1		NOTE: Bins include adjustable on 'op filter panels for use with most ice machines (See machine bin sizing chart for special bin config.)		
	1	ea	KBT57 Bin Top, for use with (2) 4% c ibers (stacked), stainless steel		
	1	ea	ADS-AP2 AqualPatrol* Water Filtratic n System, double system, designed for ice makers & beverage equipment, or cors over 650 lbs., flakers & nuggets over 1,200 lbs.		
89	1	ea	REFRIGERATOR, UNDERCOUNTER	1,020.00	1,020.00
			True Food Service Equipment, Inc Model No. TU/-27 Undercounter Refrigerator, 33-38° F, 6.5 cu. ft., (2) shelves, 300 series s/s to sides, white alum. interior w/300 series s/s floor, (1) s/c d/-or, 5" castors, front breathing, 1/6 HP, 115/60/1	p & i	
	1	ea	Warranty - 5 year compressor (self-contained only)		
	1	ea	Warranty - 1 year parts and labor		•.
	1		a 3" dia. castors in lieu of std. castors (set of 4) (Contact factory for price	0.054.00	2,954.00
90	1	ea	BEVERAGE STATION	2,954.00	2,554.00
			Craft Mfg. Model No. BEV-STATION Packed: 1 - ea Beverage station, 7'10" x 30" x 37" high w/ hand sink and um drain. Constructed of 16 GA. S/S top and 18GA. body and sides. Top to have bracing as needed to support soda tower and SIZE of cutout to be verified Front of top to have a marine edge.Note: This unit does not include notch for column. (SINKS TO HAVE SPLASH SHIELDS)	'SO	c.
91			SODA - DROP IN DISPENSER WITH ICE BIN - PROVIDED BY VENDOR		<u>~~</u>
92			WATER FILLER		<u> </u>
93			TEA MACHINE - BY VENDOR		
94			COFFEE MAKER - BY VENDOR 208 V.		
95			SPARE NO.	<u>,</u>	
96			COFFEE GRINDER - BY VENDOR 120 V.	4 400 00	2,376.00
97	2	e	a BEVERAGE STATION	1,188.00	2,510.00
			Craft Mfg. Model No. BEV STATION Packed: 1 - ea	•	
	·	-	Beverage station, 7'x 30" x 37" high w/ um drain. Constructed of S/S top body and sides. Top to have bracing as needed to support soda tower and SIZE of cutout to be verified Front of top to have a marine edge. Note: This unit does not include notch for column. (SINKS TO HAVE SPLASH SHIELDS)		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 17 of 32



10/10/2006

Dale Schwartz


PINSTRP5

99 COFFEE MAKER - BY VENDOR 208 V. 100 TEA MACHINE - BY VENDOR 101 MOP SINK - BY OTHERS 102 1 ea WALK INS 102 Nermo-Kool Model No. BEST Packed: 1 - ea Wilk-in prepared food cooler/produce cooler per plan, with stucco galv. hitr-ind and exterior wall finishes. Height to be 9-0" high, Overall size of box: 16" 15" x 11" 6", (2) 34" x 18" flush entrance doors with magnetic door gask 3: 43" high aluminum treadplate on int and ext of doors, pilot light and switch as seribly, viryl bottom sweep, door heater, 2 hinges per door, door closer, latch and figital thermometer. Also includes (2) 14" x 14" peep window in both entrance doors aluminum treadplat s kt x plates inside door of (2) entry doors (2) 1-17" per firg. syst-ms. outdoor type with 30" precharged line sets (2) 15" yr. compressor warra: des exterior box , Rubber roof cap yro ided and installed by General Contractor. SEE APPROVED SHOP DRAWING 103 SEE ITEM #102 104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvan/zer/ interior and exterior wall finishes. Height to be 9".0" high, Overall size of uor. (3"-0" x 15"-2", (2) 34" x 78" flush entrance doors with magnetic door gaskc. x 3" high aluminum treadplate on int and ext of doors, pilot light and s witch assembly, whyl bottom sweep, door heater, 2 hinges per door, dour closer, latch and digital thermometer, pressure relief port from freezer to cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler aluminum treadplate kick plates inside door of (2) entry doors (1) 1-10 prend, temp refrig, systems, outdoor type with 30' precharged line sets (1) 1-112 ho Low Temp refrig, systems, outdoor type with 30' precharged line sets (2) 5", compressor warrantles SEE APPROVED SHOP DRAWING	item	Qty	Description	Sell Each	Sell Total
100 TEA MACHINE - BY VENDOR 101 MOP SINK - BY OTHERS 102 1 ea WALK INS 1 Nermo-Kool Model No. BEST Packed: 1 - ea Wir lik- in prepared food cooler/produce cooler per plan, with stucco galv, interior and exterior wall finishes. Height to be 9'-0" high, Overall size of boo: 26' 8" x 11'-6", (2) 34" x 78" flush entrance doors with magnetic door gasks: 4" high aluminum treadplate on int and ext of doors, pilot light and switch asserbly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer. Also includes: - (2) 14" x 14" peep window in both entrance doors - aluminum treadplate is bit x plates inside door of (2) entry doors (2) 1-11/2 hp reffig. systems. outdoor type with 30" precharged line sets (2) 5 yr. compressor warrarues exterior box , Rubber roof cap provided and installed by General Contractors. SEE APPROVED SHOP DRAWING 103 SEE ITEM #102 104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvar zer interior and exterior wall finishes. Height to be 9'-0" high, Overall size of use: 3"-0" x 15'-2" (2) 34" x 78" flush entrance doors with magnetic door gasks.4; "P right aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer 1 cooler. Also includes: - (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30" precharged line sets (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30" precharged line sets (2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING	98		SPARE NO.		
100 TEA MACHINE - BY VENDOR 101 MOP SINK - BY OTHERS 102 1 ea WALK INS 1 Nermo-Kool Model No. BEST Packed: 1 - ea Wir lik- in prepared food cooler/produce cooler per plan, with stucco galv, interior and exterior wall finishes. Height to be 9'-0" high, Overall size of boo: 26' 8" x 11'-6", (2) 34" x 78" flush entrance doors with magnetic door gasks: 4" high aluminum treadplate on int and ext of doors, pilot light and switch asserbly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer. Also includes: - (2) 14" x 14" peep window in both entrance doors - aluminum treadplate is bit x plates inside door of (2) entry doors (2) 1-11/2 hp reffig. systems. outdoor type with 30" precharged line sets (2) 5 yr. compressor warrarues exterior box , Rubber roof cap provided and installed by General Contractors. SEE APPROVED SHOP DRAWING 103 SEE ITEM #102 104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvar zer interior and exterior wall finishes. Height to be 9'-0" high, Overall size of use: 3"-0" x 15'-2" (2) 34" x 78" flush entrance doors with magnetic door gasks.4; "P right aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer 1 cooler. Also includes: - (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30" precharged line sets (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30" precharged line sets (2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING	99		COFFEE MAKER - BY VENDOR 208 V.		
102 1 ea WALK INS 1 10-emo-Kool Model No. BEST Packed: 1 - ea W-l'k-in prepared food cooler/produce cooler per plan, with stucco galv. intr. ar and exterior wall finishes. Height to be 9'-0' high, Overall size of bo.: 1c' 5' x 11'-5', (2) 34" x 78" flush entrance doors with magnetic door gasks's 4' 5' high altuminum treadplate on int and ext of doors, pilot light and switch as senibly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer. Also includes (2) 14" x 14" peep window in both entrance doors aluminum treadplate is bi x plates inside door of (2) entry doors (2) 1-1/2 hp reffig. systems, outdoor type with 30' precharged line sets (2) 5 yr. compressor warrar des exterior box , Rubber roof cap are ided and installed by General Contractor. SEE APPROVED SHOP DRAWING 103 SEE ITEM #102 104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in opoler/freezer per plan, with stucco galvan zer interior and exterior wall finishes. Height to be 9'-0' high, Overall size or and its 4' z 15-2", (2) 34" x 78" flush entrance doors with magnetic door gaskst. 48" high aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, do or closer, latch and digital thermometer, pressure relief port from freezer is ocoler. Also includes: - (1) 1-12" h Low Temp reffig. systems. outdoor type with 30' precharged line sets (1) 1-12" b Low Temp reffig. systems. outdoor type with 30' precharged line sets (2) 5 yr. compressor warrardies SEE APPROVED SHOP DRAWING	100				
102 1 ea WALK INS 1 10 10 10 10 10 10 10	101		MOP SINK - BY OTHERS		
1)-ermo-Kool Model No. BEST Packed: 1 - ea W* 14-in prepared food cooler/produce cooler per plan, with stucco galv. Interior and exterior wall finishes. Height to be 9-0" high, Overall size of bo 16" S" x 11"-6", (2) 34" x 78" flush entrance doors with magnetic door gasks: 4.3" high aluminum treadplate on int and ext of doors, pilot light and switch as sembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer. Also includes. - (2) 14" x 14" p-ep window in both entrance doors aluminum treadplats bit x plates inside door of (2) entry doors (2) 1-1/2 hp reffig. systems. outdoor type with 30' precharged line sets (2) 5 yr. compressor warrar ues exterior box , Rubber roof cap provided and installed by General Contractor. SEE APPROVED SHOP DRAWINO 103 SEE ITEM #102 104 1 ea COMBO WALKIN 15,870.00 15,870.00	102	1	ea WALK INS	16,303.00	16,303.00
interior and exterior wall finishes. Height to be 9-0" high, Overall size of box: "6" \$" x 11-6" , (2) 34" x 78" flush entrance doors with magnetic door gast s s "b" high aluminum treadplate on int and ext of doors, pilot light and switch as senibly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer. Also includes. - (2) 14" x 14" puep window in both entrance doors aluminum treadplat s it x plates inside door of (2) entry doors (2) 1-1/2 hp refrig. systems, outdoor type with 30" precharged line sets (2) 5 yr. compressor warrar ues exterior box , Rubber roof cap provided and installed by General Contractor. SEE APPROVED SHOP DRAWINC 103 SEE ITEM #102 104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvan/zed interior and exterior wall finishes. Height to be 9-0" high, Overall size or us x 13-0" x 15-2", (2) 34" x 78" flush entrance doors with magnetic door gask x 1 x 3" high aluminum treadplate on int and ext of doors, plot flight and s witch assembly, vinyl bottom sweep, door heater, 2 hinges per door, do on closer, latch and digital thermometer, pressure relief port from freezer 1) cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler aluminum treadplate kick plates inside door of (2) entry doors (1) 1-12 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets (1) 1-12 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets (1) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING			1, ermo-Kool Model No. BEST Packed: 1 - ea	•	•
Contractor. SEE APPROVED SHOP DRAWING 103 SEE ITEM #102 104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvan'zer' interior and exterior wall finishes. Height to be 9'-0" high, Overall size or unc.: 1"-0" x 15'-2", (2) 34" x 78" flush entrance doors with magnetic door gask. L +2" high aluminum treadplate on int and ext of doors, pilot light and s witch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer 1) cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler aluminum treadplate kick plates inside door of (2) entry doors (1) 1-0 hp med. temp refrig. systems. outdoor type with 30' precharged line sets (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets. Interior box with outdoor refrigeration systems (2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING			interior and exterior wall finishes. Height to be 9'-0" high, Overall size of bo." 16' 5" x 11'-6", (2) 34" x 78" flush entrance doors with magnetic door gask 3' 4' 3" high aluminum treadplate on int and ext of doors, pilot light and switch as senibly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer. Also includes. - (2) 14" x 14" peep window in both entrance doors. - aluminum treadplate ki x plates inside door of (2) entry doors. - (2) 1-1/2 hp refrig. systems. outdoor type with 30' precharged line sets. - (2) 5 yr. compressor warrances		
104 1 ea COMBO WALKIN Thermo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvan'zer' interior and exterior wall finishes. Height to be 9'-0" high, Overall size or Jok: 7'-0" x 15'-2", (2) 34" x 78" flush entrance doors with magnetic door gaskot 48" high aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer to cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler aluminum treadplate kick plates inside door of (2) entry doors (1) 1-0 hp med, temp refrig, systems, outdoor type with 30' precharged line sets (1) 1-1/2 hp Low Temp refrig, systems, outdoor type with 30' precharged line sets. Interior box with outdoor refrigeration systems (2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING			Contractor.		
Themo-Kool Model No. BEST Packed: 1 - ea Walk-in cooler/freezer per plan, with stucco galvan'zer' interior and exterior wall finishes. Height to be 9'-0" high, Overall size of Jok. 1'-0" x 15'-2", (2) 34" x 78" flush entrance doors with magnetic door gask. L. +8" high aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer 1 cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler aluminum treadplate kick plates inside door of (2) entry doors (1) 1-0 hp med. temp refrig. systems. outdoor type with 30' precharged line sets (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets. Interior box with outdoor refrigeration systems (2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING					
Walk-in cooler/freezer per plan, with stucco galvan zer interior and exterior wall finishes. Height to be 9'-0" high, Overall size or JCX: 7'-0" x 15'-2", (2) 34" x 78" flush entrance doors with magnetic door gask LC -3" high aluminum treadplate on int and ext of doors, pilot light and s witch assembly, vinyl bottom sweep, door heater, 2 hinges per door, dron closer, latch and digital thermometer, pressure relief port from freezer 10 cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler. - aluminum treadplate kick plates inside door of (2) entry doors. - (1) 1-0 hp med. temp refrig. systems. outdoor type with 30' precharged line sets. - (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets. Interior box with outdoor refrigeration systems. - (2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING	104	1		15,870.00	15,870.00
wall finishes. Height to be 9'-0" high, Overall size of DCX: 17-0" x 15-2", (2) 34" x 78" flush entrance doors with magnetic door gaskot +3" high aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer to cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler. - aluminum treadplate kick plates inside door of (2) entry doors. -(1) 1-0 hp med. temp refrig. systems. outdoor type with 30' precharged line sets. -(1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets. Interior box with outdoor refrigeration systems. -(2) 5 yr. compressor warranties SEE APPROVED SHOP DRAWING					
105 SEE TEM #104			wall finishes. Height to be 9'-0" high, Overall size of pract 7'-0" x 15'-2", (2) 34" x 78" flush entrance doors with magnetic door gask at 4?" high aluminum treadplate on int and ext of doors, pilot light and switch assembly, vinyl bottom sweep, door heater, 2 hinges per door, door closer, latch and digital thermometer, pressure relief port from freezer to cooler. Also includes: - (1) 14" x 14" peep window in main entrance door, to main cooler. - aluminum treadplate kick plates inside door of (2) entry doors. - (1) 1-0 hp med. temp refrig. systems. outdoor type with 30' precharged line sets. - (1) 1-1/2 hp Low Temp refrig. systems. outdoor type with 30' precharged line sets. Interior box with outdoor refrigeration systems. - (2) 5 yr. compressor warranties		
	105		SEE ITEM #104		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 18 of 32



0633831092 Page: 23 of 38

UNOFFICIAL COPY

10/10/2006

Dale Schwartz

PINSTRP5

item	Qty		Description	Sell Each	Sell Total
106	1	ea		7,800.00	7,800.00
			Thermo-Kool Model No. BEST Packed: 1 - ea		
			Walkin Beer Cooler		
			per plan, with stucco galvanized interior and exterior wall finishes. Height		
			to be 9'-0" high, Overall size of box: 8'-6"deep x 7'-0" wide , (1) 34" x 78" flush entrance doors with magnetic door gasket, 48" high aluminum		
			readplate on int of door, pilot light and switch assembly, vinyl bottom		
			seep, door heater, 2 hinges per door, door closer, latch and digital		
			th imported the control of the contr		
			Alst in ludes:		
			- aluminum treadplate kick plates inside and out of (1) entry doors.		
			-(1) 1- hp reing, systems, outdoor type with 30' precharged line sets.		
			Interior box with o tuoor refrigeration systems.		
			-(1) 5 yr. compressor verte ties		
			SEE APPROVED SHOP DR WING		•
125	22	ea	CORNER GUARDS	42.00	924.00
			Craft Mfg. Model No. ABTK#25A Fa.ke 1: 1 - ea		
			Stainless Steel Corner Guards 2" x 2" x 112" for various locations in		
			kitchen (No mounting holes)		
126	2	ea	CORNER GUARDS	48.00	96.00
			Craft Mfg. Model No. ABTK#25D Packed: 1 - ea		
			Stainless Steel Comer Guards 2" x 2" x 127" for Mor sink area in kitchen		
127	2		(No mounting holes)		
127	2	ea	CORNER GUARDS	32.00	64.00
			Craft Mfg. Model No. ABTK#25E Packed: 1 - ea		
155			Stainless Steel Corner Guards 2" x 2" x 88 1/2""		
128	2	ea	CORNER GUARDS	30.00	60.00
			Craft Mfg. Model No. ABTK#25F Packed: 1 - ea		
	,		Stainless Steel Corner Guards 2" x 2" x 78"	F	
129				0,'	
130			SUBTOTAL	3	232,425.00

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 19 of 32

RECORDING DEC BOX 170

10/10/2006

Dale Schwartz

PINSTRP5

Item Oty Description

Sell Each

Sell Total


197			SERVICE BAR & MAIN BAR EQUIPMENT		
198					
199					
200	1	ea	B/CK BAR		By Owner
			Custo n hems Model No. BEST Packed: 1 - ea		•
			Back Bar Cabinet in First Floor Service Bar		
201	1	ea	SERVICE BAR COUNTER TOP		
			Custom Items Model No. BY OWNER Packed: 1 - ea		
			By Owner		
202	1	ea	BACKBAR STORAGE CASINET, REFRIGERATED	2,177.00	2,177.00
_			Perlick Corporation Model N.J. 5360		•
			Backbar Storage Cabinet, tvo-section, self-contained refrig., s/s interior & ext	епог	
			cabinet, interior lights centered above ea. door, door locks, vinyl coated shelv hp., NSF#7, Food Storage approve	es, 1/4	
_	~		τ_{-}		
	1	ea	5 Yr. compressor warranty 115v/60/1, std. Top: Stainless steel Lock & Grille Rail Finish, black Condensing unit left, standard Grille finish 12, stainless steel Door 1: Glass door w/stainless steel frame Hinged on left (Left door) Door 2: Glass door w/stainless steel frame Hinged on right (right door) Stainless steel ends, standard Standard wire shelf (first compartment) Standard Refrigerator thermostat		
	1	ea	115v/60/1, std.		
	1	ea	Top: Stainless steel		
	1	ea	Lock & Grille Rail Finish, black		
	1	ea	Condensing unit left, standard		
	1	ea	Grille finish 12, stainless steel		
•	1	ea	Door 1: Glass door w/stainless steel frame		
	1		Hinged on left (Left door)		
	1		Door 2: Glass door w/stainless steel frame		
	1		Hinged on right (right door)		
	1		Stainless steel ends, standard		
	1		Standard wire shelf (first compartment)	S	
	1	•	Standard wire shelf (second compartment)		
	1			Ux.	
	1		No Floor Access Hole		>
	1		Casters, 3.75" dia. (set of 4)		
203	1	ea	SINK, HAND	572.00	572.00
			Perlick Corporation Model No. TS12HSN Packed: 1 - ea Hand Sink, 12", with faucet, soap & towel dispenser, modular workboard unit, 18-5/8" front-to-back, with 6" stainless steel backsplash, galv. back & bottom, spout faucet (NSF listed component), TS series	swing	
04	1	ea	UNDERBAR ADD-ON UNIT	579.00	579.00
	1		Perfick Corporation Model No. 7055A-D Packed: 1 - ea		
	4		Glass Rack Storage Unit drainhoard ton, self-widrain, sie interior front & lone		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Glass Rack Storage Unit, drainboard top, self w/drain, s/s interior, front & legs

Page 20 of 32



10/10/2006

Dale Schwartz

PINSTRP5

ltem	Qty		Description	Sell Each	Sell Total
205		HE HE	SPARE NO.		
206	1	ea	WORK BOARD ICE BIN COCKTAIL STATION	1,150.00	1,150.00
ď	7		Perlick Corporation Model No. TS30IC8	1,100.00	1,100.00
			Ice Chest, 30", with 8 circuit cold plate & ABS top ledge, modular, 18-5/8" deep	o, 6°	
1			splash, approx. 70-lb. ice cap., stainless steel construction, TS series		
1					
	1		4" Fac'tsplash in lieu of std. 6" splash		
	1		BWo-30 to bottle wells for 30" chests		
	4		SR-S30 (1.0) Rail, 30", factory installed		
207	<u>-</u>		7055-265A Byor oplash cutout for soda lines	270.00	
207	_ '	ea	UNDERBAR AUT-ON UNIT	579.00	579.00
1			Perfick Corporation Model No. 7055A-D Packed: 1 - ea Glass Rack Storage [Jnif], drainboard top, self w/drain, s/s interior, front & legs		
			The state of the s		
	4				
-	*		ODATIC NA		
208		•	SPARE NO.		
209	1	ea	BAR SINK	513.00	513.00
			Perfick Corporation Model No. TS12HS Parked. 1 - ea Sink Unit, 12", one sink compartment, 18-5/3" deep, 6" splash, s/s top, front &	laga	
			gooseneck faucet, TS series	icys,	
			4h.		•
	ų ·				
	1		7055-48 Rinse Tank Dump Boxes, for blender stations - 18F1.₩		
210	1	ea	ICE BIN COCKTAIL STATION DOUBLE SERVICE	1,727.00	1,727.00
	$\langle \rangle$		Perlick Corporation Model No. 7055A73-16	لدمماد	
			Ice Chest, 24" Thru-The-Bar with dual 8 circuit coldplates, double ser ice, standepth, 38" front-to-back, approximately 115-lb. ice capacity, stainless stee!	oard	
7			construction, 4-bulk circuits, 12-syrup circuits		
V				0	
	V .			0'	
	1		C32068 Free-Standing Adjustable Ice Divider		
	1		SR-S24 Bottle Rail, 24", factory installed		
211	1	ea	BOTTLE DISPLAY UNIT, LIQUOR	470.00	470.00
			Perlick Corporation Model No. 7055A3 Packed: 1 - ea		
•			Liquor Display Unit, 24", modular workboard design, 24" front-to-back w/4-1/2" steps	aeep	C
1			oropo	-	
4					
	ų '				
	1	ea			
212	2	ea	UNDERBAR ADD-ON UNIT	579.00	1,158.00
			Perfick Corporation Model No. 7055A-D Packed: 1 - ea		
	AFF.		Glass Rack Storage Unit, drainboard top, self w/drain, s/s interior, front & legs		
1					
ſ					
	1				

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 21 of 32

BEOO 30 os 3

10/10/2006

Dale Schwartz

PINSTRP5

			Dale Schwartz		
Item	•		Description	Sell Each	Sell Total
213	1	ea	BACKBAR STORAGE CABINET, REFRIGERATED	3,898.00	3,898.00
_			Perlick Corporation Model No. BS108	•	•••
	7	_	Backbar Storage Cabinet, four-section, self-contained refrig., s/s interior & ex	terior	
		1	cabinet, interior lights centered above ea. door, door locks, vinyl coated shell hp., NSF#7, Food Storage approved	/es, 1/3	
		ل	The transfer to the state of th		
	•		\wedge		
	1	ea	5 (r. compressor warranty		
	1		1.15°,739/1, std.		
	1	ea	Top: Smaless steel		
	1		Lock & Collo Rail Finish, stainless steel		
	1		Condensing unit right		
	1		Grille finish 12, strinless steel		
	1		Door 1: Glass do wistainless steel frame		
	1		Hinged on right		
	1		Door 2: Glass door wistainless steel frame		
	1		Hinged on right		
	1		Door 3: Glass door w/stainlesc stact frame		
	1		Hinged on left Door 4: Glass door w/stainless steel france		
	•		Hinged on left		
	1		Stainless steel ends, standard		
	1		Standard wire shelf (first compartment)		
	1		Standard wire shelf (first compartment) Standard wire shelf (second compartment) Standard wire shelf (third compartment) Standard wire shelf (fourth compartment) Standard Refrigerator thermostat No Floor Access Hole		
	1		Standard wire shelf (third compartment)		
	1		Standard wire shelf (fourth compartment)		
	1		Standard Refrigerator thermostat		
	1		No Floor Access Hole		
	1	ea	Casters, 3.75" dia. (set of 6)		
214	1	ea	WORK BOARD ICE BIN COCKTAIL STATION	1,205.00	1,205.00
,			Perlick Corporation Model No. TS24IC8		
			Ice Chest, 24", with 8 circuit cold plate & ABS top ledge, modular, 18-5/8" or	ep,∂"	
			splash, approx. 50-lb. ice cap., stainless steel construction, TS series	S	
	0 U V U			Ux.	
	1	ea	4" Backsplash in lieu of std. 6" splash		•
	1	ea	SR-S24 Bottle Rail, 24", factory installed		
	1	ea	SR-S24R Bottle Rail, 24", field installed		- 0
	1	ea	7055-265A Back splash cutout for soda lines		
215	1	ea	UNDERBAR ADD-ON UNIT	579.00	579.00
			Perlick Corporation Model No. 7055A-D		
	THE STATE OF THE S		Glass Rack Storage Unit, drainboard top, self w/drain, s/s interior, front & leg	S	
				_	
	W- "			•	

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

ea 7055-6 Stationary Shelf, for glass storage bin, stainless steel

Page 22 of 32

<optional>



50.00

10/10/2006

PINSTRP5

Dale Schwartz

item	Qty		Description	Sell Each	Sell Total
216	1	ea	WORKBOARD, UNDERBAR STORAGE CABINET	727.00	727.00
_			Perlick Corporation Model No. SC30		
[~			Storage Cabinet, 30" (TSD depth), embossed drainboard top, open cabinet b w/bottom & adjustable intermediate shelves, s/s top, front, shelves & legs	ase	
i			woodon a adjustable interniculate sheres, 5/5 top, non, sheres a legs		
وم					
•	T				
	1		Coor Set, for 30" storage cabinet		
	1		T(12 CO-R 12" apron cutout for trash receptacle (by others), right	159.00	<optional></optional>
217	1	ea	DRA NE DARD, BAR	257.00	257.00
_			Perlick (CT oration Model No. TS12	etacl	
4			Drainboard / 12", bar type, modular design, 18-5/8" deep, 6" splash, stainless construction, 15 series	SICCI	
T			onibuous in production		
Į.			0.0		
	Ü ×				
•	1		4" Backsplash in lieu of std, 6"; plash		4.005.00
218	1	ea	WORKBOARD, ICE/COCATAIL STATION	1,335.00	1,335.00
	\Rightarrow		Perlick Corporation Model No. TS36IC8 Packed: 1 - ea lice Chest, 36", with 8 circuit cold liat 2. ABS top ledge, modular, 18-5/8" de	an <i>A</i> "	
			splash, approx. 70-lb. ice cap., staint's steel construction, TS series	ср, ч	
Ļ					
	1	ea	BW6-30 6 bottle wells for 30" chests		
	1	ea	4" Backsplash in lieu of std. 6" splash		
	1	ea	SR-S18 Bottle Rail, 18", factory installed		
	1	ea	SR-H18 Bottle Rack, hang on type, 18"		
	1		7055-118 Blender Shelf, 12" w/1 duplex outlet		
	11		7055-265A Back splash cutout for soda lines		(70.00
219	• 1	ea	BOTTLE DISPLAY UNIT, LIQUOR	470.00	470.00
			Perlick Corporation Model No. 7055A3 Packed: 1 - ea	2º deen	
			Liquor Display Unit, 24", modular workboard design, 24" front-to-back w.4 17/ steps	e ucep	
			Steps	2.	
, P					
	0 - '			Vic.	
	1	ea	7055A11 Bottle Guardrail, set-not installed for 7055A3		
220			SPARE NO.		
221			SPARE NO.		<u> </u>
222			SPARE NO.	704.00	704.00
223	1	ea		794.00	794.00
ſ	1		Perlick Corporation Model No. TS12HS Packed: 1 - ea Sink Unit, 12", with one sink compartment, no drainboards, 18-5/8" deep, 8"	enlash	
ŀ			stainless steel construction, TS series	ahigairi	
Ļ			AWRITION OF PRITON NEWSON! CO ANNON		
•	- 110				

ea 4" Backsplash in lieu of std. 8" splash
 ea STAND OFF Custom s/s standoff to a

1 ea STAND OFF Custom s/s standoff to accommodate beer lines running behind sink unit.

ea 7055-270 Paper towel dispenser, factory installed (specify location)

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 23 of 32



10/10/2006

Dale Schwartz

PINSTRP5

Item	Qty		Description	Sell Each	Sell Total
enter de enter	1	ea	7055-269A Soap and synthetic detergent dispenser, factory installed (specify location)		
	1	ea	7055-48 Rinse Tank Dump Boxes, for blender stations - 18BLW		
226	1	ea		781.00	781.00
			Perlick Corporation Model No. CUSTOM Packed: 1 - ea Custom Corner Drainboard unit, 24" x , 135" inside right corner, with legs, iee p, 4" splash, stainless steel construction, TS series	22-5/8*	



ea UNDERZAR FILLER CABINET

1,091.00

1,091.00

Perlick Corporation Model No. CUSTOM Packed: 1 - ea Custom Comer Fre Inboard unit, 24" x 48" long, 135° inside left comer, with trash chute and drainer cp, on legs, 22-5/8" deep, 4" splash, stainless steel construction, TS series



226.1

_			Or		
227			REMOTE BEER SYSTEM POWER PACKS (3) SEE ITEM #229		
228			SPARE NO.		
229	1	ea	REMOTE BEER SYSTEM	20,679.00	20,679.00
			Perlick Corporation Model No. CENTUE (Packed: 1 - ea		
	•		Perfick Century Remote Draft Beer Dispensing System, to consist of the following components: (tower style and finish must be verified prior to ordering)		
	1	ea	4414 Air-Cooled Power Pak, Positive Displacement pump, 24-1/4" x 17-1/4" x 25-1/2", 500 ft. max, 15.4A, 3/4HP		
	2	ea	4431 Coolant Pump Kit, for 4414 Power Paks, 115V (field his allation)		
	2	ea	4404 Air-Cooled Power Pak, Positive Displacement pump. 2 1/4" x 17-1/4" x 25-1/2", 150 ft. max, 10.5A, 1/3HP. POWER PAK IS US LD FOR THE ICE COBRA TOWERS.		
	2	ea	57782 Legs, adjustable, 5-3/4" - 7-1/2", (set of 4) for 1 & 2-door back to a cabinets		
	2	ea	#730 Two year extended parts & labor warranty (net)		
	3	ea	61468 Overflow Bottle	.0	
	2	ea	C22296A-20 Cord Kit, for 4400 Power Pak	0.	
	15		63299-1 Glycol Dow Frost Premix (per gallon) (CT DowFrost HD 33%, Dist. H20 67%)	O_{S}	C.
	· 3	ea	63335 Coolant Connector Kit, includes 1-5/8" I.D. insulation & coolant tubing for 4400 Power Pak		

tubing, for 4400 Power Pak 70 ea 63335-1 Additional Tubing, for coolant connector kit model #63335, per ft.

ea 63703BPSC Flojet Locking Beer Pump Panel, three-way

ea 40091A Step Down Regulator

3 ea C15312 Filament Tape, 1/2" X 60 YD roll

3 ea C15311 Clear Poly Tape, 2" X 36 YD roll

ea C15698 Black Poly Tape, 2" X 36 YD roll

ea 1390D 1/2" I.D. Anti Microbial drain tubing

2 rl C14230B1 Braided Tubing, 3/8", 100 ft. roll

ea 4220-6 Basic Trunk Housing (Accuflex tubing), for beer system, 6-lines, custom fabricated at factory

130 ea 4220-6-1 For first trunk housing, specify number of feet, each

ea C23045 Trunk Housing Branch Connection, includes 3 feet of trunk housing, (one required for each additional refrigerated dispensing station)

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 24 of 32



10/1	U)	ባብድ

Dale Schwartz

PINSTRP5

Item	Qty		Description	Self Each	Sell Total
Etali Maria	1	ea	4220-6 Second Basic Trunk Housing (Accufiex tubing), for beer system, 6-lines, custom fabricated at factory	ಕನ್ನಡ ಚಿತ್ರಗಳ್ಳದೇ ತಿಳಿಗುವಾದ	
	130	ea	4220-6-1 For second trunk housing, specify number of feet, each		
•	1	ea	4220-6 Basic Trunk Housing (Accufiex tubing), for beer system, 6-lines, custom fabricated at factory		
	150	en	4220-6-1 For third trunk housing, specify number of feet, each		
	1	63	C23045 Trunk Housing Branch Connection, includes 3 feet of trunk Nousing, (one required for each additional refrigerated dispensing station)		
	1	ea	(00)-6B Tee Tower, single base, for beer system, includes (6) 9-1/2" faur ets (black handles not included), stainless steel finish		
	1	ea	5025 (วา Nounted Drainer, for beer dispensing units, 4-7/8" x 19", stainless ร่วย		
	6	ea	40139A Three Outlet Manifold, for single pump		
	4	ea	CM1708 3 Foucet Cobra Head Tower, S/S Chrome Finish.		
	2	ea	CM1708-A Custon Drainor Pan for 2 ea. Cobra Tower.		
	1	ea	NOTE: These prices are for information only: ALL QUOTES FOR CENTURY SYSTEM MULT BUISSUED BY EITHER PERLICK MILWAUKEE OR THE LOCAL REPRESENTATIVE		
30	1	ea	INSTALLATION		
			Custom Items Model No. INSTALLATION Packed: 1 - ea	3,220.00	3,220.00
			Install Beer System (non-union)		
			The second section (note union)		
230					· · · · · · · · · · · · · · · · · · ·
231			SUBTOTAL		43,961.00
			SUBTOTAL		
			7	Ś	
				0,55	
				(C)	

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc.

Page 25 of 32

10/10/2	006	Dale Schwartz		PINSTRP5
		Dale Schwartz		
item	Qty	Description	Sell Each	Sell Total
299		BANQUET FLOOR		
300				
300				
301	1	ea UN DERBAR FILLER STRIP	330.00	330.00
_		Pritic: Corporation Model No. TS24RIC Packed: 1 - ea Come. O ainboard, 24", 90° inside right corner, with legs, 18-5/8" deep, 4 stainless field construction, TS series	" splash,	
		Stantes See Construction, 10 series		
`	4	0.0		
	1	ea 4" Backsplash in icu of std. 6" splash		4.005.00
302	1	ea ICE BIN COCKTAIL STATICY DOUBLE SERVICE	1,695.00	1,695.00
	\sim	Perlick Corporation Moo et No. 7055A73-16	etandard	
		ice Chest, 24" Thru-The-Ba with dual 8 circuit coldplates, double service depth, 38" front-to-back, approximately 115-lb. ice capacity, stainless stee	el el	
1		construction, 4-bulk circuits, 12-syr o circuits		
100				
	7			
	1	ea C32068 Free-Standing Adjustable Ice Dividor		
	1	ea SR-S24 Bottle Rail, 24", factory installed		207.00
303	1	ea WORKBOARD, INSULATED STORAGE CHEST	367.00	367.00
		Perlick Corporation Model No. TSS12U2		•
		Storage Chest, 12", with 6 bottle wells, insulated, island type, workboard,		
		stainless steel, TSS series		
	1	ea 7055-50 Cap Receiver & Opener, stainless steel, (for field it stalleton)	333.00	333.00
304	1	ea UNDERBAR FILLER STRIP	333.00	000.00
	\wedge	Perlick Corporation Model No. TS24LIC Packed: 1 - ea Corner Drainboard, 24", 90° inside left corner, with legs, 18-5/8" deep, 1	sclash.	
		stainless steel construction, TS series		
		ordinaces steer contra account, 1 a contra	0,	
	V		Vic.	
	1	ea 4" Backsplash in lieu of std. 6" splash	70 (0)	704.00
305	1	ea SINK, HAND	704.70	704.00
13	F A	Perlick Corporation Model No. TS12HSN	unit	
ķ		Hand Sink, 12", with faucet, soap & towel dispenser, modular workboard 18-5/8" front-to-back, with 6" stainless steel backsplash, galv. back & both	tom, swing	
\		spout faucet (NSF listed component), TS series		
ļ	197	aposit tabout (its. its a some some some		
¥	, 1			
	1	ea 4" Backsplash in lieu of std. 6" splash		
	1	ea 7055-48 Rinse Tank Dump Boxes, for blender stations - 18BLW		
	1	ea 7054R Right End Splash, 6" for TS & TSD series		
	1	ea 7054L Left End Splash, 6" for TS & TSD series	<u>.</u>	
200		TRACH CAN SUM IM		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 26 of 32

PINSTRPS

oer so oe os: 446 Caret.

308

TRASH CAN - SLIM JIM

10/10/2006

Dale Schwartz

PINSTRP5

Item	Qty		Description	Sell Each	Sell Total
309	1	ea	CUSTOM 18" X 30" LONG SHELF	338.00	338.00
			Craft Mfg. Model No. CUSTOM SHELF		
			Custom 18" x 30" long wall mount heavy duty work shelf at waiter side of		
			service bar.		·-
309.1	1	ea	CUSTOM 18" X 30" LONG SHELF	338.00	<optional></optional>
			Craft Mfg. Model No. CUSTOM SHELF		
			Sustom 18" x 30" long wall mount heavy duty work shelf at waiter side of service bar.		
311	1	ea	FACKBAR STORAGE CABINET, REFRIGERATED	2,177.00	2,177.00
			PerFisk Corporation Model No. BS60		
			Backba Sorage Cabinet, two-section, self-contained refrig., s/s interior & exte		
			cabinet, hav how lights centered above ea. door, door locks, vinyl coated shelve	s, 1/4	
			hp., NSF#7, 7 or d Storage approved		
	1	ea	5 Yr. compressor war only		
	1		115v/60/1, std.		
	1	ea			
	1		Lock & Grille Rail Finish, black		
	1		Condensing unit right		
	1		Grille finish 12, stainless steel		
	1		Door 1: Glass door w/stainless steel fram :		
	1	ea	Hinged on left		
	1		Door 2: Glass door w/stainless steel frame		
	1		Door 2: Glass door w/stainless steel frame Hinged on left Stainless steel ends, standard Standard wire shelf (first compartment) Standard wire shelf (second compartment)		
	1		Stainless steel ends, standard		
	1	ea	Standard wire shelf (first compartment)	•	
	1	ea	Standard wire shelf (second compartment)		
	1	ea			
	1	ea	No Floor Access Hole		
	1	ea	Casters, 3.75" dia. (set of 4)		
313	1	ea	BEVERAGE STATION	1,179.00	1,179.00
			Craft Mfg. Model No. BEV STATION Packed; 1 - ea		
			Beverage station, 3'x 30" x 37" high w/ um drain. Constructed of S/S top		
			body and sides. Front of top to have a marine edge.	<u>·()</u>	
318	1	ea	POT RACK, WALL-MOUNTED	1/5.00	175.00
			Advance Tabco Model No. GW-60		
	-		Pot Rack, wall-mounted, double bar design, 60" long, with plated double hook	s, (C)	
	* ~~		constructed of 3/16" x 2" powder coated galvanized steel		7
7					
240	<u>-</u>		ONE E WAS I HOUSED	178.00	178.00
319	1	ea	SHELF, WALL-MOUNTED	110.00	
			Advance Tabco Model No. WS-12-60 Shelf, wall-mounted, stainless steel, 12" wide, 5 feet long		
			Onon, war-mounted, spiniess stori, 12 wide, v loctorig		
	-	•			

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 27 of 32



	_			
10	 n	n	nı	36

Dale Schwartz

PINSTRP5

Item	Qty		Description	Sell Each	Sell Total
320	1	ea	SINK, THREE (3) COMPARTMENT	1,386.00	1,386.00
			Advance Tabco Model No. 9-3-54-18RL	-	•
		_	Regaline Sink, three compartment, w/left & right-hand drainboards, 20" from	t-to-back	
	10.00	•	x 16" W compartment, 12" deep, with 8" high splash, s/s open frame base, s	side	
	N		crossrails, 18" drainboards, 18/304 s/s bowls		
1					
	1	ea	K-2C Sink Cover, 16" x 20", Poly-Vance"		
	1		K-1/20 Poty board holder, each		
320.1	1		MIXIN'S FAUCET	96.00	96.00
			Best Mod at 1 to B-0231 Packed: 1 - ea	00.00	00.00
			Stock TSB 5023 Sink mixing faucet wall mounted, 8" centers on sink		
			faucet with 1/2 1/ S eccentric flanged female inlets, lever handles		
	1	ea	064X Swing Nuzle, 16"		
320.2	2		STOCK	25.00	50.00
			Best Model No. 12943 Packed: 1 - ea	20.00	00.00
			Lever Waste unit for 2" drai 1 B-3952		
321	2	ea	WORK TABLE, 60" LONG	649.00	1,298.00
	_	-	Advance Tabco Model No. SS-305 Pr chad: 1 - ea	043.00	1,230.00
70			Work Table, 30" wide top, without spir-1, 50" long, w/adjustable undershelf.	s/s	
			frame & shelf, 14 gauge, type 304 stain ess steel top, s/s bullet feet	,	
. ∐					
77	The state of				
•			9/,		
	2		TA-25 Casters, 5", swivel, with rubber wheels (set of 4: 2 with brakes)		
	2	ea	TA-25B Brakes, on all casters		
324	1	ea		1,559.00	1,559.00
			Advance Tabco Model No. MS-308 Packed: 1 - ea	,	
			Work Table, 30" wide top, without splash, 96" long, w/adjustable undershelf,	, s/s	
[]			frame & shelf, 16 gauge, type 304 stainless steel top, s/s bullet feet		
N 3					
- 1			7		
	1	ea	CDS-18-96 Adjustable Double Overshelf, 6" overhang on one side, 18"W x	P	
			96"L, 1-5/8" s/s posts		
325	1	ea	QUEEN MARY CART	931 JO	931.00
	1		New Age Model No. 1450		·
	-		Queen Mary Banquet Cart, (5) open shelves w/push handles, 62" high, welc)
			aluminum construction, full perimeter bumper, 8" x 2" heavy duty platform ca	asters (2)	Ó
			swivel (2) rigid, 3000 lbs. cap., NSF		C
~					
	1	00	Lifetime warman's excitat and 2 corrector. E year construction warman's		
		ea	Lifetime warranty against rust & corrosion, 5 year construction warranty, std.		
326	1 .	ea	REFRIG REACH-IN	2,254.00	2,254.00
v655			True Food Service Equipment, Inc Model No. T-49 Packed: 1 - ea	•	
			Refrigerator, Reach-in, Two-Section, 49 cu. ft., (6) shelves, extr. 300 series		
			alum. ends, int'r: white alum. w/300 series s/s floor, (2) s/s hinged doors w/k	ocks, dial	
	:		thermo., 4" castors, 1/2 HP, 115/60/1		
					•

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 28 of 32



ea Warranty - 5 year compressor (self-contained only)

10/10/2006

PINSTRP5

Dale Schwartz

Item	Qty		Description	Sell Each	Sell Total
	1	ea	Warranty - 1 year parts and labor	THE REAL PROPERTY.	
	1	ea	Left door hinged left, right door hinged right standard		
327	1	ea	CONVECTION OVEN, GAS	5,080.00	5,080.00
			Biodgett Oven Model No. DOUBLE GAS Packed: 1 - ea		
			Convection Oven, gas, double-deck, standard depth, Solid State controls, Tw	٥	•
2000			speed fans, (5) racks & (11) positions, dependent doors (one solid and one gl	ass),	
		-	s/s front, sides & top, 6" s/s legs, flue connector, 55,000 BTU each		
530					
	1	ea	Natural gas		
	1		ZZB.:07/01M013B Draft diverter		
	1		6" castcrs(rut) for double ovens in lieu of legs. INCLUDED IN COST OF		
			OVEN.		
	1	ea	Gas manifold for double ovens		
	1	ea	Extra racks (each)		
329	1	ea	RANGE, 36" RESTAURANT, GAS	2, 9 07.00	2,907.00
			Southbend Model No. 136A	haca	
			Range, 36" Restaurant, G73, (3) 26,000 BTU open burners, convection oven stainless front, backsplash & single deck backshelf	uase,	
噩			Statifices from Dacksplast to sing a dealt Dackstren		
			T		
-0			' O		
	1	ea	Natural Gas		
	1		115v/60/1-ph, 6.2 amps, 6'cord & plug, per or en		
	1	ea	Standard one year limited warranty (range)		
	1		Casters in fleu of legs (2) locking		
	1	ea	Standard one year limited warranty	- 110.00	7 440 00
330	1	ea	FRYER, GAS, MULTIPLE	7,412.00	7,412.00
100	1		Pitco Frialator Model No. 2-SG14SSTC-S/FD Packed: 1 - ea	nı et	
3-14			Solstice Fryers, gas. (2) 50 lb oil cap. full tanks, solid state the postats, boil of drain valve interlock, melt cycle, matchless ignition, under-fryer die wer filtration.	on, s/s	
435			tank, front & sides, total 220,000 BTU (-FF)		
(5)			T'_		
T	# 1		`\C\'\		
	1	ea	Natural gas	\bigcirc	
	1	ea	115v/60/1, 0.5 amps, for controls per fryer	Ux.	
	1	ea	Casters for fryer battery (BNB unit not included)		
	2	ea	B2101501 Tank cover, 18 gauge light duty, for model		
	· · · · · · · · · · · · · · · · · · ·				543.00
331	3	ea	GAS HOSE	181.00	343.00
			BestDormont Model No. BEST Packed: 1 - ea		
			1675KIT2S-48 Gas Connection Kit consisting of:		
	3	ea	11006 1675BPQ-48 Gas Connector Hose, 3/4" connection, for castered		
			equipment, 48" long, stainless steel braid with plastic coat exterior, brass "push to connect" quick disconnect coupling, antimicrobial coating, lifetime		
			warranty		
	6	42	11016 SM75, "Supr-Swivel" fitting, 3/4", SwivelMAXa with patented 360°		
	v	Ed	rotation, provides increased mobility & performance of the gas equipment		
			with decreased stress on the gas connector for a safer installation		
	3		10987 075FV, Straight valves - 3/4" F.I.P. x 3/4" F.I.P.(full port)		
	3	ea	11012 RDC-48, Restraining Cable, for 48" connector		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 29 of 32



10/10/2006

Dale Schwartz

PINSTRP5

Item	Qty		Description	Sell Each	Sell Total
333		ea	SINK, HAND Advance Tabco Model No. 7-PS-60 Hand Sink, wall model, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge stainless steel construction, with splash mounted faucet, basket drain, wall bracket.	273.00 e acket	273.00
•					
	1	ea	K-400 Hands-Free wand		
	1		1-P3-27 7-3/4" Bolted Side Splash, in-field installation (holes & hardware not included)		
	1	ea	7-PS-3 , Priper Towel Dispenser-Wall Mounted	70.00	<optional></optional>
	1	ea	7-PS-12 Suap Dispenser, wall mounted	38.00	<optional></optional>
			T & S Brass 3-/3/15 Faucet, splash mounted, 3-3/8" O.C., rigid gooseneck, 11" H from center of faucet to top, 6" to tip of nozzle - 5-1/2" spread, 1/2" NPT eccentric flanted formale inlets, lever handles		
340	5	ea	SHELVING, WIRE	367.20	1,836.00
			Metro Model No. 2436NK / Packed: 1 - ea Super Erecta® Shelf, wire, 24" v', 36" L, Metroseal 3 (corrosion-resistant) finis plastic split sleeves are included in each carton, w/Microban® antimicrobial protection	sh,	
	20	ea	2448NK3 Super Erecta® Shelf, wire, 24" V 48" L, Metroseal 3 (corrosion-resistant) finish, plastic split sleev(s a e included in each carton		
	5	ea	2454NK3 Super Erecta® Shelf, wire, 24" W, 54" L, Metroseal 3 (corrosion-resistant) finish, plastic split sleeves are included in each carton, w/Microban® antimicrobial protection		
	4	ea	1830NK3 Super Erecta® Shelf, wire, 18" W, 30" L, Metrc '⊆ai 3 (corrosion-resistant) finish, plastic split sleeves are included in each carton, w/Microban® antimicrobial protection		
	28	ea	74PK3 Super Erecta® SiteSelect" Post, 74-5/8" H, adjustable leveling bolt, posts are grooved at 1" increments and numbered at 2" increments double grooved every 8", Metroseal 3 (corrosion-resistant) finish, w/Microban® ántimicrobial protection		
341	1	ea	EXHAUST HOOD	2,635.00	2,635.00
			Captive-Aire Model No. BEST Packed: 1 - ea		
			Exhaust Hood for 2nd Floor Banquet Facility with filters and wrapper. DOES NOT INCLUDE EXHAUST FANS OR CURBS	175.	
341.1	1	ea	FIRE SUPPRESSION	698.00	698.00
*.			Custom Items Model No. BEST Packed: 1 - ea		\circ
. ·			Pre Piped for an Ansul System - Banquet hood		
351			SUBTOTAL		36,434.00

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 30 of 32



0633831092 Page: 35 of 38

UNOFFICIAL COPY

10/10/2006

Dale Schwartz

PINSTRP5


Item	Qty	Description	Sell Each	Sell Total
(100 pt 100 pt 1				

498			DELIVERY, INSTALLATION, AND SERVICES		
499					
499					
500	3	ea	INSTALLATION	800,00	2,400.00
			Custom Items Model No. FIELD INSPECTIONS Packed: 1 - ea		
			Field inspertions by Best engineer (3) trips		
501	1	ea	FREIGHT	5,040.00	5,040.00
			Custom Item : Model No. FRT IN Packed: 1 - ea	-,	•••••
			Freight into Best for poistics assembly and loading		
502	1	ea	FREIGHT	1,910.00	1,910.00
			Custom Items Model Nr. DE JVERY Packed: 1 - ea	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,
			Delivery of Direct Items: (VVC.Kins, Refrig,) Direct to jobsite from factory		
503	1	ea	HOODS FREIGHT	1,600.00	1,600.00
			Captive-Aire Model No. BEST Packed: 1 - ea	1,000.00	1,500.00
			Freight on Hoods Direct to job site		
504	1	ea	FREIGHT	4.720.00	4,720.00
			Custom Items Model No. FRTN Packed: 1 - ea	4,125.00	7,120.00
			Delivery of Misc. Equipment Items from BEST warehr use. 2 trucks		
50 5	1	ea	INSTALLATION	7,200.00	7,200.00
	•		Custom Items Model No. INSTALLATION Packed: 1 - ca	1,200.00	1,200.00
	-		Coolers installation, assembly, refrig hookups (non-union) if union or		
			prevailing wage is required costs will increase accordingly.		
508	1	ea	INSTALLATION	18,150.00	18,150.00
			Custom Items Model No. INSTALLATION Packed: 1 - ea		,
			Install Kitchen & Bar Equipment (non-union) if union or prevailing wage is		
			required costs will increase accordingly.)	
			Our installation crew will unload, uncrate and assemble all equipment, set		
			up, hang shelves, and mount and seal to walls.	Ux.	
			INSTALLATION OF HOODS, EXHAUST DUCTWORK, OR PIZZA OVEN		
			EXCLUDED FROM OUR ESTIMATES.	Office	
				9	
			All drain lines to be run by GC plumbing trades.		
510			Excludes all final mechanical / electrical hookups		
010			AUDIONAL	· · · · · · · · · · · · · · · · · · ·	
521	·····		SUBTOTAL		41,020.00
522	-1		DEOLON		
JEE	•	ea	DESIGN CONTRACTOR OF THE PROPERTY OF THE PROPE	26,700.00	26,700.00
			Custom Items Model No. DESIGN CONTRACT Packed: 1 - ea		
			Design Contract Costs:		
			Floor plans Drawings, elevations, mechanicals, specifications		

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 31 of 32



0633831092 Page: 36 of 38

UNOFFICIAL COPY

10/1	0/2006

PINSTRP5

Dale Schwartz					
ltem	Qty		Description	Sell Each	Sell Total
523	1	ea	DESIGN DISCOUNT	-26,700.00	-26,700.00
			Custom Items Model No. DESIGN CONTRACT-DISCOUNT F	Packed: 1 - ea	
		/	DISCOUNT FOR Design Contract for signed order: Floor plans Drawings, elevations, mechanicals, specifications. 100% of total design costs of \$\$26,700.	 .	
525	1	ea	MOT IN CONTRACT		
			Cust m Items Model No. NOT IN CONTRACT Packed: 1 - ea	.	
			Quo'a Coes not include all applicable Taxes nor Mill Work, Fu Bar Top or Custom Fabricated Counters, All Exhaust Fans, cu machinec ar.a. Dishwasher put included.	miture, rbs, Ice	
526			A \$6,000 CREWT PAID FOR DESIGN COST DEPOSIT WILL APPLIED AS A CREDIT TO ACCOUNT TOWARD REQUIRED AMOUNT.		··········
			Total		353,840.00
			Sales Tax		20,179.38
			Grand Tot	aí	374,019.38

Clort's Office

PINSTRIPES 5 order copy (PINSTRP5)

Best Rest Equipment & Design Inc

Page 32 of 32

0633831092 Page: 37 of 38

UNOFFICIAL COPY

EXHIBIT B

LAND

THAT PART OF LOT SE-1B IN TECHNY PARCEL SE-1, BEING A SUBDIVISION OF PART OF THE SOUTHWEST QUARTER OF SECTION 14, AND PART OF THE NORTHWEST QUARTER OF SECTION 23, AND PART OF THE NORTHEAST QUARTER OF SECTION 23, ALL IN TOWNSHIP 42 NORTH, RANGE 12, EAST OF THE THIRD PRINCIPAL MERIDIAN, ACCORDING TO PLAT THEREOF RECORDED DECEMBER 22, 2000, AS DOCUMENT NO. 0001007540, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF SAID LOT SE-1B; THENCE NORTH 12 DEGREES 07 MINUTES 24 SECONDS EAST ALONG THE WEST LINE OF SAID LOT SE-1B, A DISTANCE OF 133.08 FEET; THENCE SOUTH 88 DEGREES 41 MINUTES 55 SECONDS EAST, 10.16 FEET FOR THE PLACE OF BEGINNING; THENCE NORTH 12 DEGREES 07 MINUTES 24 SECONDS EAST ALONG LINE 10.00 FEET EASTERLY OF AND PARALLEL WITH THE WEST LOT SE-1B, A DISTANCE OF 178.60 FEET; THENCE SOUTH 77 DEGRLE', 52 MINUTES 36 SECONDS EAST, 29:35 FEET; THENCE NORTH 13 DEGREES 15 MINUTES 21 SECONDS EAST, 45.33 FEET; THENCE NORTH 76 DEGREES 44 MINUTES 39 SECONDS WEST, 8.83 FEET; THENCE NORTH 13 DEGREES 15 MINUTES 21 SECONDS EAST, 12:19 FEET; THENCE SOUTH 76 DEGREES 44 MINUTES 39 SECONDS EAST, 8.83 LEET, THENCE NORTH 13 DEGREES 15 MINUTES 21 SECONDS EAST, 20.15 FEET; THEN CE SOUTH 76 DEGREES 44 MINUTES 39 SECONDS EAST, 36.00 FEET; THENCE NOR H 12 DEGREES 15 MINUTES 21 SECONDS EAST, 59.67 FEET; THENCE SOUTH 76 DEGIJ ES 44 MINUTES 39 SECONDS EAST, 0.50 FEET; THENCE NORTH 13 DEGREES 15 MINULES 21 SECONDS EAST, 17.17 FEET TO A POINT OF CURVATURE: THENCE EASTERLY ALONG AN ARC OF A CURVE CONCAVE TO THE SOUTHEAST, HAVING A PADIUS OF 15.00 FEET, HAVING A CHORD BEARING OF NORTH 58 DEGREES 15 JUNIUTES 21 SECONDS EAST, 23.56 FEET TO A POINT OF TANGENCY; THENCE SOUTH 76 DEGREES 44 MINUTES 39 SECONDS EAST, 6.76 FEET TO A POINT OF CURVATURE; THENCE EASTERLY ALONG AN ARC OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 2.50 FEET, HAVING A CHORD BEARING OF SOUTH 3 DEGREES 44 MINUTES 39 SECONDS EAST, 3.93 FEET TO A POINT OF TANGENCY, THENCE SOUTH 13 DEGREES 15 MINUTES 21 SECONDS WEST, 16.00 FEET; THENCE SOUTH 76 DEGREES 44 MINUTES 39 SECONDS EAST, 91.00 FEET; THENCE NORTH 13 DEGREES 15 MINUTES 21 SECONDS EAST, 14.94 FEET TO A POINT OF CURVATURE; THENCE EASTERLY ALONG AN ARC OF A CURVE CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 2.50 FEET, HAVING A CHORD BEARING OF NORTH 67 DEGREES 23 MINUTES 01 SECONDS EAST, 4.72 FEET TO A POINT OF COMPOUND CURVALUEE. THENCE SOUTHEASTERLY ALONG AN ARC OF A CURVE CONCAVE TO THE



0633831092 Page: 38 of 38

UNOFFICIAL COPY

SOUTHWEST, HAVING A RADIUS OF 31.97 FEET, HAVING A CHORD BEARING OF SOUTH 38 DEGREES 43 MINUTES 47 SECONDS EAST, 22.05 FEET TO A POINT OF COMPOUND CURVATURE; THENCE SOUTHWESTERLY ALONG AN ARC OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 2.50 FEET, HAVING A CHORD BEARING OF SOUTH 36 DEGREES 09 MINUTES 54 SECONDS WEST, 4.81 FEET TO A POINT OF TANGENCY; THENCE NORTH 88 DEGREES 41 MINUTES 55 SECONDS WEST, 15.56 FEET; THENCE SOUTH 01 DEGREES 18 MINUTES 05 SECONDS WEST, 64.00 FEET; THENCE SOUTH 88 DEGREES 41 MINUTES 55 SECONDS EAST, 16.33 FEET TO A POINT OF CURVATURE; THENCE SOUTHEASTERLY ALONG AN ARC OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 2.50 FEET, HAVING A CHORD BEARING OF SOUTH 37 DEGREES 43 MINUTES 17 SECONDS EAST, 4.45 FEET TO A POINT OF TANGENCY; THENCE SOUTH 13 DEGREES 15 MINUTES 21 SECONDS WEST, 6.55 FEET TO A POINT OF CURVATURE; THENCE WESTFRLY ALONG AN ARC OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A ADMIS OF 2.50 FEET, HAVING A CHORD BEARING OF SOUTH 58 DEGREES 15 MINUTES 21 SECONDS WEST, 3.93 FEET TO A POINT OF TANGENCY; THENCE NORTH 76 DEGREES 44 MINUTES 39 SECONDS WEST, 16.00 FEET; THENCE SOUTH 13 DEGREES 1 MINUTES 21 SECONDS WEST, 87.00 FEET, THENCE SOUTH 76 DEGREES 44 MINUTES 39 SECONDS EAST, 14.50 FEET TO A POINT OF CURVATURE: THENCE SOUTHERLY ALONG AN ARC OF A CURVE CONCAVE TO THE WEST, HAVING A RADIUS OF 4.00 FEET, HAVING A CHORD BEARING OF SOUTH 13 DEGREES 15 MINUTES 21 SECONDS WEST, 12.57 FEET TO A POINT OF TANGENCY; THENCE NORTH 76 DEGREES 44 MINUTES 39 SECONDS WEST, 14.50 FEET, THENCE SOUTH 13 DEGREES 15 MINUTES 21 SECONDS WEST, 87.00 FEET; THENCE SOUTH 76 DEGREES 44 MINUTES 39 SECONDS EAST, 26 28 FEET TO A POINT OF CURVATURE; THENCE SOUTHERLY ALONG AN ARC OF A CURVE CONCAVE TO THE OUTHWEST, HAVING A RADIUS OF 2.50 FEFT, HAVING A CHORD BEARING OF OUTH 37 DEGREES 43 MINUTES 17 SECONDS FAST, 3.41 FEET TO A POINT OF TANGENCY; THENCE SOUTH 01 DEGREES 18 MINUTES 05 SECONDS WEST, 25.53 FEET, THENCE NORTH 88 DEGREES 41 MINUTES 55 SECONDS WEST, 233.90 FEET TO THE PLACE OF BEGINNING, IN COOK COUNTY, ILLINOIS 16 T'S OFFICE

(SAID PARCEL CONTAINING 1.2818 ACRES, MORE OR LESS)

