# UNOFFICIAL COPMILITIES

Doc#: 0731735220 Fee: \$30.00

Eugene "Gene" Moore

Cook County Recorder of Deeds
Date: 11/13/2007 01:12 PM Pg: 1 of 4

Space reserved for Recorder's Office only

IN THE	CITY	OF CHICAGO,	ILLINOIS
<b>DEPARTMENT</b>	OF A	ADMINISTRA	TIVE HEARINGS

CITY O'. CHICAGO, a Municipal Corporation	n, )	
Plaintiff,	)	Docket Number:
VS.	)	<u>07M1648908</u>
MUSA KAMARA	)	Issuing City Department
	)	<b>DEPT. OF LAW</b>
Defendants	s. )	

#### RECORDING OF FINDINGS, DECISION AND ORDER

- 1. The petitioner, **THE CITY OF CHICACO**, a municipal corporation, by and through its attorney the Corporation Counsel, by and through excial Assistant Corporation Counsel **Wexler & Wexler**, hereby files the attached and incorporated cerufied Findings, Decisions and Order entered by an Administrative Law Officer pursuant to an administrative hearing in the above captioned matter. This Certified copy is being recorded with the Cook County Recorder of Deeds as provided for by law.
- 2. Additional identification information (i.e. social security number, ax identification number, property index number, property legal description and common address or care) is as follows:

PIN#: <u>21-31-114-25</u> Owner Name: <u>MUSA KAMARA</u>

Address: 8010 S MANISTEE AVE City: CHICAGO State: IL Zip: 60617

Other:LOT: 5; BLOCK: 11; SUBDIVISION: ORELUP & TAYLORS SUBDIVISION; SEC/TWN/RNG/MER: NE4NW4NW4NE4 S31T38NR15E 3P

Wexler & Wexler Attorney for Plaintiff 500 W Madison St Suite 2910 Chicago, IL 60661 (312) 474-1000 Attorney No. 91761 71799.6293

Form A

Date Printed: Sep 10, 2007 4:48 pm

## **UNOFFICIAL COPY**



(1/00)

### IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

CITY OF CHICAGO, a Municipal Corporation	, Petitioner, )	Address of Violation: 8010 S Manistee Avenue
v.	)	
Musa Kamara 8010 S MANISTEE AVE	)	Docket #: 07BS02534A
CHGO, IL 60617	, Respondent. )	Issuing City Department: Buildings

#### FINDINGS, DECISIONS & ORDER

This matter coming for Hearing, notice given and the Administrative Body advised in the premises, having considered the motions, evidence and argument, presented, IT IS ORDERED: As to the count(s), this tribunal finds by a preponderance of the evidence and rules as follows:

	U)X			
<u>Finding</u>	<u>NOV</u> #	Count(s)	Municipal Code Violated	<b>Penalties</b>
City non-suit	0780102294	1	061014 Repair exterior wall. (13-196-	\$0.00
			010, 13-196-530 B)	
	0/_	2	062024 Repair and maintain parapet.	\$0.00
			(13-196-530)	
		3	062034 Repair or replace coping.	\$0.00
		0.	(13-196-530)	
		5	106015 Repair or replace defective	\$0.00
			or missing members of interior stair	
			system. (13-196-570)	
		6	073014 Repair or replace defective	\$0.00
			door. (1196-550 D, E)	
	A STATE OF THE PARTY OF THE PAR	7	073054 Repair place, or reset	\$0.00
	VANO TO THE STATE OF THE STATE		exterior door or door frame to keep	
I hereby certify the foregoing to be a	true and correct copy		rain and wind out of dwelling. (13-	
I hereby certify the foregoing to be a of an Order entered by an Administrative	tive Law Utilicel of		196-550)	
of an Order entered by an Administrative Chicago Department of Administrative	e Hearings.	8	197019 Install and maintair	\$0.00
Chicago Department	011-107		approved smoke detectors. (13 1° 5-	
1 Villaur	1117101		100 thru 13-196-160) Install a smok.	
Authorized clerk	Date		detector in every dwelling unit.	
Authorized oters	and an a Cortified Copy.		Install one on any living level with a	
Above must bear an original signature to be	C accepted as a consistent of		habitable room or unenclosed	
Boots			heating plant, on the uppermost	
			ceiling of enclosed porch stairwell,	
			and within 15 feet of every sleeping room. Be sure the detector is at least	
			4 inches from the wall, 4 to 12	
			inches from the ceiling, and not	
			above door or window.	
		9	197087 Install carbon monoxide	\$0.00
		,	detector within 40 feet of every	ψ0.00

07BS02534A

Page 1 of 3

11799.6293

sleeping room in residential structure. (13-64-190, 13-64-210) A

0731735220 Page: 3 of 4

DOAH - Order

**Finding** 

City non-suit

# **UNOFFICIAL COPY**

(1/00)





Vintels. (13-196-530 E)  11 1/31/57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Lepair or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved flexible cord. (18-27-400.8)  15 111025 Provide sufficient means of egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)	suit	<u>NOV#</u> 07SO102294	Count(s)	Municipal Code Violated carbon monoxide detector is needed whenever there is a heating	<u>Penalties</u>
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.	N <sub>c</sub>				
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.	000			hard wired model requires an electrical wiring permit. In a single	
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.	(A)			family residence, be sure the detector is on or below the lowest	
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.		Ox		floor with a place to sleep. In a multiple dwelling residence heated	
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.		Co		by a boiler, install a detector in the same room as the boiler. Otherwise, each apartment follows single family	
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.		0/		guidelines. The owner is responsible for installation and	
11 151.57 Provide kitchen sink within family unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Paxible cord. (18-27-400.8)  15 111025 Provide sufficient means of some egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.		4	C	written instructions, the tenant for testing, maintenance, and batteries.	
11 1/31/57 Provide kitchen sink within famity unit. (13-196-390)  12 103015 Tepa r or rebuild defective floor. (13-196-540 A, B)  13 220018 Replace defective switch and receptacle outlet devices. (18-27-110.2,18-27-110.3)  14 220066 Remove unapproved Arxible cord. (18-27-400.8)  15 111025 Provide sufficient means of segress. (13-196-50, 13-196-50, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 11105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			Olo	065014 Repair or replace defective	\$0.00
12 103015   Cepair or rebuild defective floor. (15 196 540 A, B)  13 220018   Replace defective switch and receptacle outle devices. (18-27-110.2,18-27-110.3)  14 220066   Remove unapproved flexible cord. (18-27-400.8)  15 111025   Provide sufficient means of egress. (13-196-050, 1			11	15157 Provide kitchen sink within	\$0.00
13 220018 Replace defective switch and receptacle outle devices. (18- 27-110.2,18-27-110.3)  14 220066 Remove unapproved dexible cord. (18-27-400.8)  15 111025 Provide sufficient means of: egress. (13-196-050, 13-196-650, 13- 196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200- 120 thru 13-200-200, 15-8-140, 15-8- 150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 1 1/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			12	103015 Cepa'r or rebuild defective	\$0.00
27-110.2,18-27-110.3)  14 220066 Remove unapproved flexible cord. (18-27-400.8)  15 111025 Provide sufficient means of squares (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 11/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			13	220018 Replace defective switch	\$0.00
cord. (18-27-400.8)  15 111025 Provide sufficient means of \$0. egress. (13-196-050, 13-196-650, 13 196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200- 120 thru 13-200-200, 15-8-140, 15-8- 150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 1 1/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.				27-110.2,18-27-110.3)	**
egress. (13-196-050, 13-196-650, 13-196-740 B, 13-200-230 F)  16 111035 Enclose basement stairwell adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-120 thru 13-200-200, 15-8-140, 15-8-150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 1/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			14		\$0.00
adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200- 120 thru 13-200-200, 15-8-140, 15-8- 150)  17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 1/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			15	egress. (13-196-050, 13-196-650, 13	\$0.00
17 111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360, 13-196-370)  18 011012 Provide self-closing, framed, 1 1/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			16	adequately. (13-196-650, 13-196-740 C, 13-196-670, 13-200-160 A, 13-200-	\$0.00
18 011012 Provide self-closing, framed, \$0 1 1/2 hour Class B fire door or other approved opening protective assemblies, for heating plant room.			17	111105 Provide sufficient sanitary facilities. (13-196-350, 13-196-360,	\$0.00
assemblies, for heating plant room.			18	011012 Provide self-closing, framed,	\$0.00
				assemblies, for heating plant room.	

07BS02534A

Page 2 of 3

Date Printed: Sep 10, 2007 4:48 pm

DOAH - Order

# **UNOFFICIAL COP**



#### IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

(1/00)

<u>Finding</u>	<u>NOV</u> #	Count(s)	Municipal Code Violated	<u>Penalties</u>
City non-suit	07SO102294	20	196029 Post name, address, and telephone of owner, owner's agent for managing, controlling or collecting rents, and any other person managing or controlling building conspicuously where accessible or visible to public way. (13-12-030)	\$0.00
Previously liable - No successent compliance with building code	07SO102294	4	070024 Repair or replace defective or missing members of porch system. (13-196-570)	\$225.00
	0x C00/	19	002011 Submit plans prepared, signed, and sealed by a licensed architect or registered structural engineer for approval and obtain permit. (13-32-010, 13-32-040, 13-40-010, 13-40-020)	\$225.00
Sanction(s):	*1	Co,		
Admin Costs: \$50.00		Ç	D <sub>x</sub>	
JUDGMENT TOTAL: \$500.00			9	
Balance Due: \$500.00			C	
Respondent is ordered to come into im	mediate compliance	with any/all	outstanding Code notations.	

Petitioner is granted leave to re-inspect the premises or business as it relates to the above found violation(s).

Jul 19, 2007

Administrative Law Officer

40 ALO#

You may appeal this Order to the Circuit Court of Cook Co. (Daley Center 6th Fl.) within 35 days by filing a civil law suit and by paying the appropriate State mandated filing fees.

Date Printed: Sep 10, 2007 4:48 pm

07BS02534A

Page 3 of 3