UNOFFICIAL



Space reserved for Recorder's Office only

Doc#: 0827411097 Fee: \$42.00

Eugene "Gene" Moore

Cook County Recorder of Deeds
Date: 09/30/2008 11:54 AM Pg: 1 of 4

IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

CITY CF CHICAGO, a Munici	ipal Corporation,	,)
9000x	Plaintiff,) Docket Number:) 08BS03473A
Victoria Nwagwa	D.C. 1) Issuing City Department:) Buildings)
	Defendants.)

RECORDING OF FINE NGS, DECISION AND ORDER

1. The petitioner, **THE CITY OF CHICAGO**, a municipal corporation, by and through its attorney the Corporation Counsel, by and through Special Assistant Corporation Counsel, **Goldman and Grant** hereby files the attached and incorporated certified Findings, Decisions and Order entered by an Administrative Law Officer pursuant to an administrative hearing in the above captioned matter. This Certified copy is being recorded with the Cook County Recorder of Deeds as provided for by law.

PIN#:20-17-224-009 Name: Victoria Nwagwa

Address: 5800 S May St City: Chicago

State: *IL* Zip: 60621

Legal Description: LOT NUMBER: 1; SUBDIVISION: B F JACOBS

RESUBDIVISION; SEC/TWN/RNG/MER: W2SW4NE4 S17T38NR14E 3P

Goldman and Grant #36689 205 W. Randolph, STE 1100 Chicago, IL. 60606 (312) 781-8700 **UNOFFICIAL COPY**

(1/00)

IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

		Address of Violation:
CITY OF CHICAGO, a Municipal Corporation, Petitioner,)	5238 S Hermitage Avenue
v.)	
Victoria Nwagwa)	Docket #: 08BS03473A
3046 S. STEWART AVE)	
CHICAGO, IL 60616)	Issuing City
and)	Department: Buildings
Victoria Nwagwa)	
5238 S HERMITAGE)	
CHICAGO, IL 60609)	
and)	
Victoria Nwagwa)	
7046 S. STEWART)	
CHICAGO, IL 60621)	
, Respondents.)	

FINI INCS, DECISIONS & ORDER

This matter coming for Hearing, notice given and the Alministrative Body advised in the premises, having considered the motions, evidence and arguments presented, IT IS ORDENED: As to the count(s), this tribunal finds by a preponderance of the evidence and rules as follows:

Finding	<i>NOV</i> #	County	Municipal Code Violated	<u>Penalties</u>
City non-suit	08CO159504	ŕ	1°0029 Post name, address, and telephone of owner, owner's agent for managing, controlling or collecting rents, and any other person managing or controlling building conspicuously where accessible or visible to public way. (13-12-030)	\$0.00
		16	190019 Arrange for inspection of premises. (13-12-100)	\$0.00
		17	041063 Cut or remove high weeds that present a fire hazard. (15-4-970)	\$0.00
Liable - By plea	08CO159504	2	104015 Replace broken, missing or defective window panes. (13-196-550 A)	\$200.00
		3	105055 Install in dwelling unit entrance door viewing device. (13- 164-020 I, 13-164-030)	\$200.00
		5	070014 Repair or replace defective or missing members of exterior stair system. (13-196-570)	\$200.00
		7	165017 Replace defective bathroom floor with non-absorbent, water impervious, and easily cleanable	\$200.00

08BS03473A

Page 1 of 3

Date Printed: Sep 13, 2008 3:14 pm

DOAH - Order

Finding Liable - By plea

Date Printed: Sep 13, 2008 3:14 pm



(1/00)

IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

	<u>NOV#</u>	Count(s)	Municipal Code Violated	<u>Penalties</u>
	08CO159504	0	material. (13-196-540 F) 010022 Separate furnace or heating	\$200.00
		٥	plant from dwelling unit by	φ200.00
			partitions with at least 1 hour fire	
			resistance. (13-196-740)	
			197019 Install and maintain	\$200.00
			approved smoke detectors. (13-196-	
^			100 thru 13-196-160) Install a smoke	
OA	ı		detector in every dwelling unit.	
10			Install one on any living level with a	
C/A			habitable room or unenclosed	
			heating plant, on the uppermost	
			ceiling of enclosed porch stairwell, and within 15 feet of every sleeping	
	$O_{\mathcal{X}}$		room. Be sure the detector is at least	
			4 inches from the wall, 4 to 12	
	C'		inches from the ceiling, and not	
			above door or window.	
		10	197087 Install carbon monoxide	\$200.00
	0,500		detector within 40 feet of every	
			sleeping room in residential	
		0	structure. (13-64-190, 13-64-210) A	
			carbon monoxide detector is needed	
			w'.ei ever there is a heating	
			appliance on the premises that	
			burns fossil fuel such as gas, oil, or	
			coal, or air nat is circulated through a heat exchange. Install according	
			to manufacturer instanctions. A	
			hard wired model requires an	
			electrical wiring permit. In a single	
			family residence, be sure	
			detector is on or below the lowest	
			floor with a place to sleep. In a	
			multiple dwelling residence heated	
			by a boiler, install a detector in the	0
			same room as the boiler. Otherwise,	
			each apartment follows single family	
			guidelines. The owner is responsible for installation and	
			written instructions, the tenant for	
			testing, maintenance, and batteries.	
		12	070024 Repair or replace defective	\$400.00
		12	or missing members of porch	
			system. (13-196-570)	
		14	078014 Provide and maintain	\$200.00
		- •		

adequate illumination of exit areas.

08BS03473A

Page 2 of 3

UNOFFICIAL COPY

UNOFFICIAL CC

(1/00)

IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

<u>Finding</u>	<u>NOV#</u>	Count(s)	Municipal Code Violated	<u>Penalties</u>
Liable - By plea	08CO159504		(13-160-660, 13-160-670)	
Not liable - Respondent came into	08CO159504	4	104035 Repair or replace defective	\$0.00
compliance with building code prior to			window frame. (13-196-550 B, F)	
hearing		6	196019 Post address of building in	\$0.00
			conspicuous place on or near	
			entrance with figures at least 3 inches long for residential, or 6	
			inches long for commercial building.	
' O ₄			(10-4-050, 10-4-090, 10-4-100)	
DOO OO		11	073044 Repair or replace defective	\$0.00
Q _A			or missing door hardware. (13-196-	
	, }		550)	
7		13	138056 Remove accumulation of	\$0.00
	O_{x}		refuse and debris and keep premises	
			clean. (13-196-580, 13-196-630)	# 0.00
	C	15	220018 Replace defective switch and receptacle outlet devices. (18-	\$0.00
	0		27-110.2,18-27-110.3)	
	9	_		
Sanction(s):	1			
•			/ ,	
Admin Costs: \$40.00		•	10×	
JUDGMENT TOTAL: \$2,040.00				
Balance Due: \$2,040.00				
Respondent is ordered to come into imi	mediate compliance v	vith any/all	outstanding Code violations.	

ENTERED:

Administrative Law Officer

30

ภาม 20, 2008

ALO#

Disc

You may appeal this Order to the Circuit Court of Cook Co. (Daley Center 6th Fl.) within 35 days by filing a civil law suit and by paying the appropriate State mandated filing fees.

Date Printed: Sep 13, 2008 3:14 pm

08BS03473A

Page 3 of 3