UNOFFICIAL COPY



PREPARED BY:

Name:

Tom Thomas

Address:

5955 West Higgins

Chicago, Illinois 60630

Doc#: 0829034038 Fee: \$44.00

Eugene "Gene" Moore

Cook County Recorder of Deeds Date: 10/16/2008 10:50 AM Pg: 1 of 5

RETURN TO:

Name:

Tom Thomas

Address: 5255 West Higgins

Chicago, Illinois 60630

(THE ABOVE SPACE FOR RECORDER'S OFFICE)

LEAKING UNDERGROUND STORAGE TANK ENVIRONMENTAL NOTICE

THE OWNER AND/OR OPERATOR OF THE LEAKING UNDERGROUND STORAGE TANK SYSTEM(S) ASSOCIATED WITH THE RELEASE REFERENCED BELOW, WITHIN 45 DAYS OF RECEIVING THE NO FURTHER REMEDIATION LETTER CONTAINING THIS NOTICE, MUST SUBMIT THIS NOTICE AND THE REMAINDER OF THE NO FURTHER PEMEDIATION LETTER TO THE OFFICE OF THE RECORDER OR REGISTRAR OF TITLES OF COOK COUNTY IN WHICH THE SITE DESCRIBED BELOW IS LOCATED.

Illinois EPA Number: 0316765025 Leaking UST Incident No.: 20051236

Tom Thomas, the owner and/or operator of the leaking underground storage tank system(s) associated with the above-referenced incident, whose address is 5955 West Higgins, Chicago, Illinois, has performed investigative and/or remedial activities for the site identified as follows:

- Legal Description or Reference to a Plat Showing the Boundaries. Lots 304 to 308 1. BOTH INCLUSIVE IN ZELOSKY'S COLONIAL GARDENS SUBDIVISION OF THE WEST FRACTIONAL ½ OF THE SOUTHEAST FRACTIONAL ¼ OF SECTION 8, TOWNS 1/11 40 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS.
- Common Address: 5955 West Higgins, Chicago, Illinois 60630 2.
- 3. Real Estate Tax Index/Parcel Index Number: 13-08-417-090-0000
- Site Owner: Tom E. Thomas 4.
- 5. Land Use Limitation: There are no land use limitations.
- See the attached No Further Remediation Letter for other terms. 6.

0829034038 Page: 2 of 5

UNOFFICIAL COPY

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY



1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 – (217) 782-2829 JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601 – (312) 814-6026

ROD R. BLAGOJEVICH, GOVERNOR

DOUGLAS P. SCOTT, DIRECTOR

217/782-6762

CERTIFIED MAIL

OCT 0.2 2008 7007 3020 0002 3212 4151

Tom Thomas 5955 West Higgins Chicago, Illinois 60630

Re:

LPC #0316765025 -- Cook County

Chicago / Tom Toomas 5955 West Higgins

Leaking UST Inciden: 35. 20051236

Leaking UST Technical Fi'e

Dear Mr. Thomas:

The Illinois Environmental Protection Agency (Ill.nois EPA) has reviewed the Corrective Action Completion Report submitted for the above-referenced incident. This information was dated June 10, 2008, and was received by the Illinois EPA on June 12, 2008. Citations in this letter are from the Environmental Protection Act (Act), as amended by Public Act 92-0554 on June 24, 2002, and 35 Illinois Administrative Code (35 Ill. Adm. Code).

The Corrective Action Completion Report and associated Licens 2 Professional Engineer Certification submitted pursuant to Section 57.7(b)(5) of the Act and 35 Ill. Adm. Code 734.135(d) indicate corrective action for the above-referenced site was conducted in accordance with the Corrective Action Plan approved by the Illinois EPA. The Corrective Action Completion Report demonstrates that the requirements of Section 57.7(b) of the Act have been satisfied.

Based upon the certification by David Yacko, a Licensed Professional Engineer, and pursuant to Section 57.10 of the Act (415 ILCS 5/57.10), your request for a no further remediation determination is granted under the conditions and terms specified in this letter.

Issuance of this No Further Remediation Letter (Letter), based on the certification of the Licensed Professional Engineer, signifies that: (1) all statutory and regulatory corrective action requirements applicable to the occurrence have been complied with; (2) all corrective action concerning the remediation of the occurrence has been completed; and (3) no further corrective action concerning the occurrence is necessary for the protection of human health, safety, and the environment. Pursuant to Section 57.10(d) of the Act, this Letter shall apply in favor of the following parties:

0829034038 Page: 3 of 5

UNOFFICIAL COPY

Page 2

- 1. Tom Thomas, the owner or operator of the underground storage tank system(s).
- 2. Any parent corporation or subsidiary of such owner or operator.
- 3. Any co-owner or co-operator, either by joint tenancy, right-of-survivorship, or any other party sharing a legal relationship with the owner or operator to whom the Letter is issued.
- 4. Any holder of a beneficial interest of a land trust or inter vivos trust whether revocable or irrevocable.
- 5. Any manages or trustee of a deed of trust of such owner or operator.
- 6. Any successor-in interest of such owner or operator.
- 7. Any transferee of such owner or operator whether the transfer was by sale, bankruptcy proceeding, partition, dissolution of marriage, settlement or adjudication of any civil action, charitable gift, or bequest.
- 8. Any heir or devisee of such owner or operator.

This Letter and all attachments, including but not limited to the Leaking Underground Storage Tank Environmental Notice, must be filed within 45 days of receipt as a single instrument with the Office of the Recorder or Registrar of Titles in the county in which the above-referenced site is located. This Letter shall not be effective until officially recorded by the Office of the Recorder or Registrar of Titles of the applicable county in accordance with Illinois law so it forms a permanent part of the chain of title for the above-referenced property. Within 30 days of this Letter being recorded, an accurate and official copy of this Letter as recorded, shall be obtained and submitted to the Illinois EPA. For recording purposes, it is recommended that the Leaking Underground Storage Tank Environmental Notice of this Letter be the first page of the instrument filed.

CONDITIONS AND TERMS OF APPROVAL

LEVEL OF REMEDIATION AND LAND USE LIMITATIONS

- 1. The remediation objectives for the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, were established in accordance with the requirements of the Tiered Approach to Corrective Action Objectives (35 Ill. Adm. Code 742) rules.
- 2. As a result of the release from the underground storage tank system(s) associated with the above-referenced incident, the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter, shall not be used in a manner inconsistent with the following land use limitation: There are no land use limitations.

0829034038 Page: 4 of 5

UNOFFICIAL COPY

Page 3

- 3. The land use limitation specified in this Letter may be revised if:
 - a. Further investigation or remedial action has been conducted that documents the attainment of objectives appropriate for the new land use; and
 - b. A new No Further Remediation Letter is obtained and recorded in accordance with Title XVII of the Act and regulations adopted thereunder.

PREVENTIVE. ENGINEERING, AND INSTITUTIONAL CONTROLS

4. Preventive: None.

Engineering: None.

Institutional: This Letter shall be recorded as a permanent part of the chain of title for

the above- efe enced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter.

5. Failure to establish, operate, and maintain controls in full compliance with the Act, applicable regulations, and the approved corrective action plan, if applicable, may result in voidance of this Letter.

OTHER TERMS

- 6. Any contaminated soil or groundwater removed or excavated from, or disturbed at, the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, must be handled in accordance with all applicable laws and regulations under 35 Ill. Adm. Code Subtitle G.
- 7. Further information regarding the above-referenced site can be obtained through a written request under the Freedom of Information Act (5 ILCS 140) to:

Illinois Environmental Protection Agency Attention: Freedom of Information Act Officer Bureau of Land - #24 1021 North Grand Avenue East Post Office Box 19276 Springfield, IL 62794-9276

8. Pursuant to 35 Ill. Adm. Code 734.720, should the Illinois EPA seek to void this Letter, the Illinois EPA shall provide Notice of Voidance to the owner or operator of the leaking underground storage tank system(s) associated with the above-referenced incident and the current title holder of the real estate on which the tanks were located, at their last known addresses. The notice shall specify the cause for the voidance, explain the provisions for appeal, and describe the facts in support of the voidance. Specific acts or omissions that may result in the voidance of this Letter include, but shall not be limited to:

0829034038 Page: 5 of 5

UNOFFICIAL CO

Page 4

- Any violation of institutional controls or industrial/commercial land use a. restrictions;
- The failure to operate and maintain preventive or engineering controls or to b. comply with any applicable groundwater monitoring plan;
- The disturbance or removal of contamination that has been left in-place in c. accordance with the Corrective Action Plan or Completion Report;
- d. The failure to comply with the recording requirements for the Letter;
- e. Obtaining the Letter by fraud or misrepresentation; or
- Subsequent discovery of contaminants, not identified as part of the investigative f. or remedial activities upon which the issuance of the Letter was based, that pose a threat to human health or the environment.

Submit an accurate and official copy of this Letter, as recorded, to:

Illinois Environmental Protection Agency Bureau of Land - #24 Leaking Underground Storage Tank Section. 1021 North Grand Avenue East Post Office Box 19276 Springfield, IL 62794-9276

If you have any questions or need further assistance, please contact are Illinois EPA project manager, Melinda Friedel, P.E., at 217/785-5736.

Sincerely,

Michael T. Lowder

Unit Manager

Leaking Underground Storage Tank Section

Division of Remediation Management

Bureau of Land

Attachments: Leaking Underground Storage Tank Environmental Notice

c: Dana Rose / Adept Environmental Solutions, Inc. **BOL** File