

Space reserved for Recorder's Office only

Doc#: 0831533198 Fee: \$42.00 Eugene "Gene" Moore Cook County Recorder of Deeds Date: 11/10/2008 02:42 PM Pg: 1 of 4

### IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

CITY OF CHICAGO, a	Municipal Corporation,	)	
Betty Williams,	Plaintiff,	) ) ) )	Docket Number: 08BS04388A Issuing City Department: Buildings
·	Defendant.	)	J

#### RECORDING OF FINDINGS, DECISION AND ORDER

1. The petitioner, **THE CITY OF CP1CAGO**, a municipal corporation, by and through its attorney the Corporation Counsel, by and through Special Assistant Corporation Counsel, **Goldman and Grant**, hereby files the attached and incorporated certified Findings, Decisions and Order entered by an Administrative Law Officer pursuant to an administrative hearing in the above captioned matter. This Certified copy is being recorded with the Cool. County Recorder of Deeds as provided for by law.

PIN#: 20-35-116-021 Owner Name: Betty Wiliams

Address: 8126 S. Ingleside City: Chicago

State: *IL* Zip: 60619

Legal Description: LOT NUMBER: 157&158; SUBDIVISION: E B SHOGEN & COMPANYS AVALON HIGHLAND SUBDIVISION; SEC/TWN/RNG/MER:

S35T38NR14E 3P

Goldman and Grant #36689 205 W. Randolph, STE 1100 Chicago, IL. 60606 (312) 781-8700

Date Printed: Sep 22, 2008 9:47 am

# **UNOFFICIAL COPY**

(1/00)

# IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

		Address of Violation:
CITY OF CHICAGO, a Municipal Corporation	n, Petitioner,	7011 S Damen Avenue
<b>v.</b>	. )	
	)	
Betty Williams	. )	Docket #: 08BS04388A
2135 219TH ST	í	2000th: 00D00+300A
SAUK VILLAGE, IL 60411	í	Issuing City
and	í	Department: Buildings
Betty Williams	í	Department: Dundings
3218 HAWTHORNE KD	í	
HOMEWOOD, IL 60437	ń	
and	í	
Betty Williams	í	
4563 S WABASH AVE	. )	
CHGO, IL 60653	í	•
and	í	
Betty Williams	,	
7011 S DAMEN AVE		
CHGO, IL 60636		
	Respondents.)	

#### FINDINGS, DECISIONS & ORDER

This matter coming for Hearing, notice given and the Administrative Pody advised in the premises, having considered the motions, evidence and arguments presented, IT IS ORDERED: As to the rowat(s), this tribunal finds by a preponderance of the evidence and rules as follows:

<u>Finding</u>		<u>NOV</u> #	Count(s)	Municipal Code Violated	Penalties
Default - Liable by	prove-up	08S0163152	1	197039 Relocate improperly installed	\$500.00
				smoke detectors. (13-126-110) Install	42 00.00
				a smoke detector in every welling	
				unit. Install one on any living level	
				with a habitable room or unenclose J	
				heating plant, on the uppermost	
				ceiling of enclosed porch stairwell,	
				and within 15 feet of every sleeping	)
				room. Be sure the detector is at least	
1	hereby certify the for	egoing to be a true and c		4 inches from the wall, 4 to 12	
	f an Order entered by	an Administrative Law O	orrect copy	inches from the ceiling, and not	
16	hicago Department of	dministrative Hearings.	HICCT Of	above door or window.	
	J. O.	Antimierratiae Destilles	/ 2	074014 Repair or rebuild exterior	\$500.00
	1:11-11/N	180/4/2	3722	service walks, passage and	
17	uthorized clerk	/ Note	0170	areaways. (13-196-630, 7-28-060)	
		Pate	3	069014 Repair or rebuild defective	\$500.00
, , , , , , , , , , , , , , , , , , ,	bove must bear an original	signature to be accepted as a	Certified Conv	foundation. (13-196-530)	
·	<del></del>		4	138106 Remove and stop nuisance.	\$500.00

(7-28-060)

5 015012 Equip exit door with door

08BS04388A

\$500.00

Page 1 of 3

**Finding** 

Default - Liable by prove-up

UNOFFICIAL COP



(1/00)

#### IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

	NOV#	Count(s)	Municipal Code Violated	<u>Penalties</u>
ole by prove-up	08S0163152		lock hardware so door opens without key from side of egress. (13- 160-260)	
			140016 Keep premises clean, sanitary, and safe. (13-196-620 A, 13-196-630)	\$500.00
		<b>7</b>	104055 Retrim or reputty window panes. (13-196-550)	\$500.00
	3	8	197087 Install carbon monoxide detector within 40 feet of every sleeping room in residential structure. (13-64-190, 13-64-210) A carbon monoxide detector is needed	\$500.00
	Stor Co	24	whenever there is a heating appliance on the premises that burns fossil fuel such as gas, oil, or coal, or air that is circulated through a heat exchanger. Install according to manufacturer instructions. A hard wired model requires an	
		C	electrical wiring permit. In a single family residence, be sure the detector is on or below the lowest flocation and a place to sleep. In a	•
			multip'e dwelling residence heated by a boiler instill a detector in the same room at the boiler. Otherwise, each apartment of lows single family guidelines. The owner is responsible for installation and	
			written instructions, the terant for testing, maintenance, and batteries	
		9	134016 Rid premises of rodents and seal rodent holes. (13-196-530 D, 13 196-540 A, 13-196-630 C)	\$500.00
		10	134026 Install rat stopping around exterior walls. (7-28-660)	\$500.00
		11	073044 Repair or replace defective or missing door hardware. (13-196-550)	\$500.00
		12	106015 Repair or replace defective or missing members of interior stair system. (13-196-570)	\$500.00
·		13	101025 Replaster ceiling and sidewall where plaster is loose, broken, or has fallen off. (13-196-540 C, D)	\$500.00

Date Printed: Sep 22, 2008 9:47 am

08BS04388A

Page 2 of 3

(1/00)

# **UNOFFICIAL COPY**

# CHICA STATE OF THE STATE OF THE

# IN THE CITY OF CHICAGO, ILLINOIS DEPARTMENT OF ADMINISTRATIVE HEARINGS

Finding	<u>NOV#</u>	Count(s)	Municipal Code Violated	<u>Penalties</u>
Default - Liable by prove-up	08S0163152	14	070014 Repair or replace defective or missing members of exterior stair system. (13-196-570)	\$500.00
		15	015062 Remove obstruction from exit way that hampers travel and evacuation. (13-160-070, 13-196-080)	\$500.00
Not liable - City faired to establish prima facie case	08S0163152	16	190019 Arrange for inspection of premises. (13-12-100)	\$0.00

Sanction(s):

Admin Costs: \$40.00

JUDGMENT TOTAL: \$7,540.00

Balance Due: \$7,540.00

Respondent is ordered to come into immediate compliance with any/all outstanding Code violations.

Respondent being found liable by default has 21 days from the above stamped mailing date to file a petition to vacate (void) this default for good cause, with the Department of Administrative Hearings.

ENTERED:	Cevis	08	Jun 23, 2008
DIVI LICED,	Administrative Law Officer	ALO#	Date

You may appeal this Order to the Circuit Court of Cook Co. (Daley Center 6th Fl.) within 35 days by filing a civil law suit and by paying the appropriate State mandated filing fees.

08BS04388A

Page 3 of 3

Date Printed: Sep 22, 2008 9:47 am