Doc#. 0936257084 fee: \$43.00 One of the control of

MECHANIC'S LIEN:

CLAIM

STATE OF ILLINOIS

COUNTY OF Cook

GORDON ELECTRIC SUPPLY, INC.

CLAIMANT

-VS-

1255 S State Retail LLC
Academy of Excellence III, Inc. d/b/a Mary Sears Children's Academy
Ridgestone Bank
ELECTRICAL SOLUTIONS BY PILON, INC.

DEFENDANT(S)

The claimant, GORDON ELECTRIC SUPPLY. INC. of Kankakee, IL 60901, County of Kankakee, hereby files a claim for lien against ELECTRICAL SOLUTIONS BY PILON, INC., contractor of 19418 S. Schoolhouse Road P.O. Box 690, Mokena, State of IL and 1255 S State Retail LLC Chicago, IL 60601 Academy of Excellence III, Inc. d/b/a Mary Sears Child: en's Academy Oakbrook Terrace, IL 60191 {hereinafter referred to as "owner(s)"} and Ridgestone Bark Brookfield, WI 53005 {hereinafter referred to as "lender(s)"} and states:

That on or about 06/22/2009, the owner owned the following described land in the County of Cook, State of Illinois to wit:

Street Address:

Mary Sears Childrens Academy 1255 S. State Street Chicago, IL 60605:

A/K/A:

Being part of the following described parcels of land (SEE ATTACFED LEGAL

DESCRIPTION)

A/K/A:

TAX # 17-22-100-006; 17-22-100-007; 17-22-100-009; 17-22-100-028; 17-22-100-037;

17-22-100-038; 17-22-100-039

and ELECTRICAL SOLUTIONS BY PILON, INC. was the owner's contractor for the improvement thereof. In the alternative contractor contracted to improve the owner's property with the owner's authority or knowing permission. That on or about 06/22/2009, said contractor made a subcontract with the claimant to provide electrical supplies for and in said improvement, and that on or about 09/04/2009 the claimant completed thereunder all that was required to be done by said contract.

`0936257084 Page: 2 of 7

UNOFFICIAL CC

The following amounts are due on said contract:

Contract \$28,768.00 Extras/Change Orders \$0.00 Credits \$0.00 **Payments** \$0.00

Total Balance Due \$28,768.00

leaving due, unpaid and owing to the claimant after allowing all credits, the sum of Twenty-Eight Thousand Seven Hundred Sixty-Eight and no Tenths (\$28,768.00) Dollars, for which, with interest, the Claimant claims a lien on said land, beneficial interests, if any, and improvements, and on the moneys or other considerations due or to become due from the owner under said contract.

To the extent permitted by law, all waivers of lien heretofore given by claimant, if any, in order to induce payment not received are hereby revoked. Acceptance of payment by claimant of part, but not all, of the amount claimed due hereunder shall not or crate to invalidate this notice.

IN WITNESS WHEREOF, the undersigned has signed this instrument on November 24, 2009.

Prepared By:

GORDON ELECTRIC SUPPLY, INC.

P.O. Box 231

Kankakee, IL 60901

GORDON ELECTRIC SUPPLY, INC.

andy Molthan

VERIFICATION

State of Illinois County of Kankakee

The affiant, RANDY MOLTHAbeing first duly sworn, on oath deposes and says that the givent is C.F.O. t of the claimant; that the affiant has read the foregoing claim for lien and knows the contents thereof and that all the statements therein contained are true.

Subscribed and sworn to

before me this December 3, 2009

ml\ngc.ln ir/dn //

091130276

`0936257084 Page: 3 of 7

UNOFFICIAL COPY 0811245138 Page: 4 of 9

LEGAL DESCRIPTION

PARCEL J:

THE TRACT (COMMON TO ALL PARCELS HEREON DESCRIBED):

THAT PART OF ACTS 1 AND 2 IN CHARLES W. BREGA'S SUBDIVISION OF LOTS 8, 9 AND 10 AND THE NORTH PART OF LOT 11 IN SEAMAN'S SUBDIVISION; LOTS 12, 13, 14 AND 15 (EXCEPT THE WEST 27 FEET THEREOF TAKEN FOR WIDENING OF STATE STREET AND EXCEPT THE EAST 10 FEET THEREOF TAKEN FOR ALLEY) IN SEAMAN'S SUBDIVISION; LOTS 6 AND 7 (EXCEPT STREET) OF SEAMAN'S SUBDIVISION AND THE SOUTH 4.91 FEET OF LOT 11 (EXCEPT PART TAKEN FOR STREET AND ALLEY) IN SEAMAN'S SUBDIVISION; ALL BEING A SUBDIVISION OF THE WEST 1/2 OF BLOCK 4 IN ASSESSOR'S DIVISION OF THE NORTHWEST FRACTIONAL 1/4 OF SECTION 22, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS. DESCRIBED AS FOLLOWS.

COMMERCIAL RETAIL PROPERTY 1 (NORTH INTERIOR):

THAT PROPERTY AND SPACE CONTAINED WITT AND BETWEEN A CERTAIN HORIZONTAL PLANE LOCATED 13.75 FEET ABOVE CHICAGO CITY, DATUM AND THAT CERTAIN OTHER HORIZONTAL PLANE LOCATED 24.60 FEET ABOVE CHICAGO CITY DATUM LYING WITHIN THE BOUNDARIES PROJECTED VERTICALLY OF THAT PART OF AFORESAID TRACT, DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID TRACT, THENCE EAST ALONG THE NORTH LINE OF SAID TRACT, A DISTANCE OF 10.99 FEET; THENCE SOUTH ALONG A LINE MAKING AN ANGLE OF 90 DEGREES 09 MINUTES 59 SECONDS MEASURED CLOCKWISE, EAST TO SCUTH FROM THE LAST DESCRIBED COURSE EXTENDED, A DISTANCE OF 0.79 FEET TO A POINT ON THE VERTICAL 1 INE OF INTERSECTION OF THE INTERIOR FACES OF TWO WALLS OF A 19 STORY CONCRETÉ BUILDING COLLMONLY KNOWN AS 1255 SOUTH STATE STREET IN CHICAGO, BEING THE POINT OF BEGINNING OF THE PARCEL HEREIN DESCRIBED; THENCE ALONG THE INTERIOR FACES OF THE WALLS OF THE ENCLOSED SPACE DESCRIBED HEREIN, THE FOLLOWING COURSES AND DISTANCES; ALL AT RIGHT ANGLES TO EACH OTHER UNLESS INCITED OTHERWISE: EAST, A DISTANCE OF-108.00 FEET; SOUTH, A DISTANCE OF 0.55 FEET; WEST A DISTANCE OF 0.50 FEET; SOUTH, A DISTANCE OF 2.50 FEET; EAST, A DISTANCE OF 0.50 FEET; SOUTH, A DISTANCE OF 12.45 FEET; WEST, A DISTANCE OF 0.55 FEET; SOUTH, A DISTANCE OF 2.50 FEET; EAST, A DISTANCE CF 3.45 FEET; SOUTH, A DISTANCE OF 13.60 FEET; WEST, A DISTANCE OF 13.30 FEET; SOUTH, A DISTANCE OF 26.12 FEET; WEST, A DISTANCE OF 21.12 FEET; NORTH, A DISTANCE OF 2.55 FEET; WEST, A DISTANCE OF 5.85 FEET; SOUTH, A DISTANCE OF 12.90 FEET; WEST, A DISTANCE OF 13.05 FEET; SOUTH, A DISTANCE OF 8.95 FEET; EAST, A DISTANCE OF 14.05 FEET; SOUTH, A DISTANCE OF 26.75 FEET; WEST, A DISTANCE OF 1.00 FEET; SOUTH, A DISTANCE OF 10.15 FEET; WEST, A DISTANCE OF 7.10 FEET; SOUTH, A DISTANCE OF 1.35 FEET; WEST, A DISTANCE OF 4.70 FEET; NORTH, A DISTANCE OF 2.40 FEET; WEST, A DISTANCE OF 1.17 FEET; SOUTH, A DISTANCE OF 2.40 FEET; WEST, A DISTANCE OF 4.50 FEET; SOUTH, A DISTANCE OF 5.55 FEET; WEST, A DISTANCE OF 28.20 FEET; NORTH, A DISTANCE OF 5.75 FEET; EAST, A DISTANCE OF 1.40 FEET; NORTH, A DISTANCE OF 6.95 FEET; WEST, A DISTANCE OF 14.54 FEET; NORTH, A DISTANCE OF 48.23 FEET; EAST, A DISTANCE OF 4.41 FEET; NORTH, A DISTANCE OF 0.85 FEET; EAST, A DISTANCE OF 14.65 FEET;

UNOFFICIAL COPY 0811245138 Page: 5 of 9

NORTH, A DISTANCE OF 15.95 FEET; WEST, A DISTANCE OF 20.85 FEET; SOUTH, A DISTANCE OF 10.15 FEET; WEST, A DISTANCE OF 10.35 FEET; SOUTH, A DISTANCE OF 5.15 FEET; WEST, A DISTANCE OF 0.85 FEET; SOUTH, A DISTANCE OF 0.70 FEET; WEST, A DISTANCE OF 0.70 FEET; WEST, A DISTANCE OF 0.70 FEET; WEST, A DISTANCE OF 1.40 FEET; NORTH, A DISTANCE OF 4.05 FEET; WEST, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 3.70 FEET; EAST, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 1.65 FEET; WEST, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 1.70 FEET; NORTH, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 0.75 FEET; NORTH, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 0.75 FEET; NORTH, A DISTANCE OF 0.70 FEET; NORTH, A DISTANCE OF 0.75 FEET; NORTH, A DISTANCE OF 0.70 FEET;

COMMERCIAL RETAIL PROPERTY 2 (NORTH EXTERIOR):

THAT PROPERTY AND SPACE CONTAINED WITHIN AND BETWEEN A CERTAIN HORIZONTAL PLANE LOCATED 13.70 FEET ABOVE CLICAGO CITY DATUM AND THAT CERTAIN OTHER HORIZONTAL PLANE LOCATED 37.64 FEET ABOVE CHICAGO CITY DATUM LYING WITHIN THE BOUNDARIES PROJECTED VERTICALLY OF THAT PART OF AFORESAID TRACT, DESCRIBED AS FOLLOWS: BEGINNING AT A POINT ON THE WEST LINE OF SAID TRACT DISTANT 184.94 FEET NORTH OF THE SOUTHWEST CORNER THEREOF, BFING ALSO A POINT ON THE WESTWARD EXTENSION OF THE LINE OF THE EXTERIOR FACE OF A WALL OF A 19 STORY CONCRETE BUILDING COMMONLY KNOWN AS 1255 SOUTH STATES TREET IN CHICAGO; THENCE EAST ALONG THE SAID LINE OF FACE OF WALL AND ITS EXTENSION, BEING A LINE MAKING AN ANGLE OF 89 DEGREES 54 MINUTES 21 SECONDS MEASURED COUNTEY-CLOCKWISE, SOUTH TO EAST FROM THE SAID WEST LINE OF TRACT, A DISTANCE OF 3.40 FELT, THENCE THE FOLLOWING COURSES AND DISTANCES BEING ALONG THE EXTERIOR FACE OF WALL OF AFORESAID BUILDING, ALL AT RIGHT ANGLES TO EACH OTHER; NORTH, A DISTANCE OF 0.60 PEET; EAST, A DISTANCE OF 3.45 FEET; SOUTH, A DISTANCE OF 0.60 FEET; EAST, A DISTANCE OF 1.88 FEET; NORTH, A DISTANCE OF 0.60 FEET; EAST, A DISTANCE OF 3.45 FEET; SOUTH, A DISTANCE OF 0.58 FEET; EAST, A DISTANCE OF 1.90 FEET; NORTH, A DISTANCE OF 0.58 FEET; EAST, A DISTANCE OF 3.45 FEET; SOUTH, A DISTANCE OF 0.60 FEET; EAST, A DISTANCE OF 0.95 FEET; SOUTH, A DISTANCE OF 0.20 FEET; EAST, A DISTANCE OF 0.70 FEET; SOUTH, A DISTANCE OF 3.45 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 3.45 FEET; WEST, A DISTANCE OF 0.45 FEET; SOUTH, A DISTANCE OF 0.35 FEET; WEST, A DISTANCE OF 0.10 FEET; SOUTH, A DISTANCE OF 4.30 FEET; EAST, A DISTANCE OF 0.10 FEET; SOUTH, A DISTANCE OF 0.35 FEET TO A CORNER OF THE SAID BUILDING; THENCE WEST ALONG THE EXTENDED LINE OF THE EXTERIOR FACE OF A WALL OF SAID BUILDING, A

UNOFFICIAL COPY 0811245138 Page: 6 of 9

DISTANCE OF 18.64 FEET TO A POINT ON THE AFORESAID WEST LINE OF TRACT; THENCE NORTH ALONG SAID WEST LINE OF TRACT, A DISTANCE OF 53.31 FEET TO THE POINT OF BEGINNING.

COMMERCIAL RETAIL PROPERTY 3 (SOUTH INTERIOR):

THAT PROPERTY AND SPACE CONTAINED WITHIN AND BETWEEN A CERTAIN HORIZONTAL PLANE LOCATED 13.79 FEET ABOVE CHICAGO CITY DATUM AND THAT CERTAIN OTHER HORIZONTAL PLANE LOCATED 28.60 FEET ABOVE CHICAGO CITY DATUM, LYING WITHIN THE BOUNDARIES PROJECTED VERTICALLY OF THAT PART OF AFORESAID TRACT, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF SAID TRACT; THENCE NORTH ALONG THE WEST LINE OF SAID TRACT, A DISTANCE OF 100.79 FEET; THENCE EAST ALONG A LINE MAKING AN ANGLE OF 89 DECREES 54 MINUTES 21 SECONDS MEASURED COUNTER-CLOCKWISE, SOUTH TO EAST FROM THE LAST DESCRIBED COURSE, A DISTANCE OF 19.78 FEET TO A POINT ON THE VERTICAL LINE OF INTERSECTION OF THE INTERIOR FACES OF TWO WALLS OF A 19 STORY CONCRETE BUILDING COMMONLY KNOWN AS 1255 SOUTH STATE STREET IN CHICAGO, BEING THE POINT OF BEGINNING OF THE PARCEL HEREIN DESCRIBED; THENCE ALONG THE INTERIOR FACES OF THE WALLS OF THE ENCLOSED STACE DESCRIBED HEREIN, THE FOLLOWING COURSES AND DISTANCES: ALL AT RIGHT ANGLES TO EACH OTHER UNLESS NOTED OTHERWISE: SOUTH, A DISTANCE OF 56.86 FEET; EAST, A DISTANCE OF 5.75 FEET; SOUTH, A DISTANCE OF 3.80 FEET; WEST, A DISTANCE OF 0.85 FEET; SOUTH, A DISTANCE OF 6.25 FEET; EAST. A DISTANCE OF 0.80 FEET; SOUTH, A DISTANCE OF 5.23 FEET; EAST, A DISTANCE OF 5.60 FEET; SOUTH, A DISTANCE OF 2.70 FEET; WEST, A DISTANCE OF 0.80 FEET; SOUTH, A DISTANCE OF 6.60 FEET; EAST, A DISTANCE OF 0.80 FEET; SOUTH, A DISTANCE OF 3.75 FLET; EAST, A DISTANCE OF 5.30 FEET; SOUTH, A DISTANCE OF 2.80 FEET; WEST, A DISTANCE OF 0.80 FEET; SOUTH, A DISTANCE OF 3.75 FEET; EAST, A DISTANCE OF 0.80 FEET; SOUTH, A DISTANCE OF 6.50 FEET; EAST, A DISTANCE OF 3.35 FEET; SOUTH, A DISTANCE OF 0.85 FEET; EAST, A DISTANCE OF 6.35 FEET; NORTH, A DISTANCE OF 0.80 FEET; EAST, A DISTANCE OF 1.85 FEET; SOUTH, A DISTANCE OF 0.80 FEET; EAST, A DISTANCE OF 12.60 FEET; NORTH, A DISTANCE OF 0.85 FEET; EAST, A DISTANCE OF 2.05 FEET; SOUTH, A DISTANCE OF 0.15 FEET; EAST, A DISTANCE OF 16.20 FEET; NORTH, A DISTANCE OF 17.63 FEET; WEST, A DISTANCE OF 0.95 FEET; SOUTH, A DISTANCE OF 1.85 FEET; WEST, A DISTANCE OF 2.05 FEET; NORTH, A DISTANCE OF 1.80 FEET WEST, A DISTANCE OF 8.15 FEET; NORTH, A DISTANCE OF 23.65 FEET; WEST, A DISTANCE OF 2.15 FEET; NORTH, A DISTANCE OF 1.17 FEET; EAST, A DISTANCE OF 2.15 FEET; NORTH, A DISTANCE OF 2.30 FEET; WEST, A DISTANCE OF 7.35 FEET; NORTH, A DISTANCE OF 8.71 FEET; WEST, A DISTANCE OF 0.20 FEET; NORTH, A DISTANCE OF 21.53 FEET; WEST, A DISTANCE OF 8.00 FEET; NORTH, A DISTANCE OF 9.55 FEET, EAST, A DISTANCE OF 4.15 FEET; NORTH, A DISTANCE OF 18.15 FEET; WEST, A DISTANCE OF 5.40 FEET; NORTH, A DISTANCE OF 4.15 FEET; WEST, A DISTANCE OF 17.95 FEET; SOUTH, A DISTANCE OF 6.55 FEET; WEST, A DISTANCE OF 8.00 FEET: SOUTH, A DISTANCE OF 1.85 FEET: WEST, A DISTANCE OF 5.10 FEET TO THE POINT OF

COMMERCIAL RETAIL PROPERTY 4 (SOUTH EXTERIOR):

BEGINNING.

"0936257084 Page: 6 of 7

UNOFFICIAL COPY 0811245138 Page: 7 of 9

THAT PROPERTY AND SPACE CONTAINED WITHIN AND BETWEEN A CERTAIN HORIZONTAL PLANE LOCATED 13.70 FEET ABOVE CHICAGO CITY DATUM AND THAT CERTAIN OTHER HORIZONTAL PLANE LOCATED 37.64 FEET ABOVE CHICAGO CITY DATUM LYING WITHIN THE BOUNDARIES PROJECTED VERTICALLY OF THAT PART OF AFORESAID TRACT, DESCRIBED AS FOLLOWS: BEGINNING AT A POINT ON THE WEST LINE OF SAID TRACT DISTANT 101.38 FEET NORTH OF THE SOUTHWEST CORNER THEREOF, BEING ALSO A POINT ON THE WESTWARD EXTENSION OF THE LINE OF THE EXTERIOR FACE OF A WALL OF A 19 STORY CONCRETE BUILDING COM 1C NLY KNOWN AS 1255 SOUTH STATE STREET IN CHICAGO; THENCE EAST ALONG THE SAID LINE OF FACE OF WALL AND ITS EXTENSION, BEING A LINE MAKING AN ANGLE OF 89 DEGREES 54 14D TUTES 21 SECONDS MEASURED COUNTER-CLOCKWISE, SOUTH TO EAST FROM THE SAID WEST I INE OF TRACT, A DISTANCE OF 18.69 FEET; THENCE THE FOLLOWING COURSES AND DISTANCES BEING ALONG THE EXTERIOR FACE OF WALL OF AFORESAID BUILDING, ALL AT RIGHT ANGLES TO EACH OTHER; SOUTH, A DISTANCE OF 0.35 FEET; WEST, A DISTANCE OF 0.10 FELT; SOUTH, A DISTANCE OF 4.30 FEET; EAST, A DISTANCE OF 0.10 FEET; SOUTH, A DISTANCE OF 0.3! F3FT; EAST, A DISTANCE OF 0.50 FEET; SOUTH, A DISTANCE OF 3.45 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A LIST ANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 7.85 FEET; WEST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 2.00 FEET; EAST, A DISTANCE OF 0.60 FEET; SOUTH, A DISTANCE OF 3.45 FEET; WEST, A DISTANCE OF 0.50 FEET; SOUTH, A DISTANCE OF 0.35 FEET; WEST, A DISTANCE OF 0.10 FEET; SOUTH, A DISTANCE OF 4.25 FEET; EAST, A DISTANCE OF 0.10 FEET; SOUTH, A DISTANCE OF 0.35 F.ET; FAST, A DISTANCE OF 4.90 FEET; SOUTH, A DISTANCE OF 2.60 FEET; EAST, A DISTANCE OF 0.5 (FEET; SOUTH, A DISTANCE OF 6.00 FEET; WEST, A DISTANCE OF 0.50 FEET: SOUTH, A DISTANCE OF 0.35 FEET; WEST, A DISTANCE OF 0.15 FEET; SOUTH, A DISTANCE OF 7.20 FEET; EAST, A DISTANCE OF 5.80 FEET; SOUTH, A DISTANCE OF 1.00 FEET; EAST, A DISTANCE OF 0.50 FEET; SOUTH, A DISTANCE OF 6.35 FEET; WEST, A DISTANCE OF 0.50 FEET; SOUTH, A DISTANCE OF 0.35 FEET; WEST, A DISTANCE OF 0.15 FEET; SOUTH, A DISTANCE OF 5.40 FEET; LAST, A DISTANCE OF 5.45 FEET; SOUTH, A DISTANCE OF 1.10 FEET; EAST, A DISTANCE OF 2-50 FFET; SOUTH, A DISTANCE OF 3.45 FEET; WEST, A DISTANCE OF 0.50 FEET; SOUTH, 9.29 FEET TO A POINT ON THE SOUTH LINE OF AFORESAID TRACT; THENCE WEST ALONG THE SAID SOUTH LINE OF TRACT, A DISTANCE OF 34.60 FEET TO THE SOUTHWEST CORNER THEREOF; THENCE NORTH ALONG THE WEST LINE OF TRACT, A DISTANCE OF 101.38 FEET TO THE POINT OF BEGINNING.

PARCEL 2:

EASEMENTS FOR THE BENEFIT OF PARCEL 1 AS SET FORTH IN THE DECLARATION OF CONDOMINIUM OWNERSHIP FOR VISION ON STATE CONDOMINIUM AND PROVISIONS RELATING

0936257084 Page: 7 of 7

UNOFFICIAL COPY 08/11245138 Page; 8 of 9

TO CERTAIN NON-CONDOMINIUM PROPERTY DATED JUNE 04, 2007 AND RECORDED JUNE 11, 2007 AS DOCUMENT 0716222081 IN PARAGRAPH 2.04 TITLED (b) COMMERCIAL PROPERTY OWNERS PARAGRAPHS (i); (ii); (iii); (iv).

Poperty of Coof County Clerk's Office