This document prepared by and after recordation should be returned to:
David Chaiken
111 W. Washington, #823
Chicago, Il 60602

Doc#: 1009034059 Fee: \$162.00 Eugene "Gene" Moore RHSP Fee: \$10.00 Cook County Recorder of Deeds

Date: 03/31/2010 01:30 PM Pg: 1 of 28

This space reserved for Recorder's Use only

EIGHTH AMENDMENT TO DECLARATION OF CONDOMINIUM OWNERSHIP PURSUANT TO THE CONDOMINIUM PROPERTY ACT 550 ST. CLAIR CONDOMINIUMS

THIS EIGHTH AMENDMENT TO DECLARATION ("Amendment") is made and entered into by 550 St. Clan, Inc., an Illinois corporation, (hereinafter referred to as "Declarant");

WHEREAS, by that certain Declaration of Condominium Ownership on January 31, 2008, 550 St. Clair, Inc., an Illinois corporation, an Illinois corporation, executed the Declaration of Condominium for the 5.56 St. Clair Condominium and recorded on February 7, 2008, with the Cook County Recorder of Deeds, as Document Number 0803822033 (the "Declaration"), and amended by the First Amendment to the Declaration of Condominium Ownership recorded March 4, 2008 with the Recorder of Deeds as Document Number 0806415035, and arrended by the Second Amendment recorded March 28, 2008 with the Recorder of Deeds at Document No. 0808822028, and amended by the Third Amendment recorded April 21, 2009 with the Recorder of Deeds as Document No. 0811222041, and amended by the Fourth Argendment recorded May 9, 2008 with the Recorder of Deeds as Document No. 08130160(1), and the Fifth Amendment recorded April 21, 2009, with the Recorder of Deeds as Document No. 0911131031, the Sixth Amendment recorded May 26, 2009, with the Recorder of Deeds as Document No. 0914631029 and the Seventh Amendment recorded October 29, 2009 with the Recorder of Deeds as Document Number 0930231061 the Declarant submitted certain real estate legally described on Exhibit A attached hereto and made a pert hereof the Condominium Property Act of the State of Illinois (the "Act"), and on said Condominium being known as the 550 St. Clair Condominium (the "Condominium");

WHEREAS, the Declarant desires, pursuant to Section 27 of the Declaration, and Section 27(b)(1) of the Act, and for the purposes above set forth, hereby declares that the Declaration be and hereby is amended as follows:

- 1. All capitalized terms used in this Amendment and not otherwise defined in this Amendment shall have the meanings ascribed to them in the Declaration.
- 2. Exhibit D to the Declaration is hereby amended by inserting Phase 8, Page Twenty (21)) of the Plat.

17-10-122-027-100161226

BOX 334 CT

- 3. Exhibit A of the Declaration is hereby amended by inserting Phase 8 to the attached Exhibit A.
- 4. Exhibit B of the Declaration is hereby amended by deleting it in its entirety and substituting in its place the attached Exhibit B.
- 5. Exhibit E attached hereto is the Development Area.
- 6. The recording of this Amendment shall not alter or affect the amount of any lien for Common Expenses due from the owners of an existing Unit Ownership prior to such recording, nor the respective amounts assessed to or due from the Unit Owner(s) of existing Units for Common Expenses or other as sessments levied prior to such recording.
- 7. Except as otherwise modified, altered and/or amended by this Amendment, the Declaration is declared to be, and shall continue in full force and effect, in accordance with its terms.

Alex Pearsall, Secretary

IN WITNESS WHER'ZOF, 550 St. Clair, Inc., has caused its name to be signed to these presents as of this day of week, 2010

By: Mark Sutherland President

STATE OF ILLINOIS

COUNTY OF COOK

)

I, the undersigned, a Notary Public in and for the County and State aforesaid, DO HEREBY CERTIFY that Mark Sutherland, personally known to me to be the President of the company and Alex Pearsall, personally known to me to be the Secretary of the company, and, appeared before me this day in person, and severally acknowledged that as such President and Secretary, respectively, they signed and delivered the said instrument and caused the COMPANY seal to be affixed thereto, as the free and voluntary and of the company, for the uses and purposes therein set forth.

GIVEN under my hand and Notarial Seal this 20day of Which 2010.

Notary Publi

OFFICIAL SEAL
LORI ROSE COLLINS
NOTARY PUBLIC, STATE OF ILLINOIS
My Commission Expires 06-26-2011

CONSENT OF MORTGAGEE

Community Bank of Oar Park/River Forest, holder of a note secured by a junior mortgage and assignment of rents on the Property recorded with the Recorder of Deeds of Cook County, Illinois on June 4, 2009 as Document No. 0915522099 and 0915522100, respectively, hereby consents to the execution of and recording of the above and foregoing Declaration of Condominium, and hereby subordinates said mortgage and assignment of rents to the provisions of the foregoing Declaration of Condominium and the Condominium Property Act of the State of Illinois.

Notary Public Prances A. Morrissy Notary Public, State of Illinois My Commission Expires 04/07/201: NOTARY Public NOTARY
Hammel Way
GIVEN under my hand and Notorial seal this 11. The day of March, 200.
voluntary act, and as the free and voluntary act of said Bank, for the uses and purposes therein set forth.
acknowledged that they signed, sealed and delivered said instrument as their free and
be the same persons whose names are subscribed to the foregoing instruments as Chick Redir Utivand Assisterat VP appeared before me this day in person and
respectively, of Community Bank of Oak Park/River forest, personally known to me to
hereby certify that <u>James A. Kuckstaetter</u> and Rob Bracesch,
I, Frances A. Merriss, a Notary Public in and for the said County and State, do
STATE OF ILLINOIS)) SS COUNTY OF COOK)
STATE OF ILLINOIS)) SS
Its AUP.
Attest:
Its Chief Codit Office
By: Joun a Ruchtaitty
Community Bank of Oak Park/River Forest
duly authorized officers on its behalf this 16 day of March, 2010.
IN WITNESS WHEREOF, the said Bank has caused this instrument to be signed by its

CONSENT OF MORTGAGEE

167 E. Ohio Street Associates, LLC. An Illinois limited liability company, holder of a note secured by a junior mortgage on the Property dated February 28, 2006 and recorded with the Recorder of Deeds of Cook County, Illinois on March 8, 2006 as Document No. 0606726204, hereby consents to the execution of and recording of the above and foregoing Declaration of Condominium, and hereby subordinates said mortgage and assignment of rents to the provisions of the foregoing Declaration of Condominium and the Condominium Property Act of the State of Illinois.

IN WITNESS WHEREOF, the said Bank has caused this instrument to be signed by its duly authorized officers on its behalf this 3/day of Macett, 20/0.

167 E. Objo Street Associates, LLC
By James John John John John John John John John
Its Mescleut
Attest:
Its
STATE OF ILLINOIS)) SS
COUNTY OF COOK)
I, Day (O Charken, a Notary Public in and for the said County and State, do hereby certify that Andrews I. Youkhand and
respectively, of 167 E. Ohio Street Associates, LLC, personally known to me to be the same persons whose names are subscribed to the foregoing instruments as appeared before me this day in person and
acknowledged that they signed, sealed and delivered said instrument as their free and
voluntary act, and as the free and voluntary act of said Bank, for the uses and purposes therein set forth.
GIVEN under my hand and Notorial seal this 3/day of March, 2000.
Notary Public NOTARY PUBLIC - STATE OF ILLINOIS 19:13

NOTARY PUBLIC

EXHIBIT A

UNITS 901, 902, 903, 904, 905, 906, 907, 908, 1001, 1002, 1003, 1004, 1005, 1006. 1007, 1008, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1501, 1502, 1503, 1504, 1505, 1506, 1507, 1508, 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1701, 1702, 1703, 1704, 1705, 1706, 1801, 1802, 1803, 1804, 1805, 1806, 1901, 1902, 1903, 1904, 1905, 1906, 2001, 2002, 2003, 2004, 2005, 2006, 2101, 2102, 2103, 2104, 2105, 2106, 2201, 2202, 2203, 2204, 2205, 2206, P1, P2, P3, P4, P5, P6, P7, P8, P9, P10, P11, P12, P13, P14, P15, P16, P17, P18, P19, P20, P21, P22, P23, P24, P25, P26, P27, P28, P29, P30, P31, P32, P33, P34, P35, P36, P37, P38, P39, P40, P41, P42, P43, P44, P45, P46, P47, P48, P49, P50, P51, P52, P53, P54, P55, P56, P57, P58, P59, P60, P61, P62, P63, P64, P65, P66, F67, P68, P69, P70, P71, P72, P73, P74, P75, P76, P77, P78, P79, P80, P80, P81, P82. P83, P84, P85, P86, P87, P88, P89, P90, P91, P92, P93, P94, P95, P96, P97, P98, P99, P100, P101, P102, P103, P104, P105, P106, P107, P108, P109, P110, P111, P112, P113, P114, P115, P116, P117, P118 P119, P120, P121, P122, P123, P124, P125, P126, AND P127 2402, 2601, 2602, 2603, 2301, 2503 IN THE 550 ST. CLAIR CONDOMINIUM AS

DELINEATED ON THE SURVEY OF THE FOLLOWING DESCRIBED REAL

ESTATE:

Phase I

PARCEL 1:

Coop Col THAT PART OF LOT "A" IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS DESCRIBED AS FOLLOWS: THAT PART OF SAID LOT "A" LYING BELOW AN ELEVATION OF 157.92' CITY OF CHICAGO DATUM (CCD). SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPERATING THE 13TH FLOOR FROM THE 14TH FLOOR AND LYING ABOVE THE FOLLOWING DESCRIBED VERTICAL PLANE (SAID PLANE DESCRIBING THE CENTER OF CONCRETE FLOOR SEPARATING THE THIRD FLOOR PARKING AND THE FOURTH FLOOF PARKING); COMMENCING AT THE NORTHWEST CORNER OF SAID LOT A; THENCE SOUTH 0 DEGREES 03 MINUTES 26 SECONDS, ALONG THE WEST LINE OF LOT A, 37.82 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH LINE OF PARKING SPACE 38 PROPOSED; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST 0.76 FEET TO A POINT ON THE WEST WALL OF A CONCRETE AND GLASS BUILDING (550 ST. CLAIR) AT AN ELEVATION OF 49.31' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID WEST WALL, 36.58 FEET TO THE NORTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 50.49' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG THE NORTH WALL OF SAID BUILDING 51.14 FEET TO A POINT AT AN ELEVATION OF 50.83' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST. ALONG SAID NORTH WALL, 51.14 FEET TO THE NORTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 53.40' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG THE EAST WALL OF SAID BUILDING, 49.47 FEET TO A POINT AT AN ELEVATION OF 53.57' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EAST WALL, 49.47 FEET TO THE SOUTHEAST

CORNER OF SAID BUILDING AT AN ELEVATION OF 54.45' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG THE SOUTH WALL OF SAID BUILDING 51.14 FEET TO A POINT AT AN ELEVATION OF 55.67' (CCD): THENCE CONTINUING SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID SOUTH WALL, 51.14 FEET TO THE SOUTHWEST CORNER OF SAID BUILDING AT AN ELEVATION OF 57.00' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG THE AFORESAID WEST WALL OF BUILDING, 49.47 FEET TO A POINT AT AN ELEVATION OF 58.81' (CCD); THENCE CONTINUING NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID WEST WALL, 12.89 FEET TO THE POINT OF BEGINNING ON THE NORTH LINE OF PROPOSED PARKING SPACE 61 AT AN ELEVATION OF 58.84' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID NORTH LINE OF PROPOSED PARKING SPACE 61 AND THE EASTERLY EXTENSION THEREOF, 42.08 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 58.84' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 60 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 9.43 FEET; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG THE SOUTH FACE OF A CONCRETE WALL 0.95 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL, THENCE SOUTH 00 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 19.50 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL: THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 0.53 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL: THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WI:ST, ALONG SAID FACE, 9.91 FEET TO A POINT ON THE SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 55.75' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 20.35' FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL AT AN ELEVATION OF 53,84' (CCD): THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID EAST FACE, 38.84 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 53.15' (CCD): THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE 20.77 FEFT TO A POINT ON THE AFORESAID WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 49.51' (CCD); THENCE CONTINUING NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG AFORESAID SOUTH LINE OF PROPOSED PARKING SPACE 38, 42.08 FEET TO THE POINT OF BEGINNING:

ALSO THAT PART LYING BELOW THE FOLLOWING TWO VERTICAL PLANES DESCRIBED AS FOLLOWS: 1) COMMENCING AT THE SOUTHWEST CORNER OF SAID LOT A; THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG THE WEST LINE OF SAID LOT A, 0.60 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH WALL OF SAID BUILDING AT 550 ST. CLAIR, THENCE NORTH 45 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 0.70 FEET TO A POINT ON THE WEST WALL OF SAID BUILDING AT AN ELEVATION OF 14.10' (CCC), SAID ELEVATION AND THE ELEVATIONS BEING DESCRIBED IN THESE VERTICAL PLANES ALSO BEING A POINT 0.35 FEET BELOW THE TOP FACE OF A 0.70 FOOT THICK CONCRETE RAMP AND PARKWAY); THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG SAID WEST WALL, 71.90 FEET TO A POINT AT AN ELEVATION OF 24.80' (CCD); THENCE CONTINUING NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG SAID WEST WALL. 26.98 FEET TO THE NORTHWEST CORNER OF SAID BUILDING AT AN ELEVATION OF 25.49' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG THE NORTH WALL OF SAID BUILDING, 21.36 FEET TO A POINT AT AN ELEVATION OF 25.82' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 22.50 FEET TO A POINT AT AN ELEVATION OF 28.86' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 19.60 FEET TO

A POINT AT AN ELEVATION OF 30.77' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 38.86 FEET TO THE NORTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 32.71' (CCD): THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST. ALONG THE EAST WALL OF SAID BUILDING, 18.18 FEET TO A POINT AT AN ELEVATION OF 33.25' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 8.00 FEET TO A POINT AT AN ELEVATION OF 32.62' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 23.26 FEET TO A POINT AT AN ELEVATION OF 33.36' (CCD): THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 26.19 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 33.48' (CCD); THENCE CONTINUING SOUTH O DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 23.25 FEET TO THE SOUTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 33.86' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG THE SOUTH WALL OF SAID BUILDING, 38.86 FEET TO A POINT AT AN ELEVATION OF 33.85' (CCD); THENCE CONTINUING SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 20.35 FEET TO A POINT ON THE SOUTHERLY EXTENSION OF THE WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 35.97' (CCD); THENCE CONTINUING SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 21.85 FEET TO A POINT ON A LINE 21.36 FEET EAST OF AND PARALLEL TO THE WEST WA'LL OF SAID BUILDING AT AN ELEVATION OF 36.72' (CCD); THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG SAID PARALLEL LINE, 23.25 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE AFORESAID SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 36.82' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID EXTENSION, 21,85 FEET TO THE CORNER OF A CONCRETE WALL AT AN ELEVATION OF 35.92' (CCD): THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID FACE, 20.35 FEET TO THE CORNER OF A CONCRETE WALL AT AN ELEVATION OF 33.40' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG THE EAST FACE OF A CONCRETE WALL, 26.19 FEFT TO A POINT AT AN ELEVATION OF 33.35' (CCD); THENCE CONTINUING NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID FACE, 23.26 FEET TO A POINT AT AN FLEVATION OF 32.57' (CCD): THENCE CONTINUING NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID FACE, 8.00 FEET TO A POINT ON A LINE 18.18 FEET SOUTH OF AND PARALLEL TO THE NORTH WALL OF SAID BUILDING AT AN ELEVATION OF 30.63' (CCD): THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID PARALLEL LINE, 19.60 FEET TO A POINT AT AN ELEVATION OF 28.42' (CCD); THENC! SOUTH 68 DEGREES 37 MINUTES 31 SECONDS WEST 24.19 FEET TO A POWY ON THE AFORESAID LINE 21.36 FEET EAST OF AND PARALLEL TO THE WEST WALL OF SAID BUILDING AT AN ELEVATION OF 24.88' (CCD); THENCE SOUTH 0 DEGREES 03 MINUTES 26 SECONDS WEST, ALONG SAID PARALLEL LINE, 71.90 FEET TO A POINT ON THE AFORESAID SOUTH WALL OF SAID BUILDING AT AN ELEVATION OF 13.97' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 21.36, FEET TO THE POINT OF BEGINNING; 2) THAT PART OF SAID LOT A DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF SAID LOT A; THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG THE WEST LINE OF SAID LOT A, 0.60 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH WALL OF SAID BUILDING; THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID SOUTH WALL 22.06 FEET TO A POINT ON A LINE 21.36 FEET EAST OF AND PARALLEL TO THE WEST WALL OF SAID BUILDING; THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG SAID PARALLEL LINE, 23.25' FEET TO A POINT OF BEGINNING ON THE WESTERLY EXTENSION OF THE

SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 36.82' (CCD); THENCE CONTINUING NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG SAID PARALLEL LINE, 48.65 FEET TO A POINT AT AN ELEVATION OF 39.04' (CCD); THENCE NORTH 68 DEGREES 37 MINUTES 31 SECONDS EAST 24.19 FEET TO A POINT ON A LINE 18.18 FEET SOUTH OF AND PARALLEL TO THE NORTH WALL OF SAID BUILDING AT AN ELEVATION OF 38.86' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID PARALLEL LINE, 19.60 FEET TO A POINT AT AN ELEVATION OF 39.81' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG THE AFORESAID EAST FACE OF A CONCRETE WALL, 17.80 FEET TO A POINT AT AN ELEVATION OF 39.75' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST 20.35 FEET TO A POINT AT AN ELEVATION OF 38.97' (CCD); THENCE SOUTH 0 DEGREES 03 MINUTES 26 SECONDS WEST 40.19 FEET TO A POINT ON THE AFORESAID SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 35.92' (CUP); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG THE WESTERLY EXTENSION SAID SOUTH FACE, 21.85 FEET TO A POINT OF BEGINNING AT AN ELEVATION OF 36.82' (CCD)

ALSO EXCEPTING FROM THE PREVIOUS PARCEL THE FOLLOWING DESCRIBED PARCEL: COMMENCING AT THE NORTHEAST CORNER OF SAID LOT "A": THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT, 1.03 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION, 11.94 FEET TO A POINT OF BEGINNING ON THE INTERSECTION OF THE WEST FACE OF AN INTERIOR WALL AND SAID SOUTH FALSE OF AN INTERIOR WALL; THENCE CONTINUING SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH FACE, 73.84 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE. 2.88 FEET, TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, 14 29 FEET TO A POINT ON THE EAST FACE OF A CONCRETE PILLAR; THENCE SOUTH 0 DI:GREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 0.22 FEET TO A POINT ON THE SOUTH FACE OF SAID PILLAR: THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 2.33 FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE. 23.02 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE PILITAR; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 0.35 FEET TO A POINT ON THE EAST FACE OF SAID PILLAR; THENCE SOUTH 00 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 2.50 FEET TO A POINT ON THE SOUTH FACE OF SAID PILLAR: THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 0.35 FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 23.59 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 17.51 FEET TO A POINT ON THE WEST FACE OF A CONCRETE PILLAR; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 0.32 FEET TO A POINT ON THE NORTH FACE OF SAID PILLAR; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 2.23 FEET TO A POINT ON THE EAST FACE OF SAID PILLAR, THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 3.00 FEET TO A POINT ON THE SOUTH FACE OF SAID PILLAR; THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 0.45 FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 18.83 FEET TO A

POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 15.37 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL: THENCE NORTH 00 DEGREES 42 MINUTES 42 SECONDS WEST, ALONG SAID FACE, 14.29 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 17 MINUTES 21 SECONDS EAST, ALONG SAID FACE, 2.23 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE NORTH 0 DEGREES 42 MINUTES 39 SECONDS WEST, ALONG SAID FACE, 28.73 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 13.21 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL: THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 8.12 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 10.72 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 4.18 FEET TO A POINT ON THE NORTH FACE OF SAID CONCRETE WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 1.33 FEET TO A POINT ON THE EAST FACE OF SAID CONCRETE WALL; THENCE SOUTH 00 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 10.70 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, 27.25 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 0.66 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 1.60 FEET TO A POINT ON THE AFORESAID WEST FACE ON AN INTENSOR WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 28.41 FEET TO THE POINT OF BEGINNING. ALSO EXCEPTING FROM SAID FXCEPTION THE PROPERTY LYING ABOVE THE FOLLOWING 5 VERTICALLY PLANED DESCRIPTIONS: 1) THAT PART LYING ABOVE THE FOLLOWING DESCRIBED ELEVATION (SAID ELEVATIONS ALL DESCRIBING THE CENTER OF A CONCRETE CEILINGS: COMMENCING AT THE NORTHEAST CORNER OF AFORESAID "LOT A"; THEN CE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT, 1.03 FEET TO A POINT ON THE EASTERLY EXPENSION OF THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 37 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION, 11.94 FEET TO A POINT OF BEGINNING ON THE INTERSECTION OF THE WEST FACE OF AN INTERIOR WALL, AND SAID SOUTH FACE OF AN INTERIOR AT AN ELEVATION OF 31.83' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH FACE, 28.85 FEET TO A POINT ON THE NORTHERLY EXTENSION OF THE EAST FACE OF A CONCRETE WALL AT AN ELEVATION OF 28.49' (CCD); THENCE SOUTH 0 DEGREES 00 MINIOTES 37 SECONDS WEST, ALONG SAID EXTENSION AND EAST FACE THEREOF, 29.25 F2.FT TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL AT AN ELEVATION OF 32.07' (CCD): THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID NORTH FACE, 27.25 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL AT AN ELEVATION OF 31.98' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 0.66 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL AT AN ELEVATION OF 31.98' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 1.60 FEET TO A POINT ON THE WEST FACE OF A WALL AT AN ELEVATION OF 31.98' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 28.41 FEET TO THE POINT OF BEGINNING AT AN ELEVATION OF 31.83' (CCD); 2) THAT PART LYING ABOVE THE FOLLOWING DESCRIBED ELEVATION (SAID ELEVATIONS ALL DESCRIBING THE CENTER OF A CONCRETE CEILING): COMMENCING AT THE NORTHEAST CORNER OF

AFORESAID "LOT A"; THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT, 1.03 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION AND FACE, 40.79 TO A POINT OF BEGINNING ON THE NORTHERLY EXTENSION OF THE EAST FACE OF A CONCRETE WALL AT AN ELEVATION OF 28.49' (CCD): THENCE CONTINUING SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID FACE, 41.87 FEET TO A POINT ON THE NORTHERLY EXTENSION OF THE EAST FACE OF A CONCRETE PILLAR AT AN ELEVATION OF 24.39' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EXTENSION, 27.50 FEET AT AN ELEVATION OF 24.12' (CCD); THENCE NORTH 73 DEGREES 15 MINUTES 14 SECONDS EAST 26.65 FEET TO A POINT ON A LINE 19.84 FEET SOUTH OF AND PARALLEL TO THE AFORESAID SOUTH FACE OF A WALL AT AN ELEVATION OF 27.94' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID PARALLEL LINE, 16.35 FEET TO A POINT ON THE AFORESAID EAST FACE OF A CONCRETE V'AIL AT AN ELEVATION OF 30.15' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG THE AFORESAID NORTHERLY EXTENSION OF AFORESAID EAST FACE, 19.84 FEET TO THE POINT OF BEGINNING AT AN ELEVATION OF 28.49' (CCD); 3) THAT PART LYING ABOVE THE FOLLOWING DESCRIBED ELEVATION (SAID ELEVATIONS ALL DESCRIBING THE CENTER OF A CONCRETE CEILING); COMMENCING AT THE NORTHEAST CORNER OF AFORESAID "LOT A"; THENCE SOUTH 0 DEGREES 60 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT, 1.03 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECOND WEST, ALONG SAID EXTENSION AND FACE, 70.72 TO A POINT OF BEGINNING ON THE NORTHERLY EXTENSION OF THE EAST FACE OF A CONCRETE PILLAR AN ELEVATION OF 24.39' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EXTENSION, 27.50 FEET AT AN ELEVATION OF 24.12' (CCD); THENCE NOR F1 59 DEGREES 59 MINUTES 23 SECONDS WEST 19.39 FEET TO A POINT ON THE CENTER OF THE EAST FACE OF A CONCRETE PILLAR AT AN ELEVATION OF 24.12' (CCP), THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EAST FACE, 1.25 FEET TO A POINT ON THE NORTH FACE OF SAID PILLAR AT AN ELEVATION OF 24.12' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 0.35 FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL AT AN F. EVATION OF 24.12' (CCD): THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 23.02 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL AT AN ELEVATION OF 24.95' (CCD); THENCE NORTH 89 DEGREES 34 MINUTES 21 SECONDS EAST, ALONG SAID FACE, 2.33 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL AT AN ELEVATION OF 24.95' (CCD); THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 0.22 FEET TO A POINT ON THE SOUTH ACE OF AN INTERIOR WALL AT AN ELEVATION OF 24.95' (CCD); THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 14.29 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL AT AND ELEVATION OF 24.39' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 2.88 FEET TO A POINT ON THE SOUTH FACE OF A WALL AT AN ELEVATION OF 24.39' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID FACE, 3.12 FEET TO THE POINT OF BEGINNING AT AN ELEVATION OF 24.39' (CCD); 4) THAT PART LYING ABOVE THE FOLLOWING DESCRIBED ELEVATION (SAID ELEVATIONS ALL DESCRIBING THE CENTER OF A CONCRETE CEILING); COMMENCING AT THE NORTHEAST CORNER OF AFORESAID "LOT A"; THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT. 1,03 FEET TO A POINT ON THE EASTERLY

EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION AND FACE, 70.72 TO A POINT ON THE NORTHERLY EXTENSION OF THE EAST FACE OF A CONCRETE PILLAR AN ELEVATION OF 24.39' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EXTENSION, 27.50 FEET TO A POINT OF BEGINNING AT AN ELEVATION OF 24.12' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EXTENSION, 24.52 FEET TO THE NORTHEAST CORNER OF A CONCRETE PILLAR AT AN ELEVATION OF 20.10' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG THE NORTH FACE OF SAID PILLAR, 2.23 FEET TO A POINT ON THE WEST FACE OF SAID PILLAR AT AN ELEVATION OF 20.10' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 0.32 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 20.10' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 17.51 FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL AT AN ELEVATION OF 20.10' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 23.59 FEET TO A POINT ON THE SOUTH FACE OF A CONCRETE PILLAR AT AN ELEVATION OF 24.12 (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 0.35 FEET TO A POINT ON THE EAST FACE OF SAID PILLAR AT AN ELEVATION OF 24/12' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 1.25 FEET TO A POINT ON THE CENTER OF SAID PILLAR AT AN ELEVATION OF 24. 2' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST 19.39 FEET TO THE POINT OF BEGINNING AT AN ELEVATION OF 24.12' (CCD); 5) THAT PART LYING ABOVE THE FOLLOWING DESCRIBED ELEVATION (SAID ELEVATIONS ALL DESCRIBING 7 15 CENTER OF A CONCRETE CEILING); COMMENCING AT THE NORTHEAST CORNER OF AFORESAID "LOT A": THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT, 1.03 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION AND FACE, 70.72 TO A POINT ON THE NORTHERLY EXTENSION OF THE EAST FACE OF A CONCRETE PILLAR; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EXTENSION, 27.50 FEET TO A POINT OF BECINNING AT AN ELEVATION OF 39.04' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EXTENSION, 24.52 FEET TO THE NORTHEAST CORNER OF A CONCRETE PILLAR AT AN ELEVATION OF 37.72 (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 37 WEST, ALONG THE EAST FACE OF SAID PILLAR, 3.00 FEET TO A POINT ON THE SOUTH FACE OF SAID PILLAR AT AN ELEVATIO J OF 37.72' (CCD); THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 0.45 FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL AT AN ELEAVTION OF 27.72' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 18.83 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 36.76' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 15.37 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL AT AN ELEVATION OF 36.53' (CCD); THENCE NORTH 0 DEGREES 42 MINUTES 42 SECONDS WEST, ALONG SAID FACE, 14.29 FEET TO A POINT ON THE NORTH FACE AN INTERIOR WALL AT AN ELEVATION OF 36.68' (CCD): THENCE NORTH 89 DEGREES 17 MINUTES 21 SECONDS EAST, ALONG SAID FACE, 2.23 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL AT AN ELEVATION OF 36.68' (CCD); THENCE NORTH 0 DEGREES 42 MINUTES 39 MINUTES WEST, ALONG SAID FACE, 28.73 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL AT AN ELEVATION OF 38.66' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 13.21 FEET TO A POINT ON THE

EAST FACE OF AN INTERIOR WALL AT AN ELEVATION OF 38.63' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 8.12 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL AT AN ELEVATION OF 39.56' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 10.72 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 39.71' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 2.89 FEET TO A POINT ON A LINE 19.84 FEET SOUTH OF AND PARALLEL TO THE AFORESAID SOUTH FACE OF A WALL AT AN ELEVATION OF 39.81' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID PARALLEL LINE, 15.02 FEET AT AN ELEVATION OF 38.65' (CCD); THENCE SOUTH 73 DEGREES 15 MINUTES 14 SECONDS WEST, 26.65 FEET TO A POINT OF BEGINNING AT AN ELEVATION OF 39.04' (CCD); ALL IN COOK COUNTY, ILLINOIS.

ALSO EXCEPTING THAT PART OF LOT "A" IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERICIAN, IN COOK COUNTY, ILLINOIS LYING BELOW DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID LOT "A": THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT, 29.87 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUT I FACE OF AN INTERIOR WALL:THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID EXTENSION, 11.94 FEET TO A POINT OF BEGINNING ON THE WITERSECTION OF THE WEST FACE OF AN INTERIOR WALL AND SAID SOUTH FACE OF AN INTERIOR WALL; THENCE CONTINUING SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID SOUTH FACE, 0.96 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE 0.65 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 30.04 FEET 10 A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 6.59 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 9.48 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 8.09 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL! THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 8.40 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 4.68 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 18.55 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 3.26 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 1.48 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL, THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 6.90 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 4.48 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 24.37 FEET TO A POINT ON THE AFORESAID WEST FACE OF AN INTERIOR WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 15.08 FEET TO THE POINT OF BEGINNING; EXCEPTING THEREFROM THAT PART OF THE WEST 30.33 FEET OF THE

PREVIOUSLY DESCRIBED PARCEL LYING ABOVE AN ELEVATION OF 25.38' (CCD), SAID ELEVATION BEING THE CEILING FACE OF A DROPPED CEILING AND THAT PART OF THE NORTH 6.59 FEET OF THE PREVIOUSLY DESCRIBED TRACT (EXCEPT THE WEST 30.33 FEET THEREOF) LYING ABOVE AN ELEVATION OF 22.66' (CCD), SAID ELEVATION BEING THE CEILING FACE OF A DROPPED CEILING; AND THAT PART OF THE PREVIOUSLY DESCRIBED TRACT (EXCEPT THE WEST 30.33 FEET THEREOF AND EXCEPT THE NORTH 6.59 FEET OF THE PREVIOUSLY DESCRIBED TRACT (EXCEPT THE WEST 30.33 FEET THEREOF) LYING ABOVE AN ELEVATION OF 23.64' (CCD), SAID ELEVATION BEING THE CEILING FACE OF A DROPPED CEILING:

ALSO EXCEPTING FROM THE ENTIRE DESCRIPTION ABOVE THE FOLLOWING DESCRIBED PARCEL; THAT PART SAID LOT "A" LYING ABOVE AN ELEVATION OF 82.77' ONY OF CHICAGO DATUM (CCD) AND BELOW AN ELEVATION OF 103.51' (CCD), SAID LOWER ELEVATION BEING THE FINISHED FLOOR ELEVATION OF THE EIGHTH FLOOR OF THE BUILDING AT 550 N. ST. CLAIR AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID LOT "A"; THENCE SOUTH 89 DEG'CES 57 MINUTES 25 SECONDS WEST, ALONG THE NORTH LINE OF SAID LOT A, 47.90 FEET; THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, PARALLEL 10 THE EAST LINE OF SAID LOT A, 5,65 FEET TO A POINT OF BEGINNING ON THE SCOTH FACE OF AN INTERIOR WALL; THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, 9.01 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID FACE, 12.00 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL, THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST. ALONG SAID FACE, 7.83 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL, THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID FACE, 1.01 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL, THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID FACE, 1.18 FEET TO A POINT ON THE AFORESAID SOUTH FACE OF AN INTERIOR WALL, THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID FACE, 10.99 FEET TO THE POINT OF BEGINNING, (EXCEPT THAT PART OF THE SOUTH 7.83 FEET LYING BETWEEN AN ELEVATION OF 100.77' (CCD) AND 103.51' (CCD); ; ALL IN COOK COUNTY, ILLINOIS.

PHASE II

THAT PART OF LOT "A" IN MARTINS'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NOT." H FRACTION SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF 17.4 E THIRD PRINCIPAL MERIDIAN, DESCRIBED AS FOLLOWS: THAT PART CF SAID LOT "A" LYING ABOVE AN ELEVATION OF 157.92' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPARATING THE 13TH FLOOR FROM THE 14TH FLOOR AND LYING BELOW AN ELEVATION OF 190.37' (CCD) SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPARATING THE 16TH FLOOR FROM THE 17TH FLOOR, ALL IN COOK COUNTY, ILLINOIS

PHASE III

THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10,

TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, DESCRIBED AS FOLLOWS: THAT PART OF SAID LOT A LYING ABOVE AN ELEVATION OF 190.37' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPARATING THE 16TH FLOOR FROM THE 17TH FLOOR AND LYING BELOW AN ELEVATION OF 225.19' (CCD). SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPARATING THE 19TH FLOOR FROM THE 20TH FLOOR,

ALSO THAT PART OF SAID LOT A LYING BELOW THE FOLLOWING DESCRIBED VERTICAL PLANE (SAID PLANE DESCRIBING THE CENTER OF CONCRETE FLOOR SEPARATING THE THIRD FLOOR PARKING AND THE FOURTH FLOOR PARKING): COMMENCING AT THE NORTHWEST CORNER OF SAID LOT A; THENCE SOUTH 0 DEGREES 03 MINUTES 26 SECONDS, ALONG THE WEST LINE OF LOT A, 37.82 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH LINE OF PARKING SPACE 38 PROPOSED; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST 0.76 FEET TO A POINT ON THE WEST WALL OF A CONCRETE AND GLASS BUILDING (550 ST. CLAIR) AT AN ELEVATION OF 49.31' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID WEST WALL, 36.58 FEET TO THE NORTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 50.49' (CCD); THENCE NORTH 89 DEGREES 1.7 MINUTES 25 SECONDS EAST, ALONG THE NORTH WALL OF SAID BUILDING 51.14 FEET TO A POINT AT AN ELEVATION OF 50.83' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 51.14 FEET TO THE NORTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 53.40' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG THE EAST WALL OF SAID BUILDING, 49.47 FEET TO A POINT AT AN ELEVATION OF 53.57' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID EAS TWALL, 49.47 FEET TO THE SOUTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 54.45' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG THE SOUTH WALL OF SAID BUILDING 51.14 FEET TO A POINT AT AN ELEVATION OF 55.67' (CCD); THENCE CONTINUING SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID SOUTH WALL, 51,14 FEET TO THE SOUTHWEST CORNER OF SAID BUILDING AT AN ELEVATION OF 57.00' (CCD); THENCE NORTH 0 DEGREES 0) MINUTES 37 SECONDS EAST, ALONG THE AFORESAID WEST WALL OF BUILDING, 43 47 FEET TO A POINT AT AN ELEVATION OF 58.81' (CCD); THENCE CONTINUING NOR 12 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID WEST WALL, 12.89 FEET TO THE POINT OF BEGINNING ON THE NORTH LINE OF PROPOSED PARKING SPACE 61 AT AN ELEVATION OF 58.84' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID NORTH LINE OF PROPOSED PARKING SPACE 61 AND THE EASTERLY EXTENSION THEREOF, 42.08 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 58.84' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 9.43 FEET; THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG THE SOUTH FACE OF A CONCRETE WALL, 0.95 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL, THENCE SOUTH 00 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 19.50 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL: THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 0.53 FEET TO A POINT ON THE WEST FACE OF A CONCRETE WALL; THENCE SOUTH 0 DEGREES 00 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 9.91 FEET TO A POINT ON THE SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 55.75' (CCD); THENCE SOUTH 89 DEGREES 59 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 20.35' FEET TO A POINT ON THE EAST FACE OF A CONCRETE WALL AT AN ELEVATION OF 53.84' (CCD); THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID EAST FACE, 38.84 FEET TO A POINT ON THE NORTH FACE OF A CONCRETE WALL AT

AN ELEVATION OF 53.15' (CCD); THENCE NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG SAID FACE 20.77 FEET, TO A POINT ON THE AFORESAID WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 49.51' (CCD); THENCE CONTINUING NORTH 89 DEGREES 59 MINUTES 23 SECONDS WEST, ALONG AFORESAID SOUTH LINE OF PROPOSED PARKING SPACE 38, 42.08 FEET TO THE POINT OF BEGINNING

AND THAT PART OF SAID LOT A LYING ABOVE THE FOLLOWING TWO VERTICAL PLANES DESCRIBED AS FOLLOWS: 1) COMMENCING AT THE SOUTHWEST CORNER OF SAID LOT A; THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG THE WEST LINE OF SAID LOT A, 0.60 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH WALL OF SAID BUILDING AT 550 ST. CLAIR, THENCE NORTH 39 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 0.70 FEET TO A POINT ON THE WEST WALL OF SAID BUILDING AT AN ELEVATION OF 14.10' (CCD) (SAID ELEVATION AND THE ELEVATIONS BEING DESCRIBED IN THESE VERTICAL PLANES ALSO BEING A POINT 0.35 FEET BELOW THE TOP FACE OF A 0.70 FOOT THICK CON RETE RAMP AND PARKWAY); THENCE NORTH 0 DEGREES 03 MINUTES 26 SECOND'S EAST, ALONG SAID WEST WALL, 71.90 FEET TO A POINT AT AN ELEVATION OF 24.80' (CCD); THENCE CONTINUING NORTH 0 DEGREES 03 MINUTES 26 SECONDS FAST, ALONG SAID WEST WALL, 26.98 FEET TO THE NORTHWEST CORNER OF SAID BUILDING AT AN ELEVATION OF 25.49' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG THE NORTH WALL OF SAID BUILDING, 21.36 FEET TO A POINT AT AN ELEVATION OF 25.82' (CCD): THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 22.50 FEET TO A FOINT AT AN ELEVATION OF 28.86' (CCD): THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 19.60 FEET TO A POILUT AT AN ELEVATION OF 30.77' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID NORTH WALL, 38.86 FEET TO THE NORTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 32.71' (CCD); THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG THE EAST WALL OF SAID BUILDING, 18.18 FEET TO A POINT AT AN ELEVATION OF 33.25' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 8.00 FEET TO A POINT AT AN ELEVATION OF 32.62' (CCD); THENCE CONTINUING SOUTH (1) FGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 23.26 FEET TO A POINT AT AN ELEVATION OF 33.36' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 26.19 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 33.48' (CCD); THENCE CONTINUING SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID EAST WALL, 23.25 FEET TO THE SOUTHEAST CORNER OF SAID BUILDING AT AN ELEVATION OF 33.86' (CCD); THENCE SOUTH 39 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG THE SOUTH WALL OF SAID BUILDING, 38.86 FEET TO A POINT AT AN ELEVATION OF 33.85' (CCD); THENCE CONTINUING SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 20.35 FEET TO A POINT ON THE SOUTHERLY EXTENSION OF THE WEST FACE OF A CONCRETE WALL AT AN ELEVATION OF 35.97' (CCD); THENCE CONTINUING SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 21.85 FEET TO A POINT ON A LINE 21.36 FEET EAST OF AND PARALLEL TO THE WEST WALL OF SAID BUILDING AT AN ELEVATION OF 36.72' (CCD); THENCE NORTH 0 DEGREES 03 MINUTES 26 SECONDS EAST, ALONG SAID PARALLEL LINE, 23.25 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE AFORESAID SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 36.82' (CCD); THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID EXTENSION, 21.85 FEET TO

THE CORNER OF A CONCRETE WALL AT AN ELEVATION OF 35.92' (CCD); THENCE CONTINUING NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID FACE, 20.35 FEET TO THE CORNER OF A CONCRETE WALL AT AN ELEVATION OF 33.40' (CCD): THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG THE EAST FACE OF A CONCRETE WALL, 26.19 FEET TO A POINT AT AN ELEVATION OF 33.35' (CCD): THENCE CONTINUING NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID FACE, 23.26 FEET TO A POINT AT AN ELEVATION OF 32.57' (CCD); THENCE CONTINUING NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG SAID FACE, 8.00 FEET TO A POINT ON A LINE 18.18 FEET SOUTH OF AND PARALLEL TO THE NORTH WALL OF SAID BUILDING AT AN ELEVATION OF 30.83' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID PARALLEL LINE, 19.60 FEET TO A POINT AT AN ELEVATION OF 28.42' (CCD); THENCE SOUTH 68 DEGREES 37 MINUTES 31 SECONDS WEST 24.19 FEET TO A POINT ON THE AFORESAID LINE 21.36 FEET EAST OF AND PARALLEL TO THE WEST WALL OF SAID BUILDING AT AN ELEVATION OF 24.88' (CCD): THENCE SOUTH 0 DEGREES 03 MINUTES 26 SECONDS WEST, ALONG SAID PARALLEL LINE, 71.90 FEET TO A POINT ON THE AFORE 5.2 D SOUTH WALL OF SAID BUILDING AT AN ELEVATION OF 13.97' (CCD): THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID SOUTH WALL, 21.36, FEET TO THE POINT OF BEGINNING; 2) THAT PART OF SAID LOT A DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF SAID LOT A; THENCE NORTH O DEGREES 03 MINUTES 26 SECONDS EAST, ALONG THE WEST LINE OF SAID LOT A, 0.50 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH WALL OF SAID BUILDING: THENCE NORTH 89 DEGREES 57 MINUTES 25 SECONDS EAST, ALONG SAID SOUTH WALL 22.06 FEET TO A POINT ON A LINE 21.36 FEET EAST OF AND PARALLEL TO THE WEST WALL OF SAID BUILDING; THENCE NORTH 0 DEGREES 03 MINUTES 26 SECCINDS EAST, ALONG SAID PARALLEL LINE, 23.25' FEET TO A POINT OF BEGINNING ON THE WESTERLY EXTENSION OF THE SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 36.82' (CCD): THENCE CONTINUING NORTH 0 DEGREES 03 MINUTES 25 SECONDS EAST, ALONG SAID PARALLEL LINE, 48.65 FEET TO A POINT AT AN ELEVATION OF 39.04' (CCD); THENCE NORTH 68 DEGREES 37 MINUTES 31 SECONDS EAST 24.19 FEET TO A POINT ON A LINE 18.18 FEET SOUTH OF AND PARALLEL TO THE NOT TH WALL OF SAID BUILDING AT AN ELEVATION OF 38.86' (CCD): THENCE NORTH 89 DECREES 57 MINUTES 25 SECONDS EAST, ALONG SAID PARALLEL LINE, 19.60 FEET TO A POINT AT AN ELEVATION OF 39.81' (CCD): THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ALONG THE AFORESAID EAST FACE OF A CONCRETE WALL, 17.80 FEET TO A POINT AT AN ELEVATION OF 39.75' (CCD); THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST 20.35 FEET TO A POINT AT AN ELEVATION OF 38.97' (CCD); THENCE SOUTH 0 DEGREES 03 MINUTES 26 SECONDS WEST 40.19 FEET TO A POINT ON THE AFORESAID SOUTH FACE OF A CONCRETE WALL AT AN ELEVATION OF 35.92' (CCD): THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, A'LONG THE WESTERLY EXTENSION SAID SOUTH FACE, 21.85 FEET TO A POINT OF BEGINNING AT AN ELEVATION OF 36.82' (CCD), ALL IN COOK COUNTY, ILLINOIS.

PHASE IV

THAT PART OF LOT "A" IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, DESCRIBED AS FOLLOWS: THAT PART OF SAID LOT "A" LYING ABOVE AN ELEVATION OF 225.19' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPARATING THE 19TH FLOOR FROM THE 20TH FLOOR AND LYING BELOW AN ELEVATION OF 260.20' (CCD). SAID ELEVATION ALSO

BEING THE CENTER OF THE FLOOR SEPARATING THE 22ND FLOOR FROM THE 23RD FLOOR, ALL IN COOK COUNTY, ILLINOIS.

Phase V

THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10. TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, LYING ABOVE AN ELEVATION OF 271.87' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 23RD FLOOR FROM THE 24TH FLOOR; AND LYING BELOW AN ELEVATION OF 283.53' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 24TH FLOOR FROM THE 25TH FLOOR, AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID LOT A: THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING. ALONG THE EAST LINE OF SAID LOT A, 0.61 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF A BUILDING WALL; THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION, 0.54 FEET, TO A POINT OF BEGINNING AT A BUILDING CORNER; THENCE CONTINUING WEST, ALONG SAID SOUTH FACE OF A BUILDING WALL, 92.27 FEET TO A POINT ON THE WEST EDGE OF A CONCRETE TERRACE: THENCE NORTH, ALONG SAID EDGE, 48,20 FEET TO A POINT ON THE NORTH EDGE OF A TERRACE RAILING; THENCE EAST, ALONG SAID RAILING EDGE, 5.87 FEF.T TO A POINT ON THE WEST WALL OF A CONCRETE BUILDING: THENCE SOUTH, ALONG SAID WALL, 0.25 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL: THENCE EAST, ALONG SAID EXTENSION AND FACE, 26 24 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH, ALONG SAID FACE, 14.54 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE WEST, ALONG SAID FACE, 0.50 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH, ALONG SAID FACE, 9.67 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL: THENCE EAST, ALONG SAID FACE, 20.22 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL: THENCE NORTH, ALONG SAID FACE, 4.38 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE EAST, ALONG SAID FACE, 4.73 FEET TO A POINT ON THE EAST FACE OF AN IN ERIOR WALL; THENCE NORTH, ALONG SAID FACE, 2.67 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL: THENCE EAST, ALONG SAID FACE, 35.40 FEET TO A POINT ON THE EAST WALL OF A CONCRETE BUILDING: THENCE SOUTH, ALONG SAID EAST WALL, 31.23 FEET TO THE POINT OF BEGINNING; ALL IN COOK COUNTY, ILLINOIS.

Phase VI

THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, DESCRIBED AS FOLLOWS: THAT PART OF SAID LOT A LYING ABOVE AN ELEVATION OF 295.19' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 25TH FLOOR FROM THE 26TH FLOOR; AND LYING BELOW AN ELEVATION OF 308.77' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE CENTERED BETWEEN THE CEILING OF SAID 26^{TH} FLOOR AND THE TOP OF ROOF FLOOR; ALL IN COOK COUNTY, ILLINOIS.

Phase 8

THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO. A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, LYING ABOVE AN ELEVATION OF 283,53' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 24th FLOOR FROM THE 25th FLOOR; AND LYING BELOW AN ELEVATION OF 295.19' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 25th FLOOR FROM THE 26TH FLOOR, AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID LOT A; THENCE SOUTH DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT A, 0.55 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE NORTH FACE OF A BUILDING WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID EXTENSION AND WALL. 25.18 FEET, TO A POINT OF BEGINNING ON THE NORTHERLY EXTENSION OF THE WEST FACE AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTE 37 SECONDS EAST, ALONG SAID FACE, 13.57 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 1.28 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL: THENCE SOUTH 0 DECREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 10.53 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 25 SECONDS WEST, ALONG SAID FACE, 6.06 FEET TO A POINT ON THE EAST FACE OF PARTITION WALL; THENCE NORTH 0 DEGREES 25 MINUTES 37 SECONDS WEST, ALONG SAID FACE 5.58 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 9.67 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 18.46 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, 19.36 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 10.21 FEF, TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DECREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 0.37 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 3.86 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE AND WESTERLY EXTENSION TO A POINT ON THE WEST FACE OF AN INTERIOR WALL: THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 0.20 FEET TO A POINT ON THE CENTER OF A METAL RAILING; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID CENTER LINE OF RAILING, 5.87 FEET TO A POINT ON THE WEST EDGE OF A CONCRETE TERRACE, THENCE NORTH 0 DEGREES 25 MINUTES 37 SECONDS WEST, ALONG SAID WEST EDGE OF TERRACE. 51.25 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE AFORESAID NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE & EXTENSION, 67.25 FEET TO THE POINT OF BEGINNING; ALL IN COOK COUNTY, ILLINOIS.

PIN: 17-10-122-019-0000

ADDRESS OF PROPERTY: 550 St. Clair, CHICAGO, ILLINOIS 60611

EXHIBIT B

PERCENTAGE OF OWNERSHIP INTEREST IN THE COMMON ELEMENTS

4.400	0.4440/
1403	0.441%
1404	0.830%
1405	0.698%
1406	0.579%
1407	0.454%
1408	1.152%
1501	0.816%
1502	0.599%
1503	0.448%
1504	0.843%
1505	0.711%
1506	0.593%
1507	0.461%
1508	1.172%
1601	d.630%
1602	0.0%5%
1603	0.454%
1604	0.856%
1605	0.724% 0.606% 0.468% 1.192% 0.830% 0.619% 1.231% 0.698% 0.751% 1.514% 0.843% 0.632% 1.244% 0.711% 0.764% 1.528% 0.856% 0.856% 0.856% 0.724% 0.777% 1.541% 0.869%
1606	0.606%
1607	0.468%
1608	1.192%
1701	0.830%
1701	0.619%
1702	1.231%
	1.23170
1704	0.698%
1705	0.751%
1706	1.514%
1801	0.843%
1802	0.632%
1803	1.244%
1804	0.711%
1805	0.764%
1806	1.528%
1901	0.856%
1902	0.645%
1903	1.258%
1904	0.724%
1905	0.777%
1906	1.541%
2001	0.869%
2002	0.658%
2003	1.271%
2004	0.737%
2005	0.632%
2006	1.554%
2101	1.343%
2102	0.448%
2103	0.843%
2104	0.790%

2105 2106 2201 2202 2203 2204	0.672% 1.567% 1.356% 0.369% 0.856% 0.658%	
2205	0.685%	
2206	1.579%	
2301	1.711%	
2402	2.527%	
2503 2601	2.356% 1.777%	
2602	. 1.909%	
2603	2,383%	
P1	0.079%	
P2	0.073%	
P3	0.079%	
P4	0.079%	>
P5	0.079%	0.0
P6	0.079%	9/-
P7	0.079%	
P8	0.079%	0_
P9	0.079%	0/
P10	0.079%	τ_{\sim}
P11	0.079%	
P12	0.079%	Or Coot Colling Clarks
P13	0.079%	46
P14	0.079%	17,
P15 P16	0.079%	4
P16 P17	0.079% 0.079%	
P18	0.079%	
P19	0.079%	
P20	0.079%	τ_{α}
P21	0.079%	'S =
P22	0.079%	
P23	0.079%	
P24	0.079%	
P25	0.079%	
P26	0.079%	
P27	0.079%	
P28	0.079%	
P29	0.079%	
P30	0.079%	
P31	0.079%	
P32	0.079%	
P33	0.079%	
P34 P35	0.079% 0.079%	
P36	0.079%	
ΓŲŲ	0.013/0	·

P87 P88 P89 P90 P91 P92 P93 P94 P95 P96 P97 P98 P99 P100 P101 P102 P103 P104 P105 P106 P107 P108 P109 P111 P112 P113 P114 P115 P116 P117 P118 P120 P121 P122 P123 P124 P125	0.079% 0.079%	Or Cook County Clark's Office
		$O_{\mathcal{X}_{\alpha}}$
P123	0.079%	///
		1/0
		Ch
		CV
P126	0.079%	
P127	0.079%	
P126	0.079%	
		C
		(2)
P124	0.079%	10
P122	0.079%	
	0.079%	
		',0
		1
P118	0.079%	10 .
P117	0.079%	
P115	0.079%	
	0.079%	//x.
		4
		0/
		`
P110	0.079%	7
	0.079%	
		· O
P104		
P103	0.079%	
P102	0.07.2%	
P95		
P94	0.079%	
P93	0.079%	
P87	n n79%	

1009034059 Page: 24 of 28

UNOFFICIAL COPY

EXHIBIT D

PAGE 20 OF THE PLAT

(attached hereto)

Property of Cook County Clerk's Office

EXHIBIT E

DEVELOPMENT AREA

THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, DESCRIBED AS FOLLOWS: THAT PART OF SAID LOT A LYING ABOVE AN ELEVATION OF 260.20' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION ALSO BEING THE CENTER OF THE FLOOR SEPARATING THE 22ND FLOOR FROM THE 23RD FLOOR; EXCEPTING THE FOLLOWING DESCRIBED 4 PARCELS:

- 1. THAT PART OF SAID LOT A LYING ABOVE AN ELEVATION OF 271.87' CITY OF CHICAGO DATUM (CCD). SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 23RD FLOOR FROM THE 24TH FLOOR; AND LYING BELOW AN ELEVATION OF 283.53' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 24TH FLOOR FROM THE 25TH FLOOR, AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID LOT A; THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT A, 0.61 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE SOUTH FACE OF A BUILDING WALL: THENCE SOUTH 89 DEGREES 57 MINUTES 25 SECONDS WEST, ALONG SAID EXTENSION, 0.54 FEET, TO A POINT OF BEGINNING AT A BUILDING CORNER: THENCE CONTINUING WEST. ALONG SAID SOUTH FACE OF A BUILDING WALL, 92.27 FEET TO A POINT ON THE WEST EDGE OF A CONCRETE TERRACE; THENCE NORTH, ALONG SAID EDGE, 48,20 FEET TO A POINT ON THE NORTH EDGE OF A TERRACE RAILING; THENCE EAST, ALONG SAID RAILING EDGE 5 87 FEET TO A POINT ON THE WEST WALL OF A CONCRETE BUILDING; THENCE SOUTH, ALONG SAID WALL, 0.25 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE SOUTH FACE OF AN INTERIOR WALL: THENCE EAST, ALONG SAID EXTENSION AND FACE, 26.24 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH, ALONG SAID FACE, 14.54 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE WEST, ALONG SAID FACE, 0.50 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH, ALONG SAID FACE, 9.67 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE EAST, ALONG SAID FACE, 20.22 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE NORTH, ALONG SAID FACE, 4.38 FEF.T TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE EAST, ALONG SAID FACE, 4.73 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL: THENCE NORTH, ALONG SAID FACE, 2.67 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE EAST, ALONG SAID FACE, 35.40 FEET TO A POINT ON THE EAST WALL OF A CONCRETE BUILDING: THENCE SOUTH, ALONG SAID EAST WALL, 31.23 FEET TO THE POINT OF BEGINNING;
- 2. ALSO EXCEPTING THE FOLLOWING DESCRIBED PARCEL: THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, DESCRIBED AS FOLLOWS: THAT PART OF SAID LOT A LYING ABOVE AN ELEVATION OF 295.19' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR

- SEPARATING THE 25TH FLOOR FROM THE 26TH FLOOR; AND LYING BELOW AN ELEVATION OF 308.77' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE CENTERED BETWEEN THE CEILING OF SAID 26TH FLOOR AND THE TOP OF ROOF FLOOR; ALL IN COOK COUNTY, ILLINOIS.
- 3. THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, LYING ABOVE AN ELEVATION OF 260.20' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 22ND FLOOR FROM THE 23RD FLOOR: AND LYING BELOW AN ELEVATION OF 271.87' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 23RD FLOOR FROM THE 24TH FLOOR, AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID LOT A: THENCE SOUTH 0 DEGREES 00 MINUTES (1) SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT A, 0.55 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE NORTH FACE OF A BUILDING WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID EXTENSION, 0.52 FEET, TO A POINT OF BEGINNING AT A BUILDING CORNER (SAID POINT ALSO BEING A BALCONY CORNER): THE ICE CONTINUING SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALGNG SAID NORTH FACE OF A BUILDING WALL. 24.68 FEET TO A POINT ON THE NORTHERLY EXTENSION OF THE EAST FACE OF AN INTERIOR WALL: THENCE SCIT'H 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID EXTENSION AND FACE, 25.01 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 8.18 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL: THENCE NORTH 0 DEGREES 25 MINUTES 37 SECONDS WEST, ALONG SAID FACE, 6.00 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 7.45 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 10 63 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 4.67 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 18.54 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 9.85 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 5.95 FEET TO A POINT ON THE SOUTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST; ALONG SAID FACE, 9.95 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 13.65 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 33.98 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 0.25 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE AND THE EASTERLY FXTENSION THEREOF. 1.24 FEET TO A POINT ON THE EASTERLY FACE OF A

- BUILDING WALL; THENCE NORTH 0 DEGREES 00 MINUTES 37 SECONDS EAST, ALONG SAID EAST FACE OF A BUILDING WALL, 68.03 FEET TO THE POINT OF BEGINNING:
- 4. THAT PART OF LOT A IN MARTIN'S CONSOLIDATION OF PART OF BLOCK 21 IN KINZIE ADDITION TO CHICAGO, A SUBDIVISION OF THE NORTH FRACTIONAL SECTION 10, TOWNSHIP 39 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, LYING ABOVE AN ELEVATION OF 283.53' CITY OF CHICAGO DATUM (CCD), SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 24th FLOOR FROM THE 25th FLOOR; AND LYING BELOW AN ELEVATION OF 295.19' CITY OF CHICAGO DATUM (CCD). SAID ELEVATION REPRESENTING A HORIZONTAL PLANE BEING THE CENTER OF THE FLOOR SEPARATING THE 25th FLOOR FROM THE 25TH FLOOR, AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID LOT A; THENCE SOUTH 0 DEGREES 00 MINUTES 00 SECONDS EAST, ON AN ASSUMED BEARING, ALONG THE EAST LINE OF SAID LOT A, 0.55 FEET TO A POINT ON THE EASTERLY EXTENSION OF THE NOF THE FACE OF A BUILDING WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID EXTENSION AND WALL, 25.18 FEET, TO A POINT OF BEGINNING ON THE NORTHERLY EXTENSION OF THE WEST FACE AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTE 37 SECONDS EAST, ALONG SAID FACE, 13.57 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOF WALL: THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 1.28 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL, THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID ACE, 10.53 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 6.06 FEET TO A POINT ON THE EAST FACE OF AN INTERIOR WALL: THENCE MORTH 0 DEGREES 25 MINUTES 37 SECONDS WEST, ALONG SAID FACE 5.59 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE, 9.67 FEFT TO A POINT ON THE WEST FACE OF AN INTERIOR WALL: THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 18.46 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL: THENCE SOUTH 89 DECREES 34 MINUTES 23 SECONDS WEST, 19.36 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST. ALONG SAID FACE, 10.21 FEET TO A POINT ON THE SOUTH PACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE, 0.37 FEET TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 3,86 FEET TO A POINT ON THE NORTH FACE OF AN INTERIOR WALL; THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID FACE AND WESTERLY EXTENSION TO A POINT ON THE WEST FACE OF AN INTERIOR WALL; THENCE SOUTH 0 DEGREES 25 MINUTES 37 SECONDS EAST, ALONG SAID FACE, 0.20 FEET TO A POINT ON THE CENTER OF A METAL RAILING: THENCE SOUTH 89 DEGREES 34 MINUTES 23 SECONDS WEST, ALONG SAID CENTER LINE OF RAILING, 5.87 FEET TO A POINT ON THE WEST EDGE OF A CONCRETE TERRACE, THENCE NORTH 0 DEGREES 25 MINUTES 37 SECONDS WEST, ALONG SAID WEST EDGE OF TERRACE, 51.25 FEET TO A POINT ON THE WESTERLY EXTENSION OF THE AFORESAID NORTH FACE OF AN INTERIOR WALL; THENCE NORTH 89 DEGREES 34 MINUTES 23 SECONDS EAST, ALONG SAID FACE & EXTENSION, 67.25 FEET TO THE POINT OF BEGINNING; ALL IN COOK COUNTY, ILLINOIS.

1009034059 Page: 28 of 28

'UNOFFICIAL COPY

EXHIBIT

ATTACHED TO

1009034059 Fee: \$162.00 Eugene "Gene" Moore RHSP Fee:\$10.00

Cook County Recorder of Deeds Date: 03/31/2010 01:30 PM Pg: 1 of 28

DOCUMENT DOCUMENT

SEE PLAT INDEX