

UNOFFICIAL COPY

PREPARED BY:

Name: The Pulte Group
Address: Intersection of Kensington & Dryden Place
Arlington Heights, Illinois 60004



Doc#: 1110344042 Fee: \$50.00
Eugene "Gene" Moore RHSP Fee: \$10.00
Cook County Recorder of Deeds
Date: 04/13/2011 11:38 AM Pg: 1 of 8

RETURN TO:

Name: The Pulte Group
Address: 1901 N. Roselle Road, Suite 1000
Schaumburg, Illinois 60195

(THE ABOVE SPACE FOR RECORDER'S OFFICE)

LEAKING UNDERGROUND STORAGE TANK ENVIRONMENTAL NOTICE

THE OWNER AND/OR OPERATOR OF THE LEAKING UNDERGROUND STORAGE TANK SYSTEM(S) ASSOCIATED WITH THE RELEASE REFERENCED BELOW, WITHIN 45 DAYS OF RECEIVING THE NO FURTHER REMEDIATION LETTER CONTAINING THIS NOTICE, MUST SUBMIT THIS NOTICE AND THE REMAINDER OF THE NO FURTHER REMEDIATION LETTER TO THE OFFICE OF THE RECORDER OR REGISTRAR OF TITLES OF COOK COUNTY IN WHICH THE SITE DESCRIBED BELOW IS LOCATED.

Illinois EPA Number: 0314036071

Leaking UST Incident No.: 20101272


The Pulte Group, the owner and/or operator of the leaking underground storage tank system(s) associated with the above-referenced incident, whose address is 1901 N. Roselle Road, Suite 1000, Schaumburg, Illinois, has performed investigative and/or remedial activities for the site identified as follows and depicted on the attached Site Base Map:

1. Legal Description or Reference to a Plat Showing the Boundaries: Attached
2. Common Address: Intersection of Kensington & Dryden Place, Arlington Heights, Illinois
3. Real Estate Tax Index/Parcel Index Number: 0329411017
4. Site Owner: Pulte Construction Group
5. Land Use Limitation: There are no land use limitations.
6. See the attached No Further Remediation Letter for other terms.

CTB

UNOFFICIAL COPY

Sources: Site reconnaissance performed by Mr. Marc Eglitis of BB&J, LLC on October 28, 2010.
Aerial photograph reviewed on GoogleEarth, dated July 1, 2010.



LEGEND

- HA-1 - Hand Auger Location
- ▨ - Approximate Location of Excavation
- - Grassy Area
- UST - Underground Storage Tank



Prepared by / Date: PTB / 11-01-2010
Checked by / Date: KLM / 11-01-2010

Project No. R1005496
Showing Hand Auger Locations
Site Plan
Figure 2

BRADBURNE, BRILLER & JOHNSON, LLC
www.bbjgroup.com

Pulte Home Construction
Arlington Market
Northwest Corner of Kensington Road
and Dryden Place
Arlington Heights, Illinois

UNOFFICIAL COPY

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY



1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 – (217) 782-3397
JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601 – (312) 814-6026

DOUGLAS P. SCOTT, DIRECTOR

RECORDING REQUIREMENTS FOR NO FURTHER REMEDIATION LETTERS

Introduction

The Illinois Environmental Protection Agency's (Illinois EPA) Bureau of Land/Leaking Underground Storage Tank Section issues a No Further Remediation (NFR) Letter after a demonstration of compliance with Title XVI of the Environmental Protection Act and applicable regulations is made. The NFR Letter signifies that: (1) all statutory and regulatory corrective action requirements applicable to the occurrence have been complied with, (2) all corrective action concerning the remediation of the occurrence has been completed, and (3) no further corrective action concerning the occurrence is necessary so long as the site is used in accordance with the terms and conditions of the NFR Letter.

Significance

When properly recorded, the NFR Letter holds legal significance for all applicable parties outlined at Section 57.10(d) of the Environmental Protection Act. (See 415 ILCS 5/57.10(d).) If not properly recorded, the Illinois EPA *will* take steps to void the NFR Letter in accordance with the regulations.

Duty to Record

The duty to record the NFR Letter is *mandatory*. You *must* submit the NFR Letter, with a copy of any applicable institutional controls proposed as part of a corrective action completion report, to the Office of the Recorder or the Registrar of Titles of the county in which the site is located *within 45 days after receipt of the NFR Letter*. You must record the NFR Letter and any attachments. The NFR Letter shall be filed in accordance with Illinois law so that it forms a permanent part of the chain of title to ensure current and future users of the property will be informed of the conditions and terms of approval including level of remediation; land use limitations; and preventive, engineering, and institutional controls. A certified or otherwise accurate and official copy of the NFR Letter and any attachments, as recorded, must be submitted to the Illinois EPA. Failure to record the NFR Letter in accordance with the regulations will make the NFR Letter voidable.

For More Information

Please refer to Tiered Approach to Corrective Action Objectives (TACO) Fact Sheet 3 available from the Illinois EPA by calling 1-888-299-9533 or by accessing it on the Illinois EPA Web site at <http://www.epa.state.il.us/land/taco/3-no-further-remediation-letters.html>.

ROCKFORD – 4302 North Main Street, Rockford, IL 61103 – (815) 987-7760 • DES PLAINES – 9511 W. Harrison St., Des Plaines, IL 60016 – (847) 294-4000
ELGIN – 595 South State, Elgin, IL 60123 – (847) 608-3131 • PEORIA – 5415 N. University St., Peoria, IL 61614 – (309) 693-5463
BUREAU OF LAND - PEORIA – 7620 N. University St., Peoria, IL 61614 – (309) 693-5462 • CHAMPAIGN – 2125 South First Street, Champaign, IL 61820 – (217) 278-5800
SPRINGFIELD – 4500 S. Sixth Street Rd., Springfield, IL 62706 – (217) 786-6892 • COLLINSVILLE – 2009 Mall Street, Collinsville, IL 62234 – (618) 346-5120
MARION – 2309 W. Main St., Suite 116, Marion, IL 62959 – (618) 993-7200

UNOFFICIAL COPY



LEGAL DESCRIPTION

LOT C IN ARLINGTON CROSSINGS SUBDIVISION (EXCEPTING THEREFROM THAT PART OF BEVERLY LANE LYING SOUTH OF THE NORTH LINE OF LOT 40 IN ARLINGTON MARKET SUBDIVISION (CREATED PURSUANT TO THE PLAT RECORDED AS DOCUMENT NO. 0705915065) EXTENDED WESTERLY) IN ARLINGTON CROSSINGS SUBDIVISION, BEING A RESUBDIVISION OF ARLINGTON MARKET, BEING A SUBDIVISION IN THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 29, TOWNSHIP 42 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS, PURSUANT TO THE PLAT THEREOF RECORDED IN COOK COUNTY, ILLINOIS ON FEBRUARY 28, 2007, AS DOCUMENT NO. 0705915065 AND CORRECTED BY DOCUMENT NO. 0721144016 RECORDED IN COOK COUNTY ILLINOIS ON JULY 30, 2007, PURSUANT TO THE PLAT THEREOF RECORDED ON JUNE 7, 2010, AS DOCUMENT NUMBER 1018229011, IN COOK COUNTY, ILLINOIS.

Property of Cook County Clerk's Office

UNOFFICIAL COPY

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY



1021 North Grand Avenue East, P.O. Box 19276, Springfield, Illinois 62794-9276 • (217) 782-2829
James R. Thompson Center, 100 West Randolph, Suite 11-300, Chicago, IL 60601 • (312) 814-6026

PAT QUINN, GOVERNOR

DOUGLAS P. SCOTT, DIRECTOR

217/782-6762

CERTIFIED MAIL

MAR 23 2011

7009 3410 0002 3807 9933

The Pulte Group
Attn: Bernie F. Pallardy
1901 N. Roselle Road, Suite 1000
Schaumburg, Illinois 60195

Re: LPC # 0314036071 -- Cook County
Arlington Heights/Pulte Construction Group
Intersection of Kensington & Dryden Place
Leaking UST Incident No. 20101272 -- NFR Letter
Leaking UST Technical File

Dear Mr. Pallardy:

The Illinois Environmental Protection Agency (Illinois EPA) has reviewed the 45 Day and Corrective Action Completion Report submitted for the above-referenced incident. This information was dated January 5, 2011 and was received by the Illinois EPA on January 14, 2011. Citations in this letter are from the Environmental Protection Act (Act), as amended by Public Act 92-0554 on June 24, 2002, and Public Act 96-0908 on June 8, 2010, and 35 Illinois Administrative Code (35 Ill. Adm. Code).

The Early Action Tier 1 Remediation Objectives Compliance Report and the Licensed Professional Engineer Certification submitted pursuant to Section 57.6 of the Act and 35 Ill. Adm. Code 734.135(d) indicate the remediation objectives have been met.

Based upon the certification by Gregory W. Wilcox, a Licensed Professional Engineer, and pursuant to Section 57.10 of the Act (415 ILCS 5/57.10), your request for a no further remediation determination is granted under the conditions and terms specified in this letter.

Issuance of this No Further Remediation Letter (Letter), based on the certification of the Licensed Professional Engineer, signifies that: (1) all statutory and regulatory corrective action requirements applicable to the occurrence have been complied with; (2) all corrective action concerning the remediation of the occurrence has been completed; and (3) no further corrective action concerning the occurrence is necessary for the protection of human health, safety, and the environment. Pursuant to Section 57.10(d) of the Act, this Letter shall apply in favor of the following parties:

1. The Pulte Group, the owner or operator of the underground storage tank system(s).
2. Any parent corporation or subsidiary of such owner or operator.
3. Any co-owner or co-operator, either by joint tenancy, right-of-survivorship, or any other party sharing a legal relationship with the owner or operator to whom the Letter is issued.

UNOFFICIAL COPY

Page 2

4. Any holder of a beneficial interest of a land trust or inter vivos trust whether revocable or irrevocable.
5. Any mortgagee or trustee of a deed of trust of such owner or operator.
6. Any successor-in-interest of such owner or operator.
7. Any transferee of such owner or operator whether the transfer was by sale, bankruptcy proceeding, partition, dissolution of marriage, settlement or adjudication of any civil action, charitable gift, or bequest.
8. Any heir or devisee of such owner or operator.
9. An owner of a parcel of real property to the extent that this Letter applies to the occurrence on that parcel.

This Letter and all attachments, including but not limited to the Leaking Underground Storage Tank Environmental Notice, must be filed within 45 days of receipt as a single instrument with the Office of the Recorder or Registrar of Titles in the county in which the above-referenced site is located. This Letter shall not be effective until officially recorded by the Office of the Recorder or Registrar of Titles of the applicable county in accordance with Illinois law so it forms a permanent part of the chain of title for the above-referenced property. Within 30 days of this Letter being recorded, an accurate and official copy of this Letter, as recorded, shall be obtained and submitted to the Illinois EPA. For recording purposes, it is recommended that the Leaking Underground Storage Tank Environmental Notice of this Letter be the first page of the instrument filed.

CONDITIONS AND TERMS OF APPROVAL

LEVEL OF REMEDIATION AND LAND USE LIMITATIONS

1. The remediation objectives for the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, were established in accordance with the requirements of the Tiered Approach to Corrective Action Objectives (35 Ill. Adm. Code 742) rules.
2. As a result of the release from the underground storage tank system(s) associated with the above-referenced incident, the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter, shall not be used in a manner inconsistent with the following land use limitation: There are no land use limitations.
3. The land use limitation specified in this Letter may be revised if:
 - a. Further investigation or remedial action has been conducted that documents the attainment of objectives appropriate for the new land use; and

UNOFFICIAL COPY

Page 3

- b. A new No Further Remediation Letter is obtained and recorded in accordance with Title XVII of the Act and regulations adopted thereunder.

PREVENTIVE, ENGINEERING, AND INSTITUTIONAL CONTROLS

4. Preventive: None.

Engineering: None.

Institutional: This Letter shall be recorded as a permanent part of the chain of title for the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter.

5. Failure to establish, operate, and maintain controls in full compliance with the Act, applicable regulations, and the approved corrective action plan, if applicable, may result in voidance of this Letter.

OTHER TERMS

6. Any contaminated soil or groundwater removed or excavated from, or disturbed at, the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, must be handled in accordance with all applicable laws and regulations under 35 Ill. Adm. Code Subtitle C.

7. Further information regarding the above-referenced site can be obtained through a written request under the Freedom of Information Act (5 ILCS 140) to:

Illinois Environmental Protection Agency
 Attention: Freedom of Information Act Officer
 Bureau of Land - #24
 1021 North Grand Avenue East
 Post Office Box 19276
 Springfield, IL 62794-9276

8. Pursuant to 35 Ill. Adm. Code 734.720, should the Illinois EPA seek to void this Letter, the Illinois EPA shall provide Notice of Voidance to the owner or operator of the leaking underground storage tank system(s) associated with the above-referenced incident and the current title holder of the real estate on which the tanks were located, at their last known addresses. The notice shall specify the cause for the voidance, explain the provisions for appeal, and describe the facts in support of the voidance. Specific acts or omissions that may result in the voidance of this Letter include, but shall not be limited to:

- a. Any violation of institutional controls or industrial/commercial land use restrictions;
- b. The failure to operate and maintain preventive or engineering controls or to comply with any applicable groundwater monitoring plan;

UNOFFICIAL COPY

Page 4

- c. The disturbance or removal of contamination that has been left in-place in accordance with the Corrective Action Plan or Completion Report;
- d. The failure to comply with the recording requirements for the Letter;
- e. Obtaining the Letter by fraud or misrepresentation; or
- f. Subsequent discovery of contaminants, not identified as part of the investigative or remedial activities upon which the issuance of the Letter was based, that pose a threat to human health or the environment.

Submit an accurate and official copy of this Letter, as recorded, to:

Illinois Environmental Protection Agency
Bureau of Land - #24
Leaking Underground Storage Tank Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276

If you have any questions or need further assistance, please contact the Illinois EPA project manager, Clayton Bloome, at 217/524-1288.

Sincerely,



Michael T. Lowder
Unit Manager
Leaking Underground Storage Tank Section
Division of Remediation Management
Bureau of Land

MTL:CTB\

Attachments: Leaking Underground Storage Tank Environmental Notice
Site Map
Legal Description

c: Andy Bajorat, Bradburne, Briller and Johnson, LLC
BOL File