UNOFFICIAL COPY

Recording Requested and Prepared By: U.S. Bank Home Mortgage **4801 Frederica Street** P.O. Box 20005 Owensboro, KY 42304 JENNIFER CAMPBELL - US BANK (KY)

And When Recorded Mail To: U.S. Bank Home Mortgage **4801 Frederica Street** P.O. Box 20005



Doc#: 1426645049 Fee: \$46.00 RHSP Fee:\$9.00 RPRF Fee: \$1.00

Karen A.Yarbrough

Cook County Recorder of Deeds Date: 09/23/2014 01:41 PM Pg: 1 of 5

Owensboro, KY 42304

MERS MIN#: 100250200000014069 PHONE#: (888) 679-6377

Investor #: A70 Service#: 812463RL1

Loan#: 6850121177



KNOW ALL MEN BY THESE PRESENTS: that the undersigned, holder of a certain mortgage, whose parties, dates and recording information are below, does hereby acknowledge that it has received full payment and satisfaction of the same. Accordingly, the County Recorder is hereby authorized and directed to discharge the same upon the record of said mortgage. Original Mortgagor: HELEN E. OWENS, AS TRUSTLE UNDER TRUST AGREEMENT DATED AUGUST 2, 2005 KNOWN AS THE HELEN E. OWENS TRUST

Original Mortgagee: MORTGAGE ELECTRONIC REGIS TRATION SYSTEMS, INC AS NOMINEE FOR ARCHER BANK, ITS SUCCESSORS AND ASSIGNS

Mortgage Dated: FEBRUARY 20, 2009 Recorded on: MARCH 00, 2009 as Instrument No. 0906542003 in Book No. ---

Property Address: 340 W SUPERIOR STREET, CHICAGO, IL 60654-2000

County of COOK, State of ILLINOIS

PIN# 17-09-200-017-1098

Legal Description: See Attached Exhibit

IN WITNESS WHEREOF, THE UNDERSIGNED, BY THE OFFICER DULY AUTHORIZED, HAS DULY EXECUTED THE FOREGOING INSTRUMENT ON SEPTEMBER 10, 2014

MORTGAGE ELECTRONIC REGISTRATION SYSTEMS, INC AS NOMINEE FOR ARCHER BANK, ITS SUCCESSORS AND ASSIGNS

Sherri Hurm, Assistant Secretary

1426645049 Page: 2 of 5

UNOFFICIAL COPY

Loan#: 6850121177 Srv#: 819408RL1

Page 2

State of County of **KENTUCKY**

DAVIESS

} } ss.

On this date of SEPTEMBER 10, 2014, before me the undersigned authority, personally appeared Sherri Hurm, personally known to me to be the person whose name is subscribed as the

Assistant Secretary of MORTGAGE ELECTRONIC REGISTRATION SYSTEMS, INC AS NOMINEE FOR ARCHER BANK, ITS SUCCESSORS AND ASSIGNS, a corporation, on the within instrument, who, being duly affirmed, acknowledged to me that he/she, being authorized to do so, in the capacity therein stated, executed the within instrument for and on behalf of the corporation, as its free and voluntary act and deed, for the consideration, uses and purposes therein contained.

Witness my hand and official seal on the date hereinabove set forth.

Notary Public: Cindy Wood

My Commission Expires: 02/24/2/17



1426645049 Page: 3 of 5

UNOFFICIAL COPY

6850121177-IL

Exhibit A:

UNIT 1505 AUD PARKING UNITS NO. 2-43 AND 3-11 IN THE 340 WEST SUPERIOR CONDOMINIUMS AS LALINEATED ON A SURVEY OF THE FOLLOWING DESCRIBED REAL ESTATE:

THAT PART OF LOIS 11, 12, 13, 14, 15 AND 16 ALL INCLUSIVE, IN BLOCK 18 IN BUTLER, WRIGHT AND (BESTER'S ADDITION TO CHICAGO IN SECTION 9, TOWNSHIP 39 NORTH, RANGE 14 BAST OF THE THIRD PRINCIPAL MERIDIAN IN COOK COUNTY, ILLINOIS, EXCEPT THAT PART THEREOF LYIN ABOVE THE CONCRETE SURFACE OF GOUND LEVEL FIRST FLOOR (ELEVATION 13.40, CITY OF CHICAGO DATUM) AND LYING BELOW THE CONCRETE SURFACE OF CEILING OF SAID GLOUND LEVEL FIRST FLOOR (ELEVATION 30.07, CITY OF CHICAGO DATUM), DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF CATO LOT 11; THENCE SOUTH 89 DEGREES 48 MINUTES EAST, ALONG THE SOUTH LINE OF SAID LOTS 21.30 FEBT; THENCE NORTH 0 DEGREES 12 MINUTES RAST, 1.74 FEBT TO THE POINT OF BEGINNING OF THE TRACT OF LAND TO BE DESCRIBED HEREIN, SAID PLACE OF FLIGHNING BEING THE INTERSECTION OF INTERIOR BAST FACE OF CONCRETE WALL WITH THE INTERIOR NORTH FACE OF CONCRETE COLUMN; THENCE THE FOLLOWING COURSES AND DISTANCES ALONG THE INTERIOR FACE OF CONCRETE WALLS, CONCRETE COLUMNS, CONCRETE BLOCK WILLS AND/OR METAL STUD WALLS, TO WITH

NORTH 00 DEGREES 22 MINUTES 32 SECONDS EAST, 44.38 FETT; HENCE SOUTH 89
DEGREES; 31 MINUTES 42 SECONDS EAST, 26.38 FEET; THENCE SOUTH 00 DEGREES 34
MINUTES 17 SECONDS WEST, 11.16 FBET; THENCE ALONG THE ARC OF A CIRCLE CONCAVE
NORTHEASTERLY, HAVING A RADIUS OF 13.85 FEET AND A CHORD LEAVER OF 13.96 FEET
WHICH BEARS SOUTH 33 DEGREES 14 MINUTES 08 SECONDS EAST, FOR LA ARC LENGTH OF
14.63 FEET; THENCE SOUTH 00 DEGREES 05 MINUTES 33 SECONDS EAST, 1(.22 FEET;
THENCE ALONG THE ARC OF A CIRCLE CONCAVE SOUTHEASTERLY, HAVING A PUDIUS OF 14.60
FEET AND A CHORD LENGTH OF 13.67 FEET WHICH BEARS SOUTH 35 DEGREES 0; MINUTES 23
SECONDS WEST FOR AN ARC LENGTH OF 14.23 FRET; THENCE NORTH 89 DEGREES 5. INUTES
32 SECONDS WEST, 2.80 FEET; THENCE SOUTH 00 DEGREES 09 MINUTES 28 SECONDS AFST,
0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 32 SECONDS WEST, 20.52 FRET;
THENCE NORTH 00 DEGREES 09 MINUTES 28 SECONDS EAST, 0.50 FEET; THENCE NORTH 29
DEGREES 50 MINUTES 32 SECONDS WEST, 2.75 FEET TO THE POINT OF BEGINNING,

TOGETHER WITH

THAT PART OF SAID LOTS DESCRIBED AS COMMENCING AT THE NORTHEAST CORNER OF SAID LOT 16; THENCE SOUTH 0 DEGREES EAST, ALONG THE EAST LINE OF SAID LOT, 1.20 FEBT; THENCE NORTH 90 DEGREES WEST, 1.48 FEBT TO THE POINT OF BEGINNING OF THE TRACT OF LAND TO BE DESCRIBED HEREIN, SAID POINT OF BEGINNING BEING THE INTERESECTION OF THE INTERIOR SOUTH FACE OF CONCRETE WALL WITH THE INTERIOR WEST FACE OF CONCRETE COLUMN; THENCE THE FOLLOWING COURSES AND DISTANCES ALONG THE INTERIOR

(CONTINUED)

1426645049 Page: 4 of 5

UNOFFICIAL COPY

FACE OF CONCRETE WALLS, CONCRETE COLUMNS, CONCRETE BLOCK WALLS AND/OR METAL STUD WALLS, TO WIT:

NORTH (9) FGRES 48 MINUTES 45 SECONDS WEST, 15.95 FEBT; THENCE NORTH 00 DEGREES 09 MINUTF; 19 SECONDS EAST, 0.42 FEST; THENCE NORTH 89 DEGREES 48 MINUTES 45 SECONDS WEST, .3.35 FEET; THENCE SOUTH 00 DEGRESS 28 MINUTES 05 SECONDS WEST, 7.48 FEET; TAIN D NORTH 89 DEGREES 31 MINUTES 55 SECONDS WEST, 0.15 FEET; THENCE SOUTH 00 DEGREES, 78 MINUTES 05 SECONDS WEST, 39.18 FEET; THENCE SOUTH 89 DEGREES 31 MINUTES 35 SECONDS EAST, 3.70 FEET; THENCE SOUTH 00 DEGREES 16 MINUTES 47 SECONDS WE'L, 17.47 FEET; THENCE SOUTH 45 DEGREES 10 MINUTES 24 SECONDS WEST, 35.82 FFF: THENCE NORTH 89 DEGREES 18 MINUTES 14 SECONDS WEST, 12.33 FEET; THENCE ALONG THE ARC OF A CIRCLE CONCAVE WESTERLY, HAVING A RADIUS OF 28.96 FEET AND A CHORD LENGTH OF 7.76 FEET WHICH BEARS SOUTH 03 DEGREES 27 MINUTES 51 SECONDS WEST, FOR PA ARC LENGTH OF 7.78 FEET; THENCE SOUTH 45 DEGREES 29 MINUTES, 12 SECONDS EAST, 5.37 FEBT; THENCE SOUTH 00 DEGREES 03 MINUTES 04 SECONDS EAST, 1.74 FEET; THENCE 30 T. 44 DEGREES 44 MINUTES 38 SECONDS WEST, 10.23 FEET; THENCE SOUTH OO DEGREES 16 MINUTES OB SECONDS WEST, 3.38 FT; THENCE SOUTH 44 DEGREES 09 MINUTES 07 SECONDS (1851, 2.07 FRET; THENCE ALONG THE ARC OF A CIRCLE CONCAVE SOUTHEASTERLY HAVING A RADULS OF 13.81 FEET AND A CHORD LENGTH OF 11.68 FT WHICH BEARS SOUTH 30 DEGREES 01 NINUTES 14 SECONDS EAST, FOR AN ARC LENGTH OF 12.06 FEET; THENCE SOUTH 89 DEGREEF 50 MINUTES 21 SECONDS EAST, 2.77 FEET; THENCE SOUTH 00 DEGREES 09 MINUTES 39 SECTIONS WEST, 0.50 FEET; THENCE SOUTH 89 DEGREES 50 MINUTES 21 SECONDS EAST, 21.63 FRET; THENCE NORTH 00 DEGREES 09 MINUTES 39 SECONDS EAST, 0.50 FEET; THENCE SOUTH 89 DEGREES 42 MINUTES 03 SECONDS EAST, 6.01 FEET; THENCE SOUTH 00 DEGREES 1/ MINUTAL 57 SECONDS WEST, 0.50 FEET; THENCE ALONG THE ARC OF A CIRCLE CONCAVE NOR THERLY, HAVING A RADIUS OF 43.84 FRET AND A CHORD LENGTH OF 20.65 FRET WHICH BEAKS NORTH 82 DESGREES 31 MINUTES 26 SECONDS EAST, FOR AN ARC LENGTH OF 20.85 FEET THING NORTH 25 DEGREES 45 MINUTES 48 SECONDS WEST, 0.50 FEET; THENCE NORTH 64 DEGREES 14 MINUTES 12 SECONDS EAST, 6.00 FEET; THENCE SOUTH 25 DEGREES 45 MINUTES 48 SICONDS EAST, 9.50 FEET; THENCE ALONG THE ARC OF A CIRCLE CONCAVE NORTHWESTERLY, LAVING A 7.54 FEET AND A CHORD LENGTH OF 19.25 FEET WHICH BEARS NORTH 10 DEGREES 53 MINUTES 33 SECONDS EAST, FOR AN ARC LENGTH OF 19.47 FEET; TI ENCF NORTH 65 DEGREES 46 MINUTES 00 SECONDS WEST, 0.50 FEET; THENCE NORTH 24 DF 3PP3S 14 MINUTES 00 SECONDS EAST, 5.99 FEET; THENCE SOUTH 65 DEGREES 46 MINUTES 07 SECONDS EAST, 0.50 FEET; THENCE NORTH 24 DEGREES 14 MINUTES 00 SECONDS BAST, 5.99 FEET; THENCE SOUTH 65 DEGREES 46 MINUTES 00 SECONDS EAST, 0.50 FEET; THENCE ALONG THE ARC OF A CIRCLE CONCAVE WESTERLY, HAVING A RADIUS OF 47.87 FEET AND A CHORD LENGTH OF 18.71 FEET WHICH BEARS NORTH 06 DEGREES 29 MINUTES 40 SECONDS EAST, FOR AN ARC LENGTH OF 18.83 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEST; THENCE NORTH 00 DEGREES 09 MINUTES 19 SECONDS EAST, 6.10 FEET; THENCE SOUTH 89 DEGREES 50 MINUTES 41 SECONDS EAST, 0.50 FEET; THENCE NORTH 00 DEGREES 09 MINUTES 19 SECONDS EAST, 12.60 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FT; THENCE NORTH 00 DEGREES 09 MINUTES 19 SECONDS EAST, 6.02 FEET THENCE SOUTH 89 DEGREES 50 MINUTES 41 SECONDS EAST, 0.50

1426645049 Page: 5 of 5

UNOFFICIAL COPY

FEET; THINCE NORTH 00 DEGREES 09 MINUTES 19 SECONDS EAST, 15.99 FEET; THENCE NORTH 89 DE GREES 60 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 00 DEGREES 60 MINUTES 41 SECONDS EAST, 6.00 FEET; THENCE SOUTH 89 DEGREES 50 MINUTES 41 SECONDS EAST, 5.50 FEET; THENCE NORTH 00 DEGREES 09 MINUTES 19 SECONDS EAST, 17.50 NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 00 PLGREES 09 MINUTES 19 SECONDS EAST, 6.01 FEET; THENCE SOUTH 89 DEGREES 50 MINUTES 41 SECONDS EAST, 0.50 FEET; THENCE NORTH 00 DEGREES 09 MINUTES 19 SECONDS EAST, 12.37 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTES 41 SECONDS WEST, 0.50 FEET; THENCE NORTH 89 DEGREES 50 MINUTE

WHICH SURVEY IS ATTACHED AS LAH BIT "D" TO THE DECLARATION OF CONDOMINIUM RECORDED AS DOCUMENT 0020190306 TOGETHER WITH THEIR UNDIVIDED PERCENTAGE INTERESTS IN THE COMMON ELEMENTS.