UNOFFICIAL COPY

UCC FINANCING STATEMENT AMENT FOLLOW INSTRUCTIONS	NDMENT	Doc#	*1711634020* 1711634020 Fee \$4	! 18.00	
A. NAME & PHONE OF CONTACT AT FILER (optional) Vanessa A. Orta 405-236-0003 B. E-MAIL CONTACT AT FILER (optional)		<u> </u>	FEE:\$9.00 RPRF FEE: \$1.0 A.YARBROUGH	10	
C. SEND ACKNOWLEDGMENT TO: (Name and Address) McCoy & Orta, P.C.	7	•	COUNTY RECORDER OF DEEDS 04/26/2017 09:42 AM PG		
100 North Broadway, 26th Floor Oklahoma City. CK 73102		THE ABOVE SPA	CE IS FOR FILING OFFICE USE	ONLY	
1a. INITIAL FINANCING STATEMEN TO STATEMEN TO SUMBER 1627229092 filed 9/28/15		(or recorded) in the REAL	MENT AMENDMENT is to be filed [for ESTATE RECORDS Jendum (Form UCC3Ad) <u>and</u> provide Debt	-	,
2. TERMINATION: Effectiveness of the rinancing Statement Statement	identified above is terminated w				ı
3. ASSIGNMENT (Liptor partial): Provide name of Assignee For partial assignment, complete items 7 and 9 and (Iso items)	in item 7a or 7b, <u>and</u> address of Lite affected collateral in item 8	Assignee in item 7c and name c	f Assignor in item 9		ı
CONTINUATION: Effectiveness of the Financing Stateme continued for the additional period provided by applicable law	nt Jent fied above with respect	to the security interest(s) of Sec	ured Party authorizing this Continuati	ion Statement is	ı
5. PARTY INFORMATION CHANGE: Check one of these two boxes: This Change affects Debtor or Secured Party of record 6. CURRENT RECORD INFORMATION: Complete for Party In 6a. ORGANIZATION'S NAME	ND Check one of 'liese three bo CHANCme and/or a item 6a c 6b; and item 7 formation Change - prc /ide or y c	ddress: Complete a or 7b and item 7c 7a or 7b,	ne: Complete item DELETE name: and item 7c to be deloted in	Give record name item 6a or 6b	ı
OR 6b. INDIVIDUAL'S SURNAME	FIRST PERSON	H. N'mi	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
7. CHANGED OR ADDED INFORMATION: Complete for Assignment 7a. ORGANIZATION'S NAME DEUTSCHE BANK TRUST COMPANY A 7b. INDIVIDUAL'S SURNAME INDIVIDUAL'S FIRST PERSONAL NAME			me, do not amit, modify, or abbreviate any part o	of the Debtor's name)	
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)	<u>.</u>		$O_{x_{n}}$	SUFFIX	
7c. MAILING ADDRESS 1761 East St. Andrew Place	сіту Santa Ana		STATE POSTAL COTE CA 92705-4924	COUNTRY	
8. COLLATERAL CHANGE: Also check one of these four box Indicate collateral: * FOR THE REGISTERED HOLDERS OF CI MORTGAGE PASS-THROUGH CERTIFICA	TIGROUP COMMER	RCIAL MORTGAGE S	ESTATE covered collateral	ASSIGN collateral	
	<u></u>			S	Y
NAME OF SECURED PARTY OF RECORD AUTHORIZ If this is an Amendment authorized by a DEBTOR, check here	ING THIS AMENDMENT: Pro and provide name of authorizing	ovide only <u>one</u> name (9a or 9b) (na Debtor	arne of Assignor, if this is an Assignmen	nt) P	6
FEDERAL HOME LOAN MORTGAGE CO		LNAVE	4001-70V/	S	N
	FIRST PERSONA	IL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX M	<u>_V</u>
10. OPTIONAL FILER REFERENCE DATA: M&O Ref.: 7182.018 Weatherstone Lakes MHC (Loan No. 932611923) FILE WITH COOK COUNTY, IL					ΣÄ
UCC FINANCING STATEMENT AMENDMENT (Form UCC3) (Rev. 04/20/11)					<u>Y</u>

1711634020 Page: 2 of 6

UNOFFICIAL COPY

	CC FINANCING STATEMENT AMENDMENT ADD LLOW INSTRUCTIONS	ENDUM
11. 16	INITIAL FINANCING STATEMENT FILE NUMBER: Same as item 1a on Amendment for 527229092 filed 9/28/16	m .
	NAME OF PARTY AUTHORIZING THIS AMENDMENT: Same as item 9 on Amendmen	t form
122. ORGANIZATION'S NAME FEDERAL HOME LOAN MORTGAGE CORPORATION		
OR	12b. INDIVIDUAL'S SURNAME	
	FIRST PERSONAL N. ME	
	ADDITIONAL NAME(S)/IN, TIAL, S'	SUFFIX
13.	Name of DEBTOR on related financing structment (Name of a current Debtor of record re	THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY equired for indexing purposes only in some filing offices - see Instruction item 13): Provide only
	one Debtor name (13a or 13b) (use exact, full name; no not omit, modify, or abbreviate any parents. 13a. ORGANIZATION'S NAME	of the Debtor's name); see Instructions if name does not fit
	WEATHERSTONE RE, LLC	
OR		SONAL NAME ADDITIONAL NAME(S)/INITIAL(S) SUFFIX
14.	ADDITIONAL SPACE FOR ITEM 8 (Collateral):	
15. T	This FINANCING STATEMENT AMENDMENT:	SONAL NAME ADDITIONAL NAME(S)/INITIAL(S) SUFFIX
[].	covers timber to be cut covers as extracted collateral is filed as a fixture filing	1
16. N (Name and address of a RECORD OWNER of real estate described in item 17 if Debtor does not have a record interest):	Exhibit "A", attached hereto and made a part hereof
		Property Address: 21191 Torrence Avenue, Sauk Village, IL 60411
		PIN: 33-19-100-010-0000
18. M	MISCELLANEOUS:	

1711634020 Page: 3 of 6

UNOFFICIAL COPY

EXHIBIT ALEGAL DESCRIPTION

Real property in the City of Sauk Village, County of Cook, State of Illinois, described as follows:

PARCEL I (NORTH PARCEL):

PART OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 19, TOWNSHIP 35 NORTH, RANGE 15 EAST, THIRD PRINCIPAL MERIDIAN, COOK COUNTY, 'L'L'INOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER; THENCE SOUTH 8° DEGREES 39 MINUTES 09 SECONDS EAST (RECORD BEARING OF A PARENT SURVEY BY ROBINSON ENGINEERING, LTD. PROJECT NO. 92-1-17, DATED JANUARY 29, 1952), 1330.66 FEET ON AND ALONG THE NORTH LINE OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE EAST LINE OF THE WEST HALF OF SAID NORTH VEST QUARTER; THENCE SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 1618 49 FEET ON AND ALONG THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO A 5/8-INCH DIAMETER REBAR; THENCE NORTH 89 DEGREES 36 MINUTES 10 SECONDS WEST, 156,00 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 303.69 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE SOUTHWESTERLY, AN ARC LENGTH OF 47.20 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 45 DEGREES 07 MINUTES 59 SECONDS WEST, 42.48 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 89 DEGREES 47 MINUTES 53 SECONDS WEST, 330.44 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE WESTERLY, AN ARC LENGTH OF 69.28 FEET ON AND ALONG A TANGENT CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 300,00 FEET AND A CHORD LEARING AND LENGTH OF SOUTH 83 DEGREES 35 MINUTES 09 SECONDS WEST, 69,13 FEET TO A MAGNETIC NAIL; THENCE NORTHWESTERLY, AN ARC LENGTH OF 53 /8 FEET ON AND ALONG A REVERSE TANGENT CURVE, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 51 DEGREES 28 MINUTES 59 SECONDS WEST, 46.99 FEET TO A MAGNETIC NAIL; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 00 DEGREES 03 MINUTES 50 SECONDS EAST, 422.27 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTHERLY AN ARC LENGTH OF 248.14 FEET ON AND ALONG A TANGENT CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 487.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 14 DEGREES 39 MINUTES 40 SECONDS EAST, 245.47 FEET TO A MAGNETIC NAIL; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 29 DEGREES 15 MINUTES 29 SECONDS EAST, 138.36 FEET TO A MAGNETIC NAIL; THENCE NORTH 54 DEGREES 35 MINUTES 30 SECONDS WEST, 389,37 FEET TO A 5/8-

Loan No.: 932611923 M&O File No.: 7182.018

Loan Name: Weatherstone Lakes MHC

1711634020 Page: 4 of 6

UNOFFICIAL COPY

INCH DIAMETER REBAR; THENCE NORTHWESTERLY, AN ARC LENGTH OF 70.77 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 137.00 FEET AND CHORD BEARING AND LENGTH OF NORTH 39 DEGREES 47 MINUTES 38 SECONDS WEST, 69.98 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NON-TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 89 DEGREES 53 MINUTES 54 SECONDS WEST, 263.25 FEET TO 5/8-INCH DIAMETER REBAR; THENCE WESTERLY, AN ARC LENGTH OF 27.26 FEET ON AND ALONG A TANGENT CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 61.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 77 DEGREES 17 MINUTES 51 SECONDS WEST, 27.04 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NON-TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 25 DEGREES 30 MINUTES 25 SECONDS WEST, 80.66 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS WEST, 150,20 FEET TO THE INTERSECTION WITH WEST LINE OF SAID NORTHWEST QUARTER; THENCE NORTH 00 DEGREES 00 MINUTES 00 SECONDS WEST, 944.84 FEET ON AND ALONG THE WEST LINE OF SAID NORTHWEST QUARTER TO THE POINT OF BEGINNING, IN COOK COUNTY, ILLINOIS.

PARCEL 2 (SOUTH PARCEL):

PART OF THE WEST HALF OF THE NURTHWEST QUARTER OF SECTION 19, TOWNSHIP 35 NORTH, RANGE 15 EAST, THIRD PRINCIPAL MERIDIAN, COOK COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER: THENCE SOUTH 89 DEGREES 39 MINUTES 09 SECONDS EAST (RECORD BEARING OF A PARENT SURVEY BY ROBINSON ENGINEERING, LTD. PROJECT NO. 92-1-17, DATED JANUARY 29, 1992), 1330.66 FEET ON AND ALONG THE NORTH LINE OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE SOUTP 00 DEGREES 03 MINUTES 50 SECONDS WEST, 1618.49 FEET ON AND ALONG THE FAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO A 5/8-INCH DIAMETER REBAR. AND BEING THE TRUE POINT OF BEGINNING OF THIS DESCRIPTION; THENCE CONTINUING SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 972 42 FEET ON AND ALONG THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE NORTHERLY RIGHT-OF-WAY LINE OF LINCOLN HIGHWAY AS DEDICATED PER DOCUMENT NUMBER 8990432 IN THE OFFICE OF THE RECORDER OF COOK COUNTY, ILLINOIS; THENCE NORTH 89 DEGREES 23 MINUTES 27 SECONDS WEST, 33.00 FEET ON AND ALONG THE NORTHERLY RIGHT-OF-WAY LINE OF SAID LINCOLN HIGHWAY TO THE INTERSECTION WITH THE WEST LINE OF THE EAST 33.00 FEET OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 00 DEGREES 03 MINUTES 50 SECONDS EAST, 256.04 FEET ON AND ALONG THE WEST LINE OF SAID EAST 33.00 FEET TO THE INTERSECTION WITH THE NORTH LINE OF THE SOUTH 330 FEET OF THE EAST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 89 DEGREES 47 MINUTES 53 SECONDS WEST, 631.02 FEET ON AND ALONG THE

Loan No.: 932611923 M&O File No.: 7182.018

Loan Name: Weatherstone Lakes MHC

1711634020 Page: 5 of 6

UNOFFICIAL COPY

NORTH LINE OF SAID SOUTH 330 FEET TO THE INTERSECTION WITH THE WEST LINE OF THE EAST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER: THENCE NORTH 00 DEGREES 01 MINUTES 55 SECONDS EAST, 164.27 FEET ON AND ALONG THE WEST LINE OF THE EAST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE NORTH LINE OF THE SOUTH 507.32 FEET OF THE WEST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 89 DEGREES 57 MINUTES 33 SECONDS WEST, 664.11 FEET ON AND ALONG THE NORTH LINE OF SAID SOUTH 507.32 FEET TO THE INTERSECTION WITH THE WEST LINE OF SAID NORTHWEST QUARTER; THENCE NORTH CO DEGREES 00 MINUTES 00 SECONDS WEST, 1230,78 FEET ON AND ALONG THE WEST LINE OF SAID NORTHWEST QUARTER; THENCE SOUTH 90 DEGREES 00 MINUTES COSECONDS EAST, 150.20 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NOR/L1 25 DEGREES 30 MINUTES 25 SECONDS EAST, 80.66 FEET TO A 5/8-INCH DIAMETER AFBAR; THENCE EASTERLY, AN ARC LENGTH OF 27.26 FEET ON AND ALONG A NON-TANGENT CURVE, CONCAVE NORTHERLY AND HAVING A RADJUS OF 61.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 77 DEGREES 17 MINUTES 57 SECONDS EAST, 27.04 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 89 DEGREES 53 MINUTES 54 SECONDS EAST, 263.25 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE SOUTHEASTERLY, AN AKC LENGTH OF 70.77 FEET ON AND ALONG A NON-TANGENT CURVE, CONCAVE 1 ORTHEASTERLY, HAVING A RADIUS OF 137.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 39 DEGREES 47 MINUTES 38 SECONDS EAST, 69.98 FEET TO A 5/8-INCH DIAMETER REBAR: THENCE TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 54 DEGREES 35 MINUTES 30 SECONDS EAST, 389.37 FEET TO A MAGNETIC NAIL; THENCE SOUTH 29 DEGREES 15 MINUTES 29 SECONDS WEST, 138.36 FEET TO A MAGNETIC NAIL; THENCE SOUTHERLY, AN ARC LENGTH OF 248.14 FEET ON AND ALONG A TANGENT CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 487.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 14 DEGREES 39 MINUTES 40 SECONDS WEST, 245.47 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANCENT TO THE LAST DESCRIBED CURVE, SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 422,27 FEET TO A MAGNETIC NAIL; THENCE SOUTHEASTERLY, AN ARC LENGTH OF 53.98 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 51 DEGREES 28 MINUTES 59 SECONDS EAST, 46.99 FEET TO A MAGNETIC NAIL: THENCE EASTERLY, AN ARC LENGTH OF 69.28 FEET ON AND ALONG A REVERSE TANGENT CURVE, CONCAVE SOUTHERLY, HAVING RADIUS OF 300,00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 83 DEGREES 35 MINUTES 09 SECONDS EAST, 69.13 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 89 DEGREES 47 MINUTES 53 SECONDS EAST. 330.44 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTHEASTERLY, AN ARC LENGTH OF 47.20 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 45 DEGREES 07 MINUTES 59 SECONDS EAST, 42.48 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 00 DEGREES 03 MINUTES 50 SECONDS EAST, 303.69 FEET TO A 5/8-

Loan No.: 932611923 M&O File No.: 7182.018

Loan Name: Weatherstone Lakes MHC

1711634020 Page: 6 of 6

UNOFFICIAL COPY

INCH DIAMETER REBAR; THENCE SOUTH 89 DEGREES 56 MINUTES 10 SECONDS EAST, 156.00 FEET TO THE POINT OF BEGINNING, IN COOK COUNTY, ILLINOIS.

PARCEL 3:

NON-EXCLUSIVE EASEMENT FOR VEHICULAR AND PEDESTRIAN INGRESS AND EGRESS AS GRANTED AND DESCRIBED IN THAT CERTAIN "ACCESS EASEMENT AGREEMENT" RECORDED JULY 20, 2007 AS DOCUMENT NO. 0720116032 IN COOK COUNTY, ILLINOIS.

191 a D-0000
TO OF COOK COUNTY CLOTH'S OFFICE Property Addiess: 21191 Torrence Avenue, Sauk Village, IL 60411

33-19-100-010-0000

Loan No.: 932611923 M&O File No.: 7182.018

Loan Name: Weatherstone Lakes MHC