


UNOFFICIAL COPY



UCC FINANCING STATEMENT AMENDMENT

FOLLOW INSTRUCTIONS

A. NAME & PHONE OF CONTACT AT FILER (optional)
 Name: Wolters Kluwer Lien Solutions Phone: 800-331-3282 Fax: 818-662-4141

B. E-MAIL CONTACT AT FILER (optional)
 uccfilingreturn@wolterskluwer.com

C. SEND ACKNOWLEDGMENT TO: (Name and Address) 8839 - BCM (UCC's)

Lien Solutions P.O. Box 29071 Glendale, CA 91209-9071	75672194 ILIL FIXTURE
---	-----------------------------

File with: Cook, IL

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE NUMBER
 1627229092 9/28/2016 CC IL Cook

1b. This FINANCING STATEMENT AMENDMENT is to be filed [for record] (or recorded) in the REAL ESTATE RECORDS
 Filer: attach Amendment Addendum (Form UCC3Ad) and provide Debtor's name in item 13

2. TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to the security interest(s) of Secured Party authorizing this Termination Statement

3. ASSIGNMENT (full or partial): Provide name of Assignee in item 7a or 7b, and address of Assignee in item 7c and name of Assignor in item 9
 For partial assignment, complete items 7 and 9 and also indicate affected collateral in item 8

4. CONTINUATION: Effectiveness of the Financing Statement identified above with respect to the security interest(s) of Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law

5. PARTY INFORMATION CHANGE:
 Check one of these two boxes: AND Check one of these three boxes to:
 This Change affects Debtor or Secured Party of record CHANGE name and/or address: Complete item 6a or 6b; and item 7a or 7b and item 7c ADD name: Complete item 7a or 7b, and item 7c DELETE name: Give record name to be deleted in item 6a or 6b

6. CURRENT RECORD INFORMATION: Complete for Party Information Change - provide only one name (6a or 6b)

6a. ORGANIZATION'S NAME WEATHERSTONE RE, LLC			
OR 6b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

7. CHANGED OR ADDED INFORMATION: Complete for Assignment or Party Information Change - provide only one name (7a or 7b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name)

7a. ORGANIZATION'S NAME			
OR 7b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

7c. MAILING ADDRESS CITY STATE POSTAL CODE COUNTRY

8. COLLATERAL CHANGE: Also check one of these four boxes: ADD collateral DELETE collateral RESTATE covered collateral ASSIGN collateral
 Indicate collateral: see attached

S Y
 P 6
 S X
 MAO
 SC Y
 E Yes
 INTAR

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT: Provide only one name (9a or 9b) (name of Assignor, if this is an Assignment)
 If this is an Amendment authorized by a DEBTOR, check here and provide name of authorizing Debtor

9a. ORGANIZATION'S NAME Federal Home Loan Mortgage Corporation			
OR 9b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

10. OPTIONAL FILER REFERENCE DATA: Debtor Name: WEATHERSTONE RE, LLC
 75672194 501191803 A

UNOFFICIAL COPY

UCC FINANCING STATEMENT AMENDMENT ADDENDUM

FOLLOW INSTRUCTIONS

11. INITIAL FINANCING STATEMENT FILE NUMBER: Same as item 1a on Amendment form

1627229092 9/28/2016 CC IL Cook

12. NAME OF PARTY AUTHORIZING THIS AMENDMENT: Same as item 9 on Amendment form

12a. ORGANIZATION'S NAME

Federal Home Loan Mortgage Corporation

OR

12b. INDIVIDUAL'S SURNAME

FIRST PERSONAL NAME

ADDITIONAL NAME(S)/INITIAL(S)

SUFFIX

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

13. Name of DEBTOR on related financing statement (Name of a current Debtor of record required for indexing purposes only in some filing offices - see Instruction item 13); Provide only one Debtor name (13a or 13b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); see Instructions if name does not fit

13a. ORGANIZATION'S NAME

WEATHERSTONE RE, LLC

OR

13b. INDIVIDUAL'S SURNAME

FIRST PERSONAL NAME

ADDITIONAL NAME(S)/INITIAL(S)

SUFFIX

14. ADDITIONAL SPACE FOR ITEM 8 (Collateral):

Debtor Name and Address:

WEATHERSTONE RE, LLC - 33 North LaSalle Street, Chicago, IL 60602

Secured Party Name and Address:

Federal Home Loan Mortgage Corporation - 8200 JONES BRANCH DRIVE, MCLEAN, VA 22102

Berkadia Commercial Mortgage LLC - 323 Norristown Road, Suite 300, Amherst, PA 19002

1) Berkadia Commercial Mortgage LLC

15. This FINANCING STATEMENT AMENDMENT:

 covers timber to be cut covers as-extracted collateral is filed as a fixture filing16. Name and address of a RECORD OWNER of real estate described in item 17
(if Debtor does not have a record interest):

17. Description of real estate:

PROPERTY ADDRESS

21191 TORRENCE AVENUE

SAUK VILLAGE ILLINOIS 60411-0000

Parcel ID:

33191000100000

18. MISCELLANEOUS: 75672194-IL-31 8839 - BCM (UCC's)

Federal Home Loan Mortgage

File with: Cook, IL

501191803 A

UNOFFICIAL COPY

EXHIBIT A

Legal Description

Real property in the City of Skunk Village, County of Cook, State of Illinois, described as follows:

PARCEL 1 (NORTH PARCEL):

PART OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 19, TOWNSHIP 35 NORTH, RANGE 15 EAST, THIRD PRINCIPAL MERIDIAN, COOK COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER; THENCE SOUTH 89 DEGREES 39 MINUTES 09 SECONDS EAST (RECORD BEARING OF A PARENT SURVEY BY ROBINSON ENGINEERING, LTD. PROJECT NO. 92-1-17, DATED JANUARY 23, 1992), 1130.66 FEET ON AND ALONG THE NORTH LINE OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 1618.49 FEET ON AND ALONG THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO A 5/8-INCH DIAMETER REBAR; THENCE NORTH 89 DEGREES 56 MINUTES 10 SECONDS WEST, 156.00 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 303.69 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE SOUTHWESTERLY, AN ARC LENGTH OF 47.20 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 45 DEGREES 07 MINUTES 59 SECONDS WEST, 42.48 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE; NORTH 89 DEGREES 47 MINUTES 53 SECONDS WEST, 130.44 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE WESTERLY, AN ARC LENGTH OF 69.28 FEET ON AND ALONG A TANGENT CURVE, CONCAVE SOUTHERLY; HAVING A RADIUS OF 300.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 83 DEGREES 35 MINUTES 09 SECONDS WEST, 69.13 FEET TO A MAGNETIC NAIL; THENCE NORTHWESTERLY, AN ARC LENGTH OF 53.98 FEET ON AND ALONG A REVERSE TANGENT CURVE, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 51 DEGREES 24 MINUTES 59 SECONDS WEST, 46.99 FEET TO A MAGNETIC NAIL; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 00 DEGREES 03 MINUTES 50 SECONDS EAST, 422.27 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTHERLY AN ARC LENGTH OF 248.14 FEET ON AND ALONG A TANGENT CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 487.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 14 DEGREES 39 MINUTES 40 SECONDS EAST, 245.47 FEET TO A MAGNETIC NAIL; THENCE TANGENT TO THE LAST DESCRIBED CURVE; NORTH 15 DEGREES 15 MINUTES 29 SECONDS EAST, 138.36 FEET TO A MAGNETIC NAIL; THENCE NORTH 54 DEGREES 55 MINUTES 30 SECONDS WEST, 389.37 FEET TO A 5/8-

UNOFFICIAL COPY

INCH DIAMETER REBAR; THENCE NORTHWESTERLY, AN ARC LENGTH OF 70.77 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 137.00 FEET AND CHORD BEARING AND LENGTH OF NORTH 39 DEGREES 47 MINUTES 38 SECONDS WEST, 69.98 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NON-TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 89 DEGREES 53 MINUTES 54 SECONDS WEST, 263.25 FEET TO 5/8-INCH DIAMETER REBAR; THENCE WESTERLY, AN ARC LENGTH OF 27.26 FEET ON AND ALONG A TANGENT CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 61.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 77 DEGREES 17 MINUTES 51 SECONDS WEST, 27.04 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NON-TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 25 DEGREES 50 MINUTES 25 SECONDS WEST, 80.66 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS WEST, 150.20 FEET TO THE INTERSECTION WITH WEST LINE OF SAID NORTHWEST QUARTER; THENCE NORTH 06 DEGREES 00 MINUTES 00 SECONDS WEST, 944.84 FEET ON AND ALONG THE WEST LINE OF SAID NORTHWEST QUARTER TO THE POINT OF BEGINNING, IN COOK COUNTY, ILLINOIS.

PARCEL 2 (SOUTH PARCEL):

PART OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 19, TOWNSHIP 35 NORTH, RANGE 15 EAST, THIRD PRINCIPAL MERIDIAN, COOK COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER; THENCE SOUTH 89 DEGREES 39 MINUTES 09 SECONDS EAST (RECORD BEARING OF A PARENT SURVEY BY ROBINSON ENGINEERING, LTD. PROJECT NO. 92-1-17, DATED JANUARY 29, 1992), 172.66 FEET ON AND ALONG THE NORTH LINE OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 419.49 FEET ON AND ALONG THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO A 5/8-INCH DIAMETER REBAR, AND BEING THE TRUE POINT OF BEGINNING OF THIS DESCRIPTION; THENCE CONTINUING SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 972.42 FEET ON AND ALONG THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE NORTHERLY RIGHT-OF-WAY LINE OF LINCOLN HIGHWAY AS DEDICATED PER DOCUMENT NUMBER 8990432 IN THE OFFICE OF THE RECORDER OF COOK COUNTY, ILLINOIS; THENCE NORTH 89 DEGREES 23 MINUTES 27 SECONDS WEST, 33.00 FEET ON AND ALONG THE NORTHERLY RIGHT-OF-WAY LINE OF SAID LINCOLN HIGHWAY TO THE INTERSECTION WITH THE WEST LINE OF THE EAST 33.00 FEET OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 00 DEGREES 03 MINUTES 50 SECONDS EAST, 256.04 FEET ON AND ALONG THE WEST LINE OF SAID EAST 33.00 FEET TO THE INTERSECTION WITH THE NORTH LINE OF THE SOUTH 330 FEET OF THE EAST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 89 DEGREES 47 MINUTES 53 SECONDS WEST, 761.02 FEET ON AND ALONG THE

UNOFFICIAL COPY

NORTH LINE OF SAID SOUTH 330 FEET TO THE INTERSECTION WITH THE WEST LINE OF THE EAST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 00 DEGREES 01 MINUTES 35 SECONDS EAST, 164.27 FEET ON AND ALONG THE WEST LINE OF THE EAST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER TO THE INTERSECTION WITH THE NORTH LINE OF THE SOUTH 507.32 FEET OF THE WEST HALF OF THE WEST HALF OF SAID NORTHWEST QUARTER; THENCE NORTH 89 DEGREES 57 MINUTES 33 SECONDS WEST, 664.11 FEET ON AND ALONG THE NORTH LINE OF SAID SOUTH 507.32 FEET TO THE INTERSECTION WITH THE WEST LINE OF SAID NORTHWEST QUARTER; THENCE NORTH 00 DEGREES 00 MINUTES 00 SECONDS WEST, 1230.78 FEET ON AND ALONG THE WEST LINE OF SAID NORTHWEST QUARTER; THENCE SOUTH 90 DEGREES 00 MINUTES 00 SECONDS EAST, 150.20 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTH 25 DEGREES 30 MINUTES 25 SECONDS EAST, 80.66 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE EASTERLY, AN ARC LENGTH OF 27.26 FEET ON AND ALONG A NON-TANGENT CURVE, CONCAVE NORTHERLY AND HAVING A RADIUS OF 61.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 77 DEGREES 17 MINUTES 51 SECONDS EAST, 27.04 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 89 DEGREES 53 MINUTES 54 SECONDS EAST, 263.25 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE SOUTHEASTERLY, AN ARC LENGTH OF 70.77 FEET ON AND ALONG A NON-TANGENT CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 137.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 39 DEGREES 47 MINUTES 38 SECONDS EAST, 69.98 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 54 DEGREES 35 MINUTES 30 SECONDS EAST, 309.47 FEET TO A MAGNETIC NAIL; THENCE SOUTH 29 DEGREES 15 MINUTES 29 SECONDS WEST, 138.36 FEET TO A MAGNETIC NAIL; THENCE SOUTHERLY, AN ARC LENGTH OF 248.14 FEET ON AND ALONG A TANGENT CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 487.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 14 DEGREES 39 MINUTES 40 SECONDS WEST, 245.47 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 00 DEGREES 03 MINUTES 50 SECONDS WEST, 422.27 FEET TO A MAGNETIC NAIL; THENCE SOUTHEASTERLY, AN ARC LENGTH OF 33.98 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF SOUTH 51 DEGREES 28 MINUTES 59 SECONDS EAST, 46.99 FEET TO A MAGNETIC NAIL; THENCE EASTERLY, AN ARC LENGTH OF 69.28 FEET ON AND ALONG A REVERSE TANGENT CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 300.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 81 DEGREES 35 MINUTES 09 SECONDS EAST, 69.13 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, SOUTH 89 DEGREES 47 MINUTES 51 SECONDS EAST, 330.44 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE NORTHEASTERLY, AN ARC LENGTH OF 47.20 FEET ON AND ALONG A TANGENT CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 30.00 FEET AND A CHORD BEARING AND LENGTH OF NORTH 45 DEGREES 07 MINUTES 59 SECONDS EAST, 42.48 FEET TO A 5/8-INCH DIAMETER REBAR; THENCE TANGENT TO THE LAST DESCRIBED CURVE, NORTH 00 DEGREES 03 MINUTES 50 SECONDS EAST, 305.59 FEET TO A 5/8-

UNOFFICIAL COPY

INCH DIAMETER REBAR; THENCE SOUTH 89 DEGREES 56 MINUTES 10 SECONDS EAST, 156.00 FEET TO THE POINT OF BEGINNING, IN COOK COUNTY, ILLINOIS.

PARCEL 3:

NON-EXCLUSIVE EASEMENT FOR VEHICULAR AND PEDESTRIAN INGRESS AND EGRESS AS GRANTED AND DESCRIBED IN THAT CERTAIN "ACCESS EASEMENT AGREEMENT" RECORDED JULY 20, 2007 AS DOCUMENT NO. 0720116032 IN COOK COUNTY, ILLINOIS.

21191 Torrance Avenue
Saulk Village, IL
773-197-100-010-0000

Property of Cook County Clerk's Office