

QUIT CLAIM BILL OF SALE AND QUIT CLAIM ASSIGNMENT

QUIT CLAIM BILL OF SALE AND QUIT CLAIM ASSIGNMENT, dated April 28, 1989, from THE SWEETENER GROUP, INC., an Illinois corporation (the "Transferor"), to HOLLY SUGAR CORPORATION, a New York corporation (the "Transferge").

WHEREAS, the Transferor and the Transferee have entered into an Asset Purchase Agreement dated March 10, 1989 (the "Agreement");

WHEREAS, the Transferor has agreed in Section 7.1(g) of the Agreement to transfer all of its interest in and to the Property (as defined in the Agreement) to the Transferee pursuant to a quit claim bill of sale and a quit claim assignment; and

WHEREAS, the Transferor now desires to so transfer all if its interest in and to the Property.

NOW, THEKETCRE, the Transferor, for and in consideration paid to it at or before the delivery of this instrument, the receipt of which is hereby acknowledged, does hereby transfer, assign, deliver and quit claim unto the Transferee, its successors and assigns, all of its interest in and to the Property (as more fully described on Schedule 1 which is attached hereto and incorporated herein).

TO HAVE AND TO HOLD the Property unto the Transferee, its successors and assigns, to and for its own use and benefit forever.

The Transferor, for itself and its successors and assigns, does hereby covenant with the Transieree, its successors and assigns, that the Transferor, from time to time hereafter, will do, execute, acknowledge and deliver, or will cause to be done, executed, acknowledged and delivered, such further acts, deeds, transfers, assignments, conveyances and assurances, for the better transferring, assigning, and delivering unto the Transferee, its successors and assigns, all and singular, Transferor's interest in the Property hereby transferred, assigned and delivered as the Transferee, or its successors and assigns shall reasonably require and to the extent contemplated in the Agree-

All capitalized terms used in this Quit Claim Bill of Sale and Quit Claim Assignment and Schedule 1 attached hereto not otherwise defined herein shall have the meanings assigned to them in the Agreement.

89192636

UNOFFICIAL COPY

IN WITNESS WHEREOF, the Transferor has duly executed this instrument this 28 day of April, 1989.

THE SWEETENER GROUP, INC., an Illinois corporation

Ву:__

Title:

Derry Or Cook County Clerk's Office

(1545/M)

Ç١

-2-



Schedule 1

Description of Property

- The interest held by the Transferor and Dunes Transport, Inc., under the name Brookfield Terminal Company, an Illinois joint venture (the "Joint Venture"), as lessee in a ground lease dated March 6, 1986 for real property commonly known as 9501 West Southview, Brookfield, Illinois entered into by and between the Joint Venture (as Lessee) and Burlington Northern Railroad Company (as Lessor).
- 2. Dereto Doctor County Clark's Office 2. Personal Property (as described on Exhibit A, attached hereto and made a part hereof).

(1545/M)

Tave (5) Carroes Copy

Parking-

One (1) - Common lot facing Southview Avenue can accompliate a minimum of thirty (30) vehicles.

Telephone-

One (1)- "ITE" Telephone equipment.

One (1) - "TELETEK" Phone system.

Seventeen (17) - Multibutton telephones w/intercors. Sixteen (16) - Line capacity with ten (10) activated. Aroberty of Cook County Clark's Office

Two (2) - Intercom Loud Speakers.

UNOFFICIAL COPY

1 Truck driver lounge.

Scale house truck loading area

Five (5) - Overnead build storage bins: 4,000 cwt. cap. each.

One(1) - Overhead bulk storage bin: 3,000 cwt. cap.

Two(2) - 60 foot, 100,000 pound capacity platform scales.

One(1) - Liquid drip recovery tank w/pump.

CNE (1) - WHIT WE TRACK PEBLE

Outside liquid storage:

Two (2) - 55,000 gallon tanks, dement block with pump house (with side mounted Aughtrain mixers, insulated with steam packets and sterile air systems).

One(1) - 125 000 gallon tank with dement block pump house (with side mounted lightnam mixer, insulated with steam jacket and sterile air system).

Rail shei.

One (1) Partially enclosed R.R. car unloading/loading area with two tracks and mechanical scroll unloading and distribution systems.

One (1) Industrial vacuum system.

Two(2) Blowers 15 H.P. for unloading air slide cars.

Two (2) Overhead drop lights 110 vois for internal R.R. car examination.

One(1) Bug zapper.

Trailer wash building: Vith equipment.

One (1) Butterworth trailer wash system w/ electric hoist.

Ome (1) Butterworth trailer wash space wash

INOFFICIAL COPY

1 - Quality Assurance Personnel Office.

Including the following lab equipment:

1 - Franze lan poloriscope.

1 - Master line water bath, 10 gal.

1 - American Optical benchtop refractometer.

1 - Corning beach top lab stirrer.

1 - Milton-Roy Co. spectronic 21 benchtop spectophotometer.

1 - Metler 210 benchtop anayliteal scale.

1 - Bransonic untrasonic bath.

1 - Magmix benchtop stirrer.

1 - Fisher digital P.H. meter.

1 - Imperial/labline incubator.

1 - Sybron heater/stirrer.

1 - Autoclaye/Misconsin Aluminum cc.

1 - Leitz macroscope 585064.

1 - Bausch & Lomb microscope 313216.

1 - Unitron how illuminated microscope 61624.

1 - Bausch & Mark illuminator 31352.

1 - American opticul microscope 60.

1 - American optical colony counter.

1 - Instuments for research benchtop polorimeter.

1 - Ro-tap testing sieve shaker w/one hour timer.

1 - Masterline.

sion acument

- 1 Powermatic drill press.
- 1 Free standing grinder.
- 2 Bench grinders.
- 1 Band sav
- 1 Parts washer
- 1 2 ton floor mack.
- -10/4'S OFFICE 1 - Yard Conveyor (portable railcar-to-truck unloader)
- 1 Oster pipe threader.
- 1 Rigić pipe threading set.
- 1 Lincoln welder TIG 300/300
- 3 Line welder 250.
- 1 6 ton Red Arrow Fress.
- 1 Ruger engine hoist.
- 1 Daymon battery charger.
- 1 Acetylene torch.
- 3 Bench vises.
- 1 Pressure greaser
- 1 Mens washroom w/2 sinks,1 urinal, 1 stall, 1 shower & 6 lockers.
- 1 Womens washroom w/l sirk, 1 stall.
- 1 Complete total Building security system.

RECEIVED IN BAD COMPITION

- 1 5000 gal. water storage tank.
- 1 3000 gal. Water storage tark.
- 1 1000 gal. water storage tank.
- 1 10,000 gal. water storage tank.

RECEIVED IN BAD CONDITION

- 1 1000 gal. suffer tark.
- 2 DeLaval Syrup Coolers.
- 1 5 H.P. #3300 Gould pump. 1 7.5 H.P. #3770 Gould pump
- 1 3 H.P. =3715 Gould pump.
- 1 2 H.P. =3715 Gould fump.
- 1 125 Waukesha pump.
- 1 5 H.P. US Varidrive.
- 1 Motor Control Panel.
- 1 Hersey Water Meter.
- Heat Exchanger- St. MARY
- 1 Ross Strup Heater.
- 1 Butterworth Sanatizing Heat.

SLURRY FOON

- 2 Nater Demineralizers
- 1 Acid Storage tark with smill tank-500 gal.
- 1 Acid mixing tank, 50 qt1.
- 1 Acid storage taml. 200 gal.
- 1 Acid Surette
- 1 Soda mixing tank, 50 gal.
- 1 Soda storage tank, 200 gal.
- 1 Soda Burette.
- 2 k H.P pump (Soda-Acid)
- 1 Water wash Prescat tank 700 gal.
- 1 Slurry mixing tank, 400 gal.
- 2 Lightening mixers 1.5 H.P.
- 1 Gould pump 10 H.F. 1 Dayton 500 lb. hoist.

BOILER ROOM

- 1 Motor control panel.
- 1 20" vent fan.
- 1 Gardner Denver air compressor w/ Allis Chalmers motor 1-H.P
- 1 86 gal water heater A.O. Smith
- 1 Cleaver Erooks Boiler Model # CB 309-200
- 1 Adams water filter.
- 1 Wothington pump- water booster. 7.5 H.P. -US motor.

UNOFFICIAL CORENZED IN SAD CONDITION

- 4 14,000 Gal. storage tanks w.7.5 H.F. agitators.
- 1 19,000 Gal. storage tank w. T.5 H.P. agitators.
- 1 Centrifugal loading pump w/25H.P. drive. (Simple)
- 1 Moymo loading pump w/15 H.P. drive. (Invert)
- 1 Heat exchanger (tank wash) w/500,000B.T.U.
- 2 Tank wash water reservoir tanks/300 gal. each.
- 1 Tank wash samitizing pump w/25 H.P. drive.
- 4 Sparkler filters (For filtering syrup).
- 2 Dissolving tanks / 2,000 gal.each. With 2/7.5 H.F. Lightning mixers.
- 1 Moymo filter pump w/ 15 H.P. (Variable speed drive).
- 4 Steam jacketed inverting tanks, 1,000 gal. each
- 4 Lightning mixers 1.5 K.P.
- 1 Syrup surge tank, 500 Gal.
- 1 Mauke (na 125 syrup pump w/ 5 H.F. (variable).
- 1 Waukesha 125 syrup pump w/5 H.P.
- 1 Waukesha 100 syrup pump w/ 3 H.P.
- 1 Sweet water reclaimation tark, 1,000 gal.
- 1- Electrical panel board. (27 Circuits)
- 1 Master control punel. (Taylor Insturments) 12 rotary charts.
- 4 Automatic inverting tank clocks.
- 1 Noymo pump to heat (Athanger W/ 25 H.P.
- 1 Northington centrifugal water booster pump w/ 7.5 H.P.
- 1 20,000 lb. cap batch scale bin. (Howe Insturments).
- 1 Sugar cross screw w/ 3 H.F 12 inch.
- 1 30 inch exaust fan W. 1.5 h.f. 1 Positive pressure U.V. light filhered air system.
- 1 Cross screw from him =6 to liquid w(.F.dr. (141nch)
- 1 Cross screw from bin =4 to liquid w/ 7.5 %.F. (14 inch).
- 1 Batch tank exhaust system w/ 3 H.P.
- 1 Roof exhaust fan w/ 1 E.P. (36 inch).
- 1 Slurmy-precoat exhaust system w/ 5 H.F.
- 2 Eucket elevator (3 story) for bulk unloading.
- 2 Cross screw (18 inch) N & S 5 H.P. dr/Universal routing.
- 2 Cross screw (18 inch) E & W 5 H.P. dr/ to all over head bins.
- 1 4,000 lb. service elevator. (Reliance).

SPAPE LAB DOUIPTMENT

- 1 Nasterline water bath. 10 gal.
- 1 IFP benchtop polorimeter.
- 2 Lumitron photovolt colorimeter.
- 2 Lab ovens. (Despatch)
- 1 Denver Fireclay beam balance.
- 1 Mettler 430 analytical balance.
- 1 VWR 1330 oven.
- 1 Rudolph & Co. polorascope (Lab).
- 1 Wheatstone bridge, conductivity meter.
- 1 Thermoline hot plate.
- 1 Precision scientific.
- 3 Bausch & Lomb lab polariscopes w/ case.

Appr. 14 00 pcs. misc. glassware.

Office

APPROXIVATELY 5,500 Sq. FT.

- 3 Truck docks.
- 1 Pail road dock.
- 1 file storage area.
- 1 Labatory storage area.
- 1 Yale forklift 4000 lb. cap.
- 1 Roper 'gear pump 15 H.P. portable unit.
- 1 L C meter portable unit.
- 5 Offices connected to the warehouse.

SPAPE EQUIPMENT

- 1 2 L 8 1000 pump.
- 2 2 HIV-1010 pump.
- 1 125 Kaukosha pump.
- 1 5 H.P. US varidrive.
- 1 5 H.F. Reeks varidrive.
- 1 Gardner Denver mycloblower, CEN 340.
- 1 G.E. motor control center.
- 1 Foot Ero's gestarive, 9.3 ratio.
- 1 Foot Ero's geardrive. 13.9 ratio.
- 1 Foot Bro's geardrive. 17.0 ratio.
- 1 u.S. mixer motor 1.5 H.D.
- 4 Louis Allis mixer motor 3 F.F.
- 1 Gould pump #3770.
- 1 Gould pump =3755.
- 150 Delaval heat exchanger plates.
- 51 Filter plates.
- 1 U.S. gear motor 3 H.P.

- 1 Dayton 1 H.F. 1 - Dayton 1.5 H.P.
- 1 Dayton 3 H.P.
- 7.5 E.F. 2 - Dayton
- 1 Louis Allis 3 H.P.
- 1 Louis Allis 5 H.F.
- 7.5 H.P. 1 - Gould
- 1 Gould 10 H.P.
- 2 Allis Chalmers 5 H.F.
- l Leland 7.5 E.P.

75 J. Clert's Office SUPPLIES & MATERIALS

Hydrochloric Acid 38 drums.

288 bags. Manville 503

Manville 5F 322 bags. Manville SW-10 591 bags.

Darco activated carbon 103 bags.

42 bags. WLR socia ash

Sodium carbonate monohydrate 600 lbs.

2000 sheets. Filter paper

As OF 3/8/89 - Supplies ARE IN USE FOR PROCESSING

UNOFFICIALEOPY

Two -(2) - Puel pumps and island. Two -(2) - Pailroad tracks directed to rail shed.

One -(1) - Railroad track adjacent to warehouse and storage area.

Eight - (8) - Truck heater plug-ins.

Two-(2) - Manual close truck gates w/locks.

One-(1) - Rail gate w/lock.

Property of Cook County Clerk's Office

UNOFFICIAL COPY

LEGAL DESCRIPTION

THAT PART OF WEST GROSSDALE, A SUBDIVISION IN THE NORTH WEST 1/4 OF THE NORTH WEST 1/4 OF SECTION 3, TOWNSHIP 38 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE POINT OF INTERSECTION OF THE NORTH LINE OF SAID SUBDIVISION AND THE EAST LINE OF MORTON AVENUE, ACCORDING TO THE RECORDED PLAT THEREOF, EXTENDED SOUTHERLY: THENCE WESTERLY ALONG SAID NORTH LINE A DISTANCE OF 40 FEET TO THE TRUE POINT OF BEGINNING OF THE LAND TO BE DESCRIBED: THENCE WEST ALONG SAID NORTH LINE A DISTANCE OF 466.12 FEET; THENCE SOUTH AT RIGHT ANGLES A DISTANCE OF 245 FEET; THENCE SOUTHWESTERLY PARALLEL WITH THE

CENTER LINE OF RAILWAY COMPANY'S HOST NORTHWESTERLY MAIN TRACK AS NOW CONSTRUCTED ACROSS SAID SUBDIVISION, A DISTANCE OF 285 FEET TO THE WEST LINE OF SAID SUBDIVISION: THENCE SOUTHERLY ALONG SAID WEST LINE A DISTANCE OF 210 FEET TO A POINT DISTANT 65 FEET NORTHWESTERLY, MEASURED AT RIGHT ANGLES, FROM SAID TRACK CENTER LINE; THENCE NORTHEASTERLY PARALLEL WITH SAID TRACK CENTER LINE A DISTANCE OF 450 FEET; THENCE NORTHEASTERLY ALONG A LINE PARALLIL WITH AND DISTANT 50 FEET NORTHWESTERLY, MEASURED AT RIGHT ANGLES, FROM THE CENTER LINE OF RAILWAY COMPANY'S LADDER TRACK AS NOW CONSTRUCTED IN SAID SUBDIVISION A DISTANCE OF 170 FEET; THENCE NORTHWESTERLY AT RIGHT ANGLES TO SAID MAIN TRACK CENTER LINE A DISTANCE OF 55 FEET; THENCE NORTHEASTERLY PARALLEL WITH SAID MAIN TRACK CENTER LINE A DISTANCE OF 120 FEET; THENCE NORTHERLY AT RIGHT ANGLES TO SAID NORTH LINE OF SAID SUBDIVISION A DISTANCE OF 247.64 FEET TO THE POINT OF BEGINNING IN COOK COUNTY. 750//ica ILLINOIS.

1863 100 007

Mr. Morten Cute

Keck Mahin & Cute

Keck Mahin & Cute

Bord Floor

Bord S. Wasker Dr.

Chicago, IL 60606

Chicago, IL 60606

4501 W. Southwew

Lookfield of

Mail to

Laurie Levin

Laurie Levin

Hopkins Natural Phys

11 60606 Told 333 3 257 Natural Phys

Change, 16 60602

Property of Cook County Clerk's Office