### UNOFFICIAL CO 1001 Page 1 of 6 17.50

Cook County Recorder

SATISFACTION OR RELEASE OF MECHANIC LIEN

STATE OF ILLINOIS COUNTY OF COOK

88

Pursuant to aid in compliance with the Illinois statute relating to mechanics liets, and for valuable consideration, receipt whereof is hereby acknowledged, the undersigned, MIDWESTERN STEEL SALES, INC. does hereby acknowledge satisfaction or release of the claim against CANNON STEEL Crossfield Catalyst INDOPCO, INC. INDOPCO, INC. for Ninety-five Thousand Three Hundred Sixteen and 82/100ths (\$95,316.82) Dollars, on the following describes property to with following described property, to wil:

Crossfield Catalyst, muilding 2 4099 W. 71st Street, Chicago, Illinois:

A/K/A (SEE ATTACHED LEGAL);

A/K/A (SEE ATTACHED PINS ON LEGAL);

which claim for lien was filed in the office of the recorder of deeds of COOK County, Illinois, as mechanic's lien document No. 99107202.

IN WITNESS WHEREOF, the undersigned has signed this instrument this March 11, 1999. MIDWESTERN STEEL SALES.

VICE-PRESIDENT

PREPARED BY MIDWESTERN STEEL SALES, INC. 449 Evergreen Bensenville, Il 60106

FOR THE PROTECTION OF THE OWNER, THIS RELEASE SHOULD BE ILLED WITH THE RECORDER OF DEEDS OR THE REGISTRAR OF TITLES IN WHOSE CAPICE THE CLAIM FOR LIEN WAS FILED.

Please forward this release to whomever you received payment (rom.

### 99422922 **UNOFFICIAL COPY**

#### **VERIFICATION**

STATE OF ILLINOIS

COUNTY OF DUPAGE

The affiant, Michael Jeffries being first duly sworm, on oath deposes and says that he/she is VP of the claimant; that he has read the foregoing sitisfaction and release of claim and knows the contents thereof; and that all the statements therein contained are true.

VICE PRESIDENT Subscribed and swell to before me this March 11, 1999

La Dinco Public 3 Signature

> "OFFICIAL SEAL" RITA M. LaBANCO Notar, Fublic, State of Illinois My Commission Expires 8/2/01 EX.
>
> Clarks
> Office

The property is commonly known as 4099 West 71st Street. Chicago, Illinois

Permanent Index Numbers: 19-22-417-002-0000

19-22-417-003-0000 19-22-417-004-0000 19-22-417-010-0000 -22-417-012:0000\_ 19-22-417-015-0000 19-27-100-021-0000 19-27-100-022-0000

PARCEL 1:

AN IRREGULAR TRACT OF LAND IN THE SOUTH YEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SECTION 22 AND IN THE HORTH 1/2 OF THE NORTH EAST 1/4 OF THE NORTH EAST 1/4 OF SECTION 27, ALL IN TOWNSHIP 38 NORTH. RANGE 13 EAST OF THE THIRD PRINCIPAL MINIDIAN, BOUNDED AND DESCRIBED AS

COMMENCING AT THE NORTH EAST CORNER OF SECTION AT; THENCE NORTH 89 DEGREES 38 HINTES 40 SECONDS WEST ALONG THE NORTH LINE OF SAID SECTION 27. A DISTANCE OF 67.00 FEET TO A POINT ON THE VEST LINE OF SOUTH PULASKI ROAD AND THE POINT OF BEGINNING FOR SAID TRACT OF LAND; THENCE SOUTH OR DEGREES OR HINUTES OR SECONDS WIST ALCHO THE WEST LINE OF SAID SOUTH PULASKI ROAD, A DISTANCE OF 30.00 FERT TO AN ANGLE POINT IN SAID

# UNOFFICIAL COPY

WEST LINE WHICH IS 67.00 FEET (BY RECTANGULAR HEASUREMENT) WEST OF THE EAST LINE OF SAID SECTION 27: THENCE SOUTH 02 DEGREES OF HINUTES 13 SECONDS WEST ALONG THE WEST LINE OF SAID SOUTH PULASKI ROAD, A DISTANCE OF 389.65 FEET TO A POINT OF INTERSECTION WITH A LINE DRAWN AT RIGHT ANGLES TO THE EAST LINE OF SAID SECTION 27 FROM A POINT 422.00 FEET SOUTH (AS MEASURED ALONG THE EAST LINE OF SAID SECTION 27) OF THE NORTH EAST CORNER OF SAID SECTION 27 (SAID POINT OF INTERSECTION BEING 80.72 FEET BY RECTANGULAR MEASUREMENT, VEST OF THE EAST LINE OF SAID SECTION 27); THENCE NORTH 90 DEGREES DO HINUTES DO SECONDS VEST ALONG THE LAST DESCRIPED LINE DRAWN AT RIGHT ANGLES TO THE EAST LINE OF SAID SECTION 27. A DISTANCE OF 352.52 FEET TO A POINT ON THE NORTHEASTERLY RIGHT OF WAY LINE OF THE BELT RAILROAD COMPANY OF CHICAGO; THENCE HORTH 34 . Degrees, 4) Hinutes, 16 Seconds-Vest-Along-Said-Northeasterly-Right of WAY LINE, A DISTANCE OF 81.14 FEET TO A POINT; THENCE NORTH OO DEGREES 03 MINUTES OF SECONDS WEST ALONG A LINE WHICH IS 1.25 FEET EAST OF AND PARALLEL WITH THE SOUTHERLY EXTENSION OF THE LINE F. ING THE VEST FACE OF THE EXISTING 1 33 FEET THICK CONCRETE FOUNDATION WALL, A DISTANCE OF 102.30 FEET TO THE SOUTHERLY FACE OF THE VALL OF THE EXISTING BUILDING; THENCE NORTH 54 DEGRIES SO MINUTES 14 SECONDS VEST ALONG THE SOUTHERLY FACE OF THE VALL OF THE EXISTING BUILDING AND THROUGH THE 1.00 FEET THICK WALL OF THE EXISTING BUILDING, A DISTANCE OF 1.53 FEET TO A POINT ON THE WEST FACE OF THE 1.35 FOOT TRICK CONCRETE FOUNDATION WALL: THENCE NORTH OF DEGREES OF HIMITIS OF SECONDS WEST ALONG A LINE WHICH IS THE WEST FACE OF THE EXISTING 1/13 FOOT THICK CONCRETE FOUNDATION . WALL AND ITS NORTHERLY EXTENSION, I DISTANCE OF 165.50 FEET TO A POINT THENCE SOUTH 89 DEGREES 37 MINUTES 16 SECONDS VEST ALCHE THE MORTHERL' FACE OF THE WALL OF THE EXISTING BUILDING A DISTANCE OF 101.34 FEET TO A POINT: THENCE SOUTH OF DEGREES 10 HINGE 35 SECONDS EAST ALONG THE VEST FACE OF THE WALL OF THE EXISTING BUILDING, A DISTANCE OF 20.03 FEET TO A POINT; THENCE SOUTH 89 DEGREES 49 MINUTES 25 SECONDS VEST ALONG THE NORTHERLY PACE OF THE VALL OF THE EXISTING BUILDING. A DISTANCE OF 0.71 FEET TO A POINT; THENCE SCUTH OF DEGREES 10 HINGTES 33 SECONDS EAST ALONG THE VESTERLY FACE OF THE VALL OF THE EXISTING BUILDING, A DISTANCE OF 0.69 FEET TO A POINT WHICH 12-101.00 FEET (BY RECTANGULAR MEASUREMENT) SOUTH OF THE NORTH LINE OF SAID SECTION 27: THENCE NORTH 89 DEGREES 38 MINUTES 40 SECONDS VEST ALONG & LINE 131.00 FEET (BY RECTANGULAR MEASUREMENT) SOUTH OF AND PARALLEL WITH THE NORTH LINE OF SAID SECTION 27, A DISTANCE OF 249.51 FEET TO A POINT ON THE NORTHEASTERLY LINE OF THE AFORESAID RAILROAD RIGHT OF WAY: THENCE HONTH 54 DEGREES 45 MINUTES 16 SECONDS WEST ALONG THE MORTHEASTERLY RIGHT OF VAY LINE OF SAID RAILROAD, A DISTANCE OF 229.06 FEET TO A POINT VHICK IS ON THE NORTH LINE OF SAID SECTION 27; THENCE CONTINUING MORTH 34 DEGREES 46 HINUTES 53 SECONDS VEST ALONG THE MORTHEASTERLY RIGHT OF VAY LINE OF SAID RAILROAD, SAID LINE BEING ALSO A LINE 83.00 FEET (BY RECTANGULAR MEASUREMENT) SOUTHEASTERLY OF AND PARALLEL WITH THE NORTHEASTERLY LINE OF PARCEL 2\_ (AS DESCRIBED IN WARRANTY DEED DATED OCTOBER 17, 1945 AND RECORDED OCTOBER 24, 1945 AS DOCUMENT #13640321). A DISTANCE OF 340.67 FEET TO A POINT 10.00 FEET (BY RECTANGULAR

# UNOFFICIAL COPY 9942292

MEASUREMENT) EAST OF THE WEST LINE OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22; THENCE NORTH OF DEGREES 18 MINUTES 05 SECONDS EAST ALONG A LINE 10.00 FEET (BY RECTANGULAR MEASUREMENT) EAST OF AND PARALLEL WITH THE VEST LINE OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22, A DISTANCE OF 469 B1 FEET TO A POINT IN THE NORTH LINE OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22; TRINCE SOUTH 89 DEGREES 35 HINLTES 52 SECONDS EAST ALONG THE MORTH LINE OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22, A DISTANCE OF 300.78 FEET TO A POINT 21.56 FEET (BY RECTANGULAR MEASUREMENT) WEST OF THE EAST LINE OF THE EAST 1/2 OF THE EAST 1/2 OF THE VEST 1/2 OF THE SOUTH 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22; THENCE SOUTH OO DEGREES 18 HINUTES 35 SECONDS WEST ALONG A LINE 21.56 TEET (BY RECTANGULAX HEASUREMENT), WEST OF AND PARALLEL WITH THE EAST LINE OF THE EAST 1/2 OF THE EAST 1/2 OF THE VEST 1/2 OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22, A DISTANCE OF 577.95 FEET TO A POINT OF INTERS' TION WITH THE NORTHWESTERLY FATENSION OF A LINE DRAWN AT A POINT ON THE SOUTH LINE OF SAID SECTION 22 102,20 FEET EAST OF THE SOUTH WEST CORNER OF THE EAST 1/2 OF THE SOUTH VEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22-10 A POINT ON THE VEST LINE OF SAID EAST 1/2, 71.30 FEET NORTH OF THE SOUTH MINE OF SAID SECTION 22; THENCE SOUTH 54 DEGREES 45 MINUTES 16 SECONDS EAST ALONG THE LAST DESCRIBED INTERSECTING LINE AND ITS NURTHMESTERLY EXTENSION, A DISTANCE OF 112.50 FEET TO A POINT 22.00 FEET (BY PLOYANGULAR MEASUREMENT) NORTH OF THE SOUTH LINE OF SAID SECTION 22: THINGE SOUTH 89 DEGREES 38 HINGTES 40 SECONDS EAST ALONG A LINE 22.00 FEET (B) RECTANGULAR MEASUREMENT) NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SECTION 22, A DISTANCE OF 589.55 FEET TO A POINT; TRENCE SOUTH OF DEGREES 21 HINUTES 20 SECONDS VEST ALONG A LINE PERPENDICULAR TO THE LAST DESCRIBED PARALLEL LINE, A DISTANCE OF 22.00 FEET TO A POINT ON THE SOUTH LINE OF SAID SECTION 22; AND NORTH LINE OF SAID SECTION 27; THENCE SOUTH 19 DEGREES 38 HINUTES 40 SECONDS EAST ALONG THE NORTH LINE OF SAID SECTION 27, A DISTANCE OF 269.50 FEET TO THE POINT OF REGINNING, ALL IN THE CITY OF CHICAGO, COOK COUNTY, AND STATE OF ILLINOIS

#### PARCEL 2:

A TRACT OF LAND IN THE MORTH 1/2 OF THE MORTH EAST 1/4 OF THE MORTH EAST 1/4 OF SECTION 27, TOWNSHIP 38 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, TO WIT: COMMENCING AT THE MORTH EAST CORMER OF SAID SECTION 27; THENCE SOUTH 0 DEGREES 00 MINUTES CO SECONDS WEST ON THE EAST LINE OF SAID SECTION 27, A DISTANCE OF 666.66 FLET TO A POINT; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS WEST, A DISTANCE OF 87.00 FEET TO THE POINT OF BEGINNING FOR SAID TRACT OF LAND BEING THE INTERSECTION OF THE MORTHEASTERLY RIGHT OF VAY LINE OF THE BELT RAILWAY COMPANY OF CHICAGO, AND THE VEST LINE OF SOUTH PULASKI ROAD; THENCE NORTH 0 DEGREES 00 MINUTES 00 SECONDS WEST ALONG THE WEST LINE OF SOUTH PULASKI ROAD, A DISTANCE OF 66.66 FEET; THENCE MORTH 02 DEGREES 01

**UNOFFICIAL COF** 

MINUTES 13 SECONDS EAST ALONG THE WEST LINE OF SOUTH PULASKI ROAD, A DISTANCE OF 178.11 FEET: THENCE NORTH 90 DEGREES CO HINLTES OF SECONDS WEST, A DISTANCE OF 352.52 FEET TO THE NORTHEASTERLY RIGHT OF WAY LINE OF THE BELT RATEWAY COMPANY: THENCE SOUTH \$4 DEGREES 45 HINUTES 16 SECONDS EAST ALONG SAID RIGHT OF WAY LINE, A DISTANCE OF 423.96 FEET TO THE POINT OF BEGINNING IN COOK COUNTY, ILLINOIS PARCEL 3:

AN IRREGULAR TRACT OF LAND IN THE NORTH 1/2 OF THE NORTH EAST 1/4 OF THE NORTH EAST 1/4 OF SECTION 27, TOWNSHIP 38 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, BOUNDED AND DESCRIBED AS FOLICYS: COMMENCING AT THE NORTH EAST CORNER OF SAID SECTION 27; THENCE SOUTH O DEGREES O MINUTES O SECONDS WEST, ALONG THE EAST LINE OF SAID SECTION A DISTANCE OF 466.66 FEET TO A POINT; THENCE NORTH 90 DEGREES 2 METES O SECONDS WEST. A DISTANCE OF 87.00 FEET (BY RECTANGULAR MEASUREMENT) TO A POINT ON THE NORTHEADTERLY RIGHT OF WAY LINE OF THE BELT KATLEGAD COMPANY\_OF\_CHICAGO; THENCE NORTH-34-DEGREES-45-HINCTES 16 SECONDS SEST, ALONG THE SAID NORTHEASTERLY RIGHT OF WAY LINE A DISTANCE OF SOS . TO THE POINT OF BEGINNING; THENCE HE TH O DEGREES ON MINUTES OF SECONDS WEST. ALONG A LINE WHICH IS 1.25 FEET EAST OF AND PARALLEL WITH A SOUTHERLY EXTENSION OF THE LINE ALONG THE VEST FACE OF THE EXISTING LOS FEET THICK CONCRETE FOUNDATION WALL, A DISTANCE OF .102.30 FEET TO THE SOUTHERLY FACE OF THE WALL OF THE EXISTING BUILDING; THENCE NORTH S4 DEGREES SO MINUTES 14 SECONDS WEST. ALONG THE SOUTHERLY FACE OF THE WALL OF THE EXISTING BUILDING AND THROUGH THE 1.00 FOOT THICK VALL OF THE EXISTING PUILDING, A DISTANCE OF 1.53 FEET TO A POINT ON THE PEST FACE OF THE 1. 13 FOOT THICK CONCRETE FOUNDATION WALL; THENCE NORTH O DEGREES OF MINUTES OF SECONDS WEST. ALONG A LINE WHICH IS THE VEST FACE OF THE EXISTING 1.33 FOOT THICK CONCRETE FOUNDATION WALL AND THE NORTHERLY EXTENSION, A DISTANCE OF 165.50 FEET TO A POINT: THENCE SOUTH 89 DEGREES ST MINUTES & SECONDS WEST, ALONG THE NORTHERLY FACE OF THE WALL OF THE EXISTING BUILDING, A DISTANCE OF 101.34 FEET TO A POINT; THENCE SOUTH O DEGREES 10 MINUTES 3º SECONDS EAST, ALONG THE WEST FACE OF THE VALL OF THE EXISTING BUILDING, A DISTANCE OF 20.03 FEET TO A POINT: THENCE SOUTH B9 DEGREES 49 HIAVIES 25 SECONDS WEST. ALONG THE NORTHERLY FACE OF THE VALL OF THE EXISTING BUILDING. A DISTANCE OF 0.71 FEET TO A POINT; THENCE SOUTH O DEGREES 10 HINLTES 35 SECONDS EAST, ALONG THE FACE OF THE WALL OF THE EXISTING BUILDING. A DISTANCE OF 0.69 FIET TO A POINT WHICH IS 131.00 FEET (R) ESCHANGULAR STASUREMENT) SOUTH OF THE NORTH LINE OF SAID SECTION 27; OF MICE NORTH 89 DEGREES 38 MINUTES 40 SECONDS VEST, ALONG A LINE 131.00 FEET BY PECTANGULAR MEASUREMENT) SOUTH OF AND PARALLEL WITH THE NORTH UNE OF SECTION 27. A DISTANCE OF 249.51 FEET TO A POINT ON THE NORTHEASTFRLY LINE OF AFCRESAID RAILROAD RIGHT OF WAY: THENCE SOUTH \$4 DEGREES 4: MINUTES 16 SECONDS EAST, ALONG THE HORTHEASTERLY RAILROAD RIGHT OF WAY LINE, A DISTANCE OF 432.24 FEET TO THE POINT OF BEGINNING, IN COCK

Medeveston Steel Selec Une. 449 S. Evergreen St. Bensenville. Ul.