UNOFFICIAL CC 4<mark>8</mark>8/0046 27 001 Page 1 of

1999-02-02 09:43:59

Cook County Recorder

MECHANIC'S LIEN:

NOTICE & CLAIM

STATE OF ILLINOIS

SS

COUNTY OF COOK



MIDWESTERN STEEL SALES, INC. CLAIMANT

-VS-

Crossfield Calalyst INDOPCO, INC. CANNON STEEL DEFENDANT

The claimant, MIDWESTERN STEEL SALES, INC. of Bensenville County of DUPAGE, State of I!, hereby files a notice and claim for lien against CANNON STEEL contractor of 16770 Chicago Avenue, Attn: Patrick Clark Lansing, State of Illinois and Crossfield Catalyst Chicago Il INDOPCO, INC. New York New York {hereinafter referred to as "owner(s)"} and {hereinafter referred to as "lender(s)"} and states:

That on August 13, 1998, the owner owned the following described land in the County of COOK, State of Illinois to wit:

(Street Address) Crossfield Catalyst/ Building 2 4099 W. 71st Street, Chicago, Illinois:

A/K/A: (SEE ATTACHED LEGAL)

A/K/A: Tax # (SEE ATTACHED PINS ON LEGAL

and CANNON STEEL was the owner's contractor for the improvement thereof. That on August 13, 1998, said contractor made a subcontract with the claimant to provide labor and material for structural steel for and in said improvement, and that on October 23, 1998 the claimant completed thereunder all that was required to be done by said contract.



Office

The following amounts are due on said contract:

Contract Balance \$95,316.82 Extras \$0.00 Total Balance Due...... \$95,316.82

leaving due, unpaid and owing to the claimant after allowing all credits, the sum of Ninety-five Thousand Three Hundred Sixteen and 82/100ths (\$95,316.82) Dollars, for which, with interest, the Claimant claims a lien on said land and improvements, and on the moneys or other considerations due or to become due from the owner under said contract against said contractor and owner.

MIDWESTERN STEEL SALES,

jr/gds

Prepared By: /\
MIDWESTERN SIFM SALES, INC.
449 Evergreen
Bensenville, Il 60106

VERIFICATION

State of Illinois

County of DUPAGE

The affiant, Vincent P. Allegra, being first duly sworn, on oath deposes and says that he/she is President of the claimant; that he has read the foregoing notice and claim for lien and knows the contents theref; and that all the statements therein contained are true.

Subscribed and sworn to before me this January 21, 1999.

Ty Public Signature

"OFFICIAL SEAL"
LORI SZENTENDREI
Notary Public, State of Illinois
My Commission Expires 6-25-2001

The property is commonly known as 4099 West 71st Street, Chicago, Illinois

Permanent Index Numbers: 19-22-417-002-0000

19-22-417-003-0000 DOOR CO 19-22-417-004-0000 19-22-417-010-0000 19-22-417-012-0000 19-22-417-015-0000 19-27-100-021-0000 19-27-100-022-0000

AN IRREGULAR TRACT OF LAND IN THE SOUTH VEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SECTION 22 AND IN THE NORTH 1/2 OF THE NORTH EAST 1/4 OF THE NORTH EAST 1/4 OF SECTION 27, ALL IN TOWNSHIP 38 NORTH. RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, BOUNDED AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTH EAST CORNER OF SECTION 27; THENCE NORTH 89 DEGREES 38 HINUTES 40 SECONDS WEST ALONG THE NORTH LINE OF SAID SECTION 27, A DISTANCE OF 67.00 FEET TO A POINT ON THE WIST LINE OF SOUTH PULASKI ROAD AND THE POINT OF BEGINNING FOR SAID TRACT OF LAND; THENCE SOUTH OD DEGREES OD HINUTES OD SECONDS WIST ALOW, THE VEST LINE OF SAID SOUTH PULASKI ROAD, A DISTANCE OF 33.00 FEET TO AN AMILE POINT IN SAID

$m{YY1UYZUZ}_{Page}$ 4 of

UNOFFICIAL COPY

VEST LINE WHICH IS 67.00 FEET (BY RECTANGULAR MEASUREMENT) WEST OF THE EAST LINE OF SAID SECTION 27; THENCE SOUTH 02 DEGREES 01 MINUTES 13 SECONDS WEST ALONG THE WEST LINE OF SAID SOUTH PULASKI ROAD, A DISTANCE CF 389.65 FEET TO A POINT OF INTERSECTION WITH A LINE DRAWN AT RIGHT ANGLES TO THE EAST LINE OF SAID SECTION 27 FROM A POINT 422.00 FEET SOUTH (AS MEASURED ALONG THE EAST LINE OF SAID SECTION 27) OF THE NORTH EAST CORNER OF SAID SECTION 27 (SAID POINT OF INTERSECTION BEING 80.72 FEET BY RECTANGULAR MEASUREMENT, WEST OF THE EAST LINE OF SAID SECTION 27); THENCE NORTH 90 DEGREES OD MINUTES OD SECONDS WEST ALONG THE LAST DESCRIBED LINE DRAWN AT RIGHT ANGLES TO THE EAST LINE OF SAID SECTION 27 A DISTANCE OF 352.52 FEET TO A POINT ON THE NORTHEASTERLY RIGHT OF VAY LINE OF THE BELT RAILROAD COMPANY OF CHICAGO: THENCE NORTH 54 DEGFEES, 45 HINUTES, 16 SECONDS WEST ALONG SAID NORTHEASTERLY RIGHT OF WAY LINE, A DISTANCE OF 81.14 FEET TO A POINT; THENCE NORTH OO DEGREES 93 MINUTES 04 SECONDS WEST ALONG A LINE WHICH IS 1.75 FEET EAST OF AND PARALLEL LITH THE SOUTHERLY EXTENSION OF THE LINE A MG THE WEST FACE OF THE EXISTING 1.33 FEET THICK CONCRETE FOUNDATION WALL, A DISTANCE OF 102.30 FEET 10 THE SOUTHERLY FACE OF THE WALL OF THE EXISTING BUILDING: THENCE NORTH 54 DEGREES 50 MINUTES 14 SECONDS VEST ALONG THE SOUTHERLY FACE OF THE WALL OF THE EXISTING BUILDING AND THROUGH THE 1.00 FEET THICK WALL OF THE EXISTING BUILDING, A DISTANCE OF 1.53 FEET TO A POINT ON THE WEST FACE OF THE 1.33 FOOT THICK CONCRETE FOUNDATION WALL: THENCE NORTH OO DEGREES OF MINUTES OF SECONDS VEST ALONG A LINE WHICH IS THE WEST FACE OF THE EXISTING 1.33 FOOT THICK CONCRETE FOUNDATION WALL AND ITS NORTHERLY EXTENSION, A DISTANCE OF 165.50 FEET TO A POINT THENCE SOUTH 89 DEGREES 57 MINUTES 16 SECONDS WEST ALONG THE NORTHERL FACE OF THE WALL OF THE EXISTING SUMPING, A DISTANCE OF 101.34 FEET TO A POINT; THENCE SOUTH OO DEGREES 10 MINUTES 35 SECONDS EAST ALONG THE WEST FACE OF THE WALL OF THE EXISTING SPILLING, A DISTANCE OF 20.03 FEET TO A POINT; THENCE SOUTH 89 DEGREES 47 MINUTES 23 SECONDS WEST ALONG THE NORTHERLY FACE OF THE WALL OF THE EXISTING BUILDING, A DISTANCE OF 0.71 FEET TO A POINT; THENCE SOUTH OR DEGREES 10 HINUTES 35 SECONDS EAST ALONG THE WESTERLY FACE OF THE WALL OF THE EXISTING BUILDING, A DISTANCE OF 0.69 FEET TO A POINT WHICH IS 131.00 FEET (BY RECTANGULAR HEASUREMENT) SOUTH OF THE NORTH LINE OF SAID SECTION 27; THENCE NORTH 89 DEGREES 38 MINUTES 40 SECONDS WEST ALL NG A LINE 131.00 FEET (BY RECTANGULAR HEASUREMENT) SOUTH OF AND PARALLEL WITH THE NORTH LINE OF SAID SECTION 27, A DISTANCE OF 249.51 FEET TO A POLICI ON THE NORTHEASTERLY LINE OF THE AFORESAID RAILROAD RIGHT OF WAY; THE WEE NORTH 54 DEGREES 45 MINUTES 16 SECONDS WEST ALONG THE NORTHEASTERLY RIGHT OF WAY-LINE OF SAID RAILROAD, A DISTANCE OF 229.06 FEET TO A POINT WHICH IS ON THE NORTH LINE OF SAID SECTION 27; THENCE CONTINUING NORTH 34 DEGREES 46 HINUTES 53 SECONDS WEST ALONG THE NURTHEASTERLY RIGHT OF WAY LINE OF SAID RAILROAD, SAID LINE BEING ALSO A LINE 83.00 FEET (BY RECTANGULAR MEASUREMENT) SOUTHEASTERLY OF AND PARALLEL WITH THE NORTHEASTERLY LINE OF PARCEL 2 (AS DESCRIBED IN WARRANTY DEED DATED OCTOBER 17, 1945 AND RECORDED OCTOBER 24, 1945 AS DOCUMENT #13640521). A DISTANCE OF 340.67 FEET TO A POINT 10.00 FEET (BY RECTANGULAR

MEASUREMENT) EAST OF THE WEST LINE OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22; THENCE NORTH OO DEGREES 18 HINUTES 05 SECONDS EAST ALONG A LINE 10.00 FEET (BY RECTANGULAR MEASUREMENT) EAST OF AND PARALLEL WITH THE WEST LINE OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22, A DISTANCE OF 469.81 FEET TO A POINT IN-THE NORTH LINE OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22; THENCE SOUTH 89 DEGREES 35 MINUTES 52 SECONDS EAST ALONG THE NORTH LINE OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22, A DISTANCE OF 300.78 FEET TO A POINT 21.56 FEET (BY RECTANGULAR MEASUREMENT) WEST OF THE EAST LINE OF THE EAST 1/2 OF THE EAST 1/2 OF THE VEST 1/2 OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 24. THENCE SOUTH OO DEGREES 18 MINUTES 35 SECONDS VEST ALONG A LINE 21.56 FEET (BY RECTANGULAR MEASUREMENT) WEST OF AND PARALLEL WITH THE EAST LINE OF THE EAST 1/2 OF THE EAST 1/2 OF THE VEST 1/2 OF THE SOUTH WEST 1,4 OF THE SOUTH EAST-1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22, A DISTANCE OF 577.95 FEET TO A POINT OF INTERS' TION WITH THE NORTHWESTERLY EXTENSION OF A LINE DRAWN AT A POINT ON THE SOUTH LINE OF SAID SECTION 72, 102.20 FEET EAST OF THE SOUTH WEST CORNER OF THE EAST 1/2 OF THE SOUTH WIST 1/4 OF THE SOUTH EAST 1/4 OF THE SOUTH EAST 1/4 OF SAID SECTION 22 20 A POINT ON THE WEST LINE OF SAID EAST 1/2, 71.30 FEET NORTH OF THE SOUTH LINE OF SAID SECTION 22; THENCE SOUTH 54 DEGREES 45 MINUTES 16 SECONDS EAST ALONG THE LAST DESCRIBED INTERSECTING LINE AND ITS NORTHWESTERLY EXTENSION, A DISTANCE OF 112.50 FEET TO A POINT 22.00 FEET (BY RECTANGULAR MEASUREMENT) NORTH OF THE SOUTH LINE OF SAID SECTION 22; THENCE SOUTH 89 DEGREES 38 MINUTES 40 SECONDS EAST ALONG A LINE 22.00 FEET (BY RECTANGULAR MEASUREMENT) NORTH OF AND PARALLEL WITH THE SOUTH DIME OF SAID SECTION 22, A DISTANCE OF 589.55 FEET TO A POINT; THENCE SOUTH SO DEGREES 21 MINUTES 20 SECONDS WEST ALONG A LINE PERPENDICULAR TO THE LAST DESCRIBED PARALLEL LINE, A DISTANCE OF 22.00 FEET TO A POINT ON THE SOUTH LINE OF SAID SECTION 22; AND NORTH LINE OF SAID SECTION 27; THENCE SOUTH 89 DEGREES 38 HINUTES 40 SECONDS EAST ALONG THE NORTH LINE OF SAID SECTION 27, A DISTANCE OF 269.50 FEET TO THE POINT OF BEGINNING, ALL IN THE CITY OF CHICAGO. COOK COUNTY, AND STATE OF ILLINOIS

PARCEL 2:

A TRACT OF LAND IN THE NORTH 1/2 OF THE NORTH EAST 1/4 OF THE NORTH EAST 1/4 OF SECTION 27, TOWNSHIP 38 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL HERIDIAN, TO WIT: COMMENCING AT THE NORTH EAST CURVED OF SAID SECTION 27; THENCE SOUTH O DEGREES OO MINUTES OO SECONDS WEST ON THE EAST LINE OF SAID-SECTION 27, A DISTANCE-OF-666-66-FEET-TO-A-POINT-THENCE NORTH 90 DEGREES OO MINUTES OO SECONDS WEST, A DISTANCE OF TOO FEET TO THE POINT OF BEGINNING FOR SAID TRACT OF LAND BEING THE INTERSECTION OF THE NORTHEASTERLY RIGHT OF WAY LINE OF THE BELT RAILWAY COMPANY OF CHICAGO, AND THE WEST LINE OF SOUTH PULASKI ROAD; THENCE NORTH O DEGREES OO MINUTES OO SECONDS WEST ALONG THE WEST LINE OF SOUTH PULASKI ROAD, A DISTANCE OF 66.66 FEET; THENCE NORTH O2 DEGREES O1

99107202 Face 5 of

MINUTES 13 SECONDS EAST ALONG THE WEST LINE OF SOUTH PULASKI ROAD, A DISTANCE OF 178.11 FEET; THENCE NORTH 90 DEGREES CO MINUTES OO SECONDS WEST. A DISTANCE OF 352.52 FEET TO THE NORTHEASTERLY RIGHT OF WAY LINE OF THE BELT RAILWAY COMPANY; THENCE SOUTH \$4 DEGREES 45 MINUTES 16 SECONDS EAST ALONG SAID RIGHT OF WAY LINE, A DISTANCE OF 423.96 FEET TO THE POINT OF BEGINNING IN COOK COUNTY, ILLINOIS PARCEL 3:

AN IRREGULAR TRACT OF LAND IN THE NORTH 1/2 OF THE NORTH EAST 1/4 OF THE NORTH EAST 1/4 OF SECTION 27, TOWNSHIP 38 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTH EAST CORNER OF SAID SECTION 27; THENCE SOUTH O DEGREES O MINUTES O SECONDS WEST, ALONG THE EAST LINE OF SAID SECTION 27. A DISTANCE OF 666.66 FEET TO A POINT; THENCE NORTH 90 DEGREES 3 MINUTES O SECONDS WEST, A DISTANCE OF 87.00 FEET (BY RECTANGULAR (EASUREMENT) TO A POINT ON THE NORTHEADTERLY RIGHT OF WAY LINE OF THE BELT RAILROAD COMPANY OF CHICAGO; THENCE NORTH 54 DEGREES 45 MINUTES 16 SECTIONS WEST, ALONG THE SAID NORTHEASTERLY RIGHT OF WAY LINE A DISTANCE OF 50° (1) FEET TO THE POINT-OF BEGINNING; THENCE NO THE O DEGREES 03 HINUTES IN SECONDS WEST. ALONG A LINE WHICH IS 1.25 FEET EAST OF AND PARALLEL WITH A SOUTHERLY EXTENSION OF THE LINE ALONG THE WEST FACE OF THE EXISTING 1.33 FEET THICK CONCRETE FOUNDATION WALL, A DISTANCE OF 102.30 FEET TO THE SOUTHERLY FACE OF THE WALL OF THE EXISTING BUILDING; THENCE NORTH S4 DEGREES 50 MINUTES 14 SECONDS WEST, ALONG THE SOUTHERLY FACE OF THE WALL OF THE EXISTING BUILDING AND THROUGH THE 1.00 FOOT THICK WALL OF THE EXISTING BUILDING, A DISTANCE OF 1.53 FEET TO A POINT ON THE WEST FACE OF THE 1 33 FOOT THICK CONCRETE FOUNDATION WALL; THENCE NORTH O DEGREES 03 HINTES 04 SECONDS WEST, ALONG A LINE WHICH IS THE VEST PACE OF THE EXISTING 1.33 FOOT THICK CONCRETE FOUNDATION WALL AND THE NORTHERLY EXTENSION. A DISTANCE OF 165.50 FEET TO A POINT: THENCE SOUTH 89 DEGREES 57 MINUTES 16 SECONDS WEST, ALONG THE NORTHERLY FACE OF THE WALL OF THE EXISTING BILLDING, A DISTANCE OF 101.34 FEET TO A POINT; THENCE SOUTH O DEGREES 10 MINUTES 35 SECONDS EAST, ALONG THE WEST FACE OF THE WALL OF THE EXISTING DULLDING, A DISTANCE OF 20.03 FEET TO A POINT; THENCE SOUTH 89 DEGREES 49 MINUTES 25 SECONDS WEST, ALONG THE NORTHERLY FACE OF THE WALL OF THE EXISTING BUILDING. A DISTANCE OF 0.71 FEET TO A POINT; THENCE SOUTH O DEGREES 10 HINCES 35 SECONDS EAST, ALONG THE FACE OF THE WALL OF THE EXISTING BUILDING, A DISTANCE OF 0.69 FEET TO A POINT WHICH IS 131.00 FET (BY RECTANGULAR MEASUREMENT) SOUTH OF THE NORTH LINE OF SAID SECTION 27, THENCE NORTH 89 DEGREES 38 MINUTES 40 SECONDS WEST, ALONG A LINE 131.CO FEET (BY PECTANGULAR MEASUREMENT) SOUTH OF AND PARALLEL WITH THE NORTH LINE OF SECTION 27, A DISTANCE OF 249.51 FEET TO A POINT ON THE NOR HE/STERLY LINE OF AFORESAID RAILROAD RIGHT OF WAY: THENCE SOUTH 54 DEGREES -5 MINUTES 16 SECONDS EAST, ALONG THE NORTHEASTERLY RAILROAD RIGHT OF WAY LINE, A DISTANCE OF 432.24 FEET TO THE POINT OF BEGINNING, IN COOK COUNTY, ILLINOIS.